




# **RAISED GARDEN BED**

4' x 16'

Layout

Layout your timbers along the borderline and connect each timber together by inserting the top of the stake through the bracket loops with the stake pointing to the sky. This enables you to freely position your border to get your desired location.

### **KIT CONTAINS:**



Tools needed: Hammer (to tap stake in place), Hackshaw (optional)

Customer Service: 1800-914-9835 | <u>support@frameitall.com</u> © 2020 Frame It All. All Rights Reserved.


## **ASSEMBLY INSTRUCTIONS**

STEP 1: Assemble 14 x Doubled-Bracket Timbers (A)

Attach one single stacking bracket to each end of timbers (one facing up, one facing down – shown below)



You will need 10 (A) Timbers for the 1<sup>st</sup> (base) level and 4 (A) Timbers for the 2<sup>nd</sup> level.





You will need 4 (B) Timbers for the 2<sup>nd</sup> level.

#### **STEP 3**: Assemble 3 x Cross-Bracket Timbers (**C**)

Attach one 4-way bracing bracket to each end of timbers.




Use plugs (included) to cover the holes on both side of timbers


X 3



You will need 3 (C) Timbers for the 2<sup>nd</sup> level.

**STEP 4**: Arrange 10 (**A**) Timbers to create the base level of your garden in a straight rectangular shape – shown below.






#### Note:

If you plan to assemble raised bed on a hard surface, use hacksaw to remove the spike of each stake. Use these cut down stakes for the base level only of your raised garden.


## ASSEMBLY INSTRUCTIONS

STEP 5: To create 2nd level, place Cross-Bracket Timbers (C) on top of the 1<sup>st</sup> level,



then add a Single-Bracket Timber (A) on each end (refer to diagram below).


To complete the 2<sup>nd</sup> level, place Single-Bracket Timber (**B**) with one bracket to complete the sides and secure the unbracketed timber sides into the channel of the 4-way bracing bracket – see diagram below.




**STEP 6**: Insert a stake through the brackets into the hole on the top of the stake beneath it to lock the 2<sup>nd</sup> level in place.

**STEP 7**: Add the caps to each of the top corner joints and plugs to cover the holes on both side of timbers.

**HAPPY GARDENING!!** 



#### How the Joints Work



Customer Service: 1800-914-9835 | support@frameitall.com