

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT** use this product full strength for cleaning surfaces. Always dilute strictly in accordance with the directions. For prolonged use, wear gloves.

FOR HOSPITAL DISINFECTION	Product	Water	Instructions
	1/2 Cup	1 Gallon	Prewash surface, then apply bleach solution. Let stand 10 minutes. Rinse well and air dry.

FOR DISINFECTING

Floors, Walls, Vinyl, Glass/Tiles, Bathbats, Showers, Sinks	1/2 Cup (4 oz)	1 Gallon	Prewash surface, mop or wipe with bleach solution. Allow solution to contact surface for at least 5 minutes. Rinse well and air dry.
---	----------------	----------	--

Toilet Bowl	3/4 Cup (6 oz)	Toilet Bowl	Flush toilet. Pour this product into bowl. Brush bowl, making sure to get under the rim, and let solution stand for 10 minutes and flush again.
-------------	----------------	-------------	---

FOR SANITIZING

Work Surfaces	2 tsp (1/3 oz)	1 Gallon	Wash, rinse, wipe surface area with bleach solution for at least 2 minutes. Let air dry.
---------------	----------------	----------	--

Refrigerators & Freezers	2 tsp (1/3 oz)	1 Gallon	Remove food. Wash, rinse, wipe surface area with bleach solution for at least 2 minutes. Let air dry.
--------------------------	----------------	----------	---

Dishes, Silverware, Utensils	2 tsp (1/3 oz)	1 Gallon	Wash and rinse. After washing, soak for at least 2 minutes in bleach solution, drain and air dry.
------------------------------	----------------	----------	---

Dishcloths & Taps	1/2 Cup (4 oz)	1 Gallon	Prewash items, then soak in solution for at least 5 minutes. Rinse and air dry.
-------------------	----------------	----------	---

FOR DEODORIZING

Garbage Cans	1/2 Cup (4 oz)	1 Gallon	After washing and rinsing, brush inside with bleach solution. Let drain.
--------------	----------------	----------	--

Drains	3/4 Cup (6 oz)	—	Flush drains. Pour into drain. Flush with hot water.
--------	----------------	---	--

FOR MOLD AND MILDEW REMOVAL

All Surfaces	3/4 Cup (6 oz)	1 Gallon	Prewash surface and wipe with bleach solution. Allow solution to contact surface for at least 5 minutes. Rinse well and air dry.
--------------	----------------	----------	--

DILUTION TABLE: PPM (Parts Per Million Available Chlorine). Degrades with age and exposure to sunlight and heat. Check the level of available chlorine with a test kit.

1/3 oz this product (2 tsp)	+ one gallon water	= 200 ppm
4 oz this product	+ one gallon water	= 2400 ppm

***Special Label Instructions for Cleaning Prior to Disinfection against *Clostridium difficile* endospores: Personal Protection:** Wear appropriate barrier protection such as gloves, gowns, masks or eye covering. **Cleaning Procedure:** Hard mattresses must be thoroughly cleaned from surfaces/objects before disinfection by application with clean cloth, mop, and/or sponge saturated with product intended for disinfection. Cleaning includes vigorous wiping and/or scrubbing, until visible soil is removed. Special attention is needed for high-touch surfaces. Clean surfaces in patient rooms in an appropriate manner, with restrooms and other dirty areas cleaned last. Do not reuse soiled cloths. **Infectious Materials Disposal:** Cleaning materials used which may contain feces/wastes must be disposed of immediately in accordance with local regulations for infectious materials disposal. **For killing *Clostridium difficile* spores:** Add 1 part bleach to 8 parts water to achieve a 1:9 dilution (~800 ppm available chlorine) before use. Clean hard, nonporous surfaces by removing gross film. Apply 1:9 solution and let stand for 5 minutes. Rinse and air dry. Prepare fresh solution daily. Do not use on nonstainless steel, aluminum, silver, or shipped enamel.

***Special Instructions for using this product to clean and decontaminate against HIV, HBV and HCV on surfaces/objects soiled with blood/body fluids:** This product kills HIV-1, HBV and HCV on precleaned environmental surfaces/objects previously soiled with blood/body fluids in healthcare settings (e.g. hospitals, nursing homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids; and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV). **Personal protection:** When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings. **Cleaning procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and other objects before applying this product. **Dilution and contact time:** Prepare a solution of 1/2 cup of bleach plus 1 gallon of water (at least 1700 ppm available chlorine) and spray or flood surface; let stand 5 minutes. **Disposal of infectious materials:** Use disposable latex gloves, gowns, masks and eye coverings. Blood and other body fluids must be properly collected and disposed of according to local regulations for infectious waste disposal. This product can be used on hard, nonporous surfaces in commercial, institutional, hospital and household premises, and eating establishments. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body; or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER: CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear protective eyewear, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the restroom. Avoid breathing vapors and use only in a well-ventilated area. Remove and wash contaminated clothing before reuse. **FIRST AID: IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Have person sip a glassful of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or doctor immediately for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **Clear information Line: 1-800-290-2200. PHYSICAL OR CHEMICAL HAZARDS:** Product contains a strong oxidizer. Always flush drains before and after use. Do not use or mix with other household chemicals, such as toilet bowl cleaners, rust removers, acids or products containing ammonia. To do so will release hazardous irritating gases. Prolonged contact with metal may cause pitting or discoloration. **ENVIRONMENTAL HAZARDS:** This product is toxic to fish, aquatic invertebrates, oysters and shrimp. Not harmful to septic and waste water treatment systems.

STORAGE AND DISPOSAL: Store away from children. Recycle cap lightly after each use. Store this product upright in a cool, dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. **CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Recycle empty container or discard in trash. Do not contaminate food or feed by storage and disposal of this product.

CONTAINS NO PHOSPHORUS