



Roundup

DUAL ACTION

WEED & GRASS KILLER
PLUS 4 MONTH PREVENTER

EXCLUSIVE FORMULA

**ROOT OUT PATIO &
LANDSCAPE WEEDS¹**

**KILLS
THE ROOTS
GUARANTEED***



Keep Out of Reach of Children

CAUTION See back panel booklet for additional
precautionary statements.

Mantener Fuera del Alcance de los Niños

PRECAUCIÓN Vea los avisos adicionales de
precaución en el panel posterior.

ACTIVE INGREDIENTS:

Triclopyr, triethylamine salt	0.122%
Fluazifop-P-butyl	0.097%
Diquat dibromide	0.073%
Imazapic, ammonium salt	0.015%
OTHER INGREDIENTS	99.693%
TOTAL	100.000%

Contains 0.0073 lbs. triclopyr acid equivalent,
0.0081 lbs. fluazifop-p-butyl, 0.0061 lbs. diquat dibromide,
and 0.0012 lbs. imazapic acid equivalent per US gallon.

PPN 40164V1-02




LB16135

NET 1 GAL (128 FL OZ/3.78L)

DID YOU KNOW?

People and pets may enter treated area after spray has dried.

Dual Action Formula Works 2 Ways



IMPORTANT!
To prevent new weeds and grasses from growing, YOU MUST SPRAY THE ENTIRE AREA you want to control, NOT JUST the emerged weeds.

- 1 Kills existing weeds and grasses, down to the root.
- 2 Prevents new weeds from growing for up to 4 months by creating an invisible barrier in the soil.



¹ **DO NOT USE:** In areas that will be planted or seeded within 4 months OR around unestablished desirable plants, shrubs or trees (see booklet for details).

*** CONSUMER GUARANTEE:** If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.

This bottle may contain an anti-theft device, either inside or on the back of the bottle. It does not affect product performance.

©2022 Monsanto Company
Produced for Monsanto Company
Lawn & Garden Products
800 N. Lindbergh Blvd.
St. Louis, MO 63167
www.roundup.com
EPA Reg. No. 71995-66
EPA Est. 239-1A-3
Assembled in USA



FPO

0 70183 53783 9

PRODUCT FACTS

KILLS & PREVENTS MANY TYPES OF TOUGH WEEDS & GRASSES

FOR UP TO 4 MONTHS including Bahiagrass, Barnyardgrass, Bermudagrass, Bindweed, Black Medic, Broadleaf Signalgrass, Buckhorn Plantain, Burning Nettle, Bush Honeysuckle, Carolina Geranium, Carpetweed, Chamber-Bitter, Chickweed (Common), Chickweed (Mouseear), Cinquefoil, Clover, Common Lespedeza, Common Purslane, Creeping Woodsorrel, Curly Dock, Dandelion, Dichondra, Downy Brome, Evening Primrose, Fall Panicum, Field Sandbur, Florida Pusley, Giant Foxtail, Goosegrass, Green Foxtail, Guinea grass (Seedling), Himalayan Blackberry, Ironweed, Italian Ryegrass, Itchgrass, Johnsongrass (Rhizome), Johnsongrass (Seedling), Junglerice, Kentucky Bluegrass, Kikuyugrass, Lambsquarters, Large Crabgrass, Lespedeza, Maypop, Passionflower, Morning Glory, Oxalis, Pennywort, Plantain (Broadleaf), Poison Ivy, Prairie Cupgrass, Quackgrass, Rabbitfootgrass, Red Clover, Red Rice, Red Sorrel, Shattercane, Smooth Crabgrass, Sorghum, Alhum, Southern Crabgrass, Southern Dewberry, Southern Sandbur, Southwestern Cupgrass, Speedwell (Veronica), Spotted Spurge, Sprawling Horseweed, Spurge (Garden), St. Augustinegrass, Tall Fescue, Texas Panicum, Thistle, Timothy, Tropical Crabgrass, Volunteer Barley, Volunteer Corn, Volunteer Rye, Volunteer Wheat, White Clover, Wild Oats, Wild Proso Millet, Wild Strawberry, Wild Violet, Wirestem Muhly, Witchgrass, Wooly Cupgrass, Yellow Bluestem, Yellow Foxtail.

Container treats up to 300 sq ft.

This product is intended for use in areas where control of vegetation is desired for up to 4 months. It is not for use on lawns, on or around fruits, vegetables, or over the root zones of unestablished desirable vegetation. For outdoor residential use.

HOW IT WORKS

Dual Action Formula Works 2 Ways:

1. This product is absorbed by the weed's leaves and moves through the weed to the roots. Weeds die, down to the root – so they don't grow back. Weeds will begin to yellow and wilt within hours with complete kill in 1 to 2 weeks.
2. Imazapic prevents new weeds from growing for up to 4 months by creating an invisible barrier in the soil.

IMPORTANT: To prevent new weeds and grasses from growing, **YOU MUST SPRAY THE ENTIRE AREA** you want to control, **NOT JUST** the emerged weeds.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Always read and follow label directions.

WHERE TO USE

Apply only where you want to kill existing weeds AND prevent future weed growth for up to 4 months, such as:

- On cracks and crevices in driveways, sidewalks, walkways and patios
- Along fences, foundations, retaining walls, and curbs
- In mulched beds or around the base of **well-established** (at least 6 months old) desirable plants, shrubs or trees
- Gravel areas
- On parking areas and under decks

Note: In heavy clay soils, plant growth may be prevented for more than 4 months. In areas of heavy rainfall, applications every 2-3 months may be necessary. To avoid damage to desirable plants, DO NOT apply over the root systems of plants that are not well-established (at least 6 months old).

WHERE NOT TO USE


- DO NOT SPRAY plants or grasses you like – they will die.
- DO NOT SPRAY landscaped areas around young plants or in areas that will be planted or seeded within 4 months.
- DO NOT USE in lawns or for lawn renovation as this product prevents desirable grasses from growing too.
- DO NOT USE for vegetable garden preparation or in and around fruits and vegetables.
- DO NOT SPRAY next to a fence if desirable plants and grasses are growing on the other side.

Note: For weed control in these areas use Roundup® Weed & Grass Killer₄ or Roundup® Weed & Grass Killer₄ Concentrate.

HOW TO ASSEMBLE AND USE INSTRUCTIONS

1. Remove

- Remove wand from side clip.




2. Connect



- Remove protective strip from battery compartment to activate batteries.
- Remove protective shield from side clip and attach over nozzle.




3. Extend



- Pull connector by slightly twisting from side clip and unwrap hose completely.
- Flip open wand until it clicks and locks into position.

4. Spray



- Slide trigger lock on wand handle to the unlocked position.
- Twist nozzle to desired spray pattern.
- Use the shield to cover the weeds or grasses you want to kill.
- Point nozzle away from body and hold trigger for continuous spray.

Important Use Information: Do not submerge in water. When storing sprayer for long periods, remove batteries.

To replace batteries: Open battery compartment at bottom of wand. Remove used batteries and replace with new AA alkaline batteries in correct position as marked inside battery compartment. Securely close battery compartment door. Always use a complete set of the same type when replacing batteries. Best performance is achieved with alkaline batteries. Never mix alkaline, carbon-zinc or rechargeable batteries. Dispose of used batteries according to manufacturer's instructions or in household trash.

HOW TO APPLY

- Follow illustrations and/or instructions in the HOW TO ASSEMBLE AND USE section to prime the sprayer.
- Spray the existing weeds AND the entire surrounding weed-prone area you want to keep weed free for up to 4 months. Spray the area until **thoroughly wet**.
- When spraying around the base of **well-established** (at least 6 months old) ornamental plants, shrubs or trees, if desirable plants are accidentally sprayed, rinse off immediately with water.

WHEN TO APPLY

- For best results, apply during warm, sunny weather above 60°F.
- Spray when air is calm to prevent drift to desirable plants.
- RAINPROOF:** Rain or watering 30 minutes after application will NOT wash away effectiveness.
- Wait at least 2-3 months before spraying a previously treated area.

APPLICATION RESTRICTIONS: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Only persons applying this product may be in the area during application. People and pets may enter treated area after spray has dried. Do not exceed a maximum single application rate of 1 gallon of product per 300 sq ft, a yearly application rate of 6 gallons of product per 300 sq ft and wait a minimum of 2 months before repeating application. Do not apply this product via backpack sprayer.

WHEN TO REPLANT

- All ornamental bedding plants (annuals and perennials), trees, shrubs, sod and seed can be planted **4 months after** application.

HOW TO REFILL

- This container and sprayer can be reused.
- To refill this empty container, pour product carefully and directly from the Roundup® Dual Action Weed & Grass Killer Plus 4 Month Preventer container designated as the ready-to-use refill container. DO NOT add water.
- Use Roundup® Dual Action Weed & Grass Killer Plus 4 Month Preventer Concentrate to refill the container. Add 6.0 fl oz (12 Tbs) of Roundup® Dual Action Weed & Grass Killer Plus 4 Month Preventer Concentrate to this empty container then fill with water slowly to avoid foaming.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Flip spout down or turn knob on cap to OFF. **NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP.** Completely dispense product in sprayer prior to storage. Close nozzle on wand sprayer. Engage trigger lock. Flip the wand closed and place in side clip. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using. To prevent accidental poisoning, never store this product in food, drink, or unlabeled containers.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different concentrated or ready-to-use product to be diluted in or poured directly into the container. Reuse or refill this container according to the directions contained in the **HOW TO REFILL** section. **If Empty:** Place in trash or offer for recycling, if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Keep Out of Reach of Children

CAUTION: May cause eye irritation. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, shoes plus socks and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Such items should be kept and washed separately from other laundry.



Do not allow people or pets to enter the treated area or touch treated plants until spray has dried.

FIRST AID

IF ON SKIN OR CLOTHING	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES	• IMMEDIATELY hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. • Call a poison control center or doctor for additional treatment advice.

Note to Physician: If in eyes, treat symptomatically. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete.

Emergency Medical Information: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-246-7219 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather and when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Diquat is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment wash waters. **GROUNDWATER ADVISORY:** Triclopyr, imazapic and fluzifop-P-butyl have properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soil is permeable, particularly where the water table is shallow, may result in groundwater contamination. **NON-TARGET ORGANISM ADVISORY:** Triclopyr, imazapic, fluzifop-P-butyl and diquat are toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift. **SURFACE WATER ADVISORY:** Triclopyr, imazapic and fluzifop-P-butyl may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

*CONSUMER GUARANTEE

If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.

Roundup® Lawn & Garden products have the solutions to your toughest weed problems. Visit the Roundup® website, www.roundup.com, to learn more about the Roundup® brand family of products. For weeds in your lawn, try Roundup® For Lawns products.

Español



Roundup® Mata Malezas Y Gramas de Doble Acción con Supresor para 4 Meses

DATOS DEL PRODUCTO

ELIMINA Y PREVIENE MUCHOS TIPOS DE MALEZAS Y GRAMAS RESISTENTES POR HASTA 4 MESES

Envase para tratar hasta 300 pies cuadrados.

Para uso en exteriores de áreas residenciales. Este producto está diseñado para usar en áreas donde se desea controlar la vegetación por hasta 4 meses. No debe usarse en céspedes, en o alrededor de hortalizas o plantas frutales, ni sobre la zona de la raíz de vegetación aún no establecida que desee conservar.

CÓMO FUNCIONA

La fórmula de acción doble funciona de dos maneras:

1. Este producto lo absorben las hojas de las malezas y se mueve a través de la planta hasta las raíces. Las malezas comienzan a ponerse amarillentas y se marchitan en horas, y se produce la eliminación completa en 1 a 2 semanas. Las malezas se mueren, hasta la raíz, por lo que no vuelven a crecer.
2. El imazapic forma una barrera invisible en la tierra que evita el crecimiento de malezas nuevas por hasta 4 meses.

IMPORTANTE: Para evitar el crecimiento de nuevas malezas y gramas, **DEBE ROCIAR TODA EL ÁREA** que desee controlar y **NO SÓLO** las malezas que germinen.

INSTRUCCIONES DE USO

Utilizar este producto de modo inconsistente con las declaraciones de su etiqueta constituye una violación de las leyes federales. Siempre lea y siga las indicaciones de la etiqueta.

DÓNDE USAR

Apliquelo sólo donde desee eliminar las malezas existentes Y prevenir su crecimiento por hasta 4 meses, en lugares tales como:

- En las grietas y rajaduras en caminos de acceso, aceras, pasos peatonales y patios
- A lo largo de las cercas, cimientos, muros de contención y bordillos
- En macizos con mantillo, o alrededor de la base de plantas, arbustos o árboles **bien establecidos** (de por lo menos 6 meses de edad) que desee conservar
- En áreas con grava
- En áreas de estacionamiento y debajo de terrazas

NOTA: En tierra sumamente arcillosa, el crecimiento de plantas se puede prevenir por más de 4 meses. En áreas con fuertes lluvias puede ser necesario realizar aplicaciones cada 2-3 meses. Para evitar el daño a plantas que no desee eliminar, NO aplique sobre los sistemas de raíces de las plantas que no estén bien establecidos (que tengan por lo menos 6 meses de edad).

DÓNDE NO USAR

- NO ROCÍE las plantas o gramas que desee conservar, pues morirán.
- NO ROCÍE alrededor de plantas jóvenes en áreas con jardines o en áreas que se plantarán o sembrarán en un periodo de 4 meses.
- NO LO UTILICE en césped o para renovación del césped, pues este producto también elimina el césped que desee conservar y evita su crecimiento.
- NO LO UTILICE en la preparación de jardines de vegetales o alrededor de frutas y vegetales.
- NO ROCIAR al lado de una cerca si del otro lado están creciendo plantas y gramas que no desea eliminar.

NOTA: Para controlar las malezas en estas áreas, utilice Roundup® Mata Malezas Y Gramas₄ o Roundup® Concentrado Mata Malezas Y Gramas₄.

INSTRUCCIONES PARA ENSAMBLAR Y USAR

1. Retire

- Retire la varilla del sujetador lateral.




2. Conéctelo



- Quite la tira protectora del compartimento de las pilas para activarlas.

3. Extiéndala



- Abra la varilla hasta que haga clic y quede firmemente asegurada en su lugar.

4. Rocíe



- Deslice el seguro del gatillo en el mango de la varilla a la posición de desbloqueado.
- Gire la boquilla a la posición deseada del patrón de rocío.
- Utilice la pantalla protectora para cubrir las malezas o la grama que desee eliminar.
- Apunte la boquilla en dirección opuesta al cuerpo y sostenga el gatillo para obtener un rociado continuo.

- Inserte el conector al final de la manguera en la perilla o la boquilla de la tapa. Gire la perilla a la posición ON (Abierto) o abra la boquilla hasta una posición completamente vertical. La boquilla debe permanecer hacia arriba mientras está rociando.
- Retire la pantalla protectora del sujetador lateral y conéctela a la boquilla.

Información importante sobre el uso: No lo sumerja en agua. Quite las pilas cuando guarde el rociador durante periodos prolongados.

Para reemplazar las pilas: Abra el compartimento de las pilas que está localizado en la parte inferior de la varilla. Quite las pilas usadas y reemplácelas con pilas alcalinas AA nuevas colocándolas en la posición correcta, tal como está marcado en el interior del compartimento de las pilas. Cierre bien la tapadera del compartimento de las pilas. Cuando cambie las pilas use siempre un juego completo del mismo tipo. Con las pilas alcalinas se logra un rendimiento mejor. Nunca mezcle pilas alcalinas, de carbón y zinc, o recargables. Siga las instrucciones del fabricante para deshacerse de las pilas usadas o tírelas en la basura de la casa.

CÓMO APLICAR

- Siga las ilustraciones e instrucciones en la sección Instrucciones para ensamblar y usar, para cebar el rociador.
- Rocíe las malezas existentes Y toda el área circundante propensa a las malezas que usted desea mantener libre de malezas por hasta 4 meses. Rocíe el área hasta que se **humedezca completamente**.
- Cuando rocíe alrededor de la base de plantas ornamentales, arbustos o árboles que estén **bien establecidos** (que tengan por lo menos 6 meses de edad), si rocía accidentalmente las plantas que desee conservar, lávelas inmediatamente con agua.

CUÁNDO APLICAR

- Para obtener los mejores resultados, aplique durante clima cálido y soleado arriba de 60°F.
- Rocíe cuando el aire se encuentre calmo para evitar la diseminación a plantas que desee conservar.
- A **PRUEBA DE LLUVIA:** La lluvia o el riego 30 minutos después de la aplicación **NO** eliminarán su eficacia.
- Esperre por lo menos 2 a 3 meses antes de rociar un área previamente tratada.

RESTRICCIONES DE APLICACIÓN: No aplique este producto de tal forma que entre en contacto con alguna persona o mascota, ya sea directamente o por su diseminación. Mantenga a las personas y las mascotas alejadas del área durante la aplicación. Sólo la persona que aplica el producto puede estar dentro del área durante la aplicación. Las personas y las mascotas pueden ingresar al área tratada luego de que se seque el rocío. No exceda la proporción máxima para una sola aplicación de 1 galón de producto por cada 300 pies², a una tasa de aplicación anual de 6 galones por cada 300 pies², y espere un mínimo de 2 meses antes de repetir la aplicación. No aplique este producto con un rociador de mochila.

CUÁNDO REPLANTAR

- Se pueden sembrar o plantar todas las plantas de macizo ornamentales (anuales y perennes), árboles, arbustos, tepes y semillas **4 meses después** de la aplicación.

CÓMO RELLENAR

- Este envase y rociador puede ser reutilizado.
- Para rellenar este envase vacío, vierta el producto cuidadosa y directamente desde el envase de Roundup® Mata Malezas Y Gramas de Doble Acción con Supresor para 4 Meses designado como el envase para rellenar listo para usar. NO agregue agua.
- Usar Roundup® Concentrado Mata Malezas Y Gramas de Doble Acción con Supresor para 4 Meses para volver a llenar este envase. Agregue 6.0 onzas líquidas (12 cucharadas) de Roundup® Concentrado Mata Malezas Y Gramas de Doble Acción con Supresor para 4 Meses a este envase vacío y luego llénelo con agua lentamente para evitar la formación de espuma.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA: Coloque la boquilla hacia abajo o gire la perilla de la tapa a la posición OFF. **NO NECESITA DESCONECTAR LA MANGUERA DEL ROCIADOR DE LA TAPA.** Utilice completamente el producto del rociador antes de almacenar. Cierre la boquilla de la varilla del rociador. Active el seguro del gatillo. Cierre la varilla de rociado y colóquela de vuelta en el sujetador lateral. Guarde el producto en el envase original en un lugar seguro lejos y alejado de la luz directa del sol. Proteja del congelamiento. Si se congela, deje que se descongele y agítelo bien antes de usarlo. Para evitar una intoxicación accidental, nunca almacene este producto en recipientes de alimentos, bebidas o sin etiquetar.

ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE: Este envase no se puede rellenar. No vuelva a usar o rellenar este envase a menos que las instrucciones de uso permitan que un producto concentrado o listo para usar distinto se pueda echar directamente o diluir en el envase. Este envase se puede reutilizar o rellenar de acuerdo con las instrucciones contenidas en la sección **CÓMO RELLENAR**. **Si está vacío:** Colóquelo en la basura u ofrézcalo para reciclaje, si está disponible. **Si está parcialmente lleno:** Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación. Nunca elimine el producto sin usar en ningún drenaje interior o exterior.

AVISOS DE PRECAUCIÓN

RIESGOS PARA HUMANOS Y ANIMALES DOMÉSTICOS

Mantener Fuera del Alcance de Los Niños

PRECAUCIÓN: Puede causar irritación en los ojos. Evite el contacto con los ojos, la piel o la ropa. El contacto prolongado o reiterado de este producto con la piel puede causar reacciones alérgicas en algunas personas. Lleve camisa de manga larga y pantalones largos, zapatos con calcetines y guantes. Lávese completamente con agua y jabón después de usarlo y antes de comer, beber, masticar chicle, consumir tabaco o usar el inodoro. Debe quitarse y lavar la ropa contaminada antes de volver a usarla. Estos artículos deben guardarse y lavarse separado del resto de la ropa sucia.



No permita que las personas o las mascotas ingresen al área tratada o toquen las plantas tratadas hasta que se seque el rocío.

PRIMEROS AUXILIOS	
SI CAE EN LA PIEL O ROPA	• Qítense la ropa contaminada. • Enjuague la piel inmediatamente con abundante agua durante 15 a 20 minutos. • Llame al centro de control de envenenamiento o al médico para obtener más recomendaciones sobre tratamiento.
SI ENTRA EN LOS OJOS	• INMEDIATAMENTE mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15 –20 minutos. • Si tiene lentes de contacto, quítelos después de lavarse los primeros 5 minutos y continúe lavando los ojos. • Llame al centro de control de envenenamientos o al médico para obtener más recomendaciones sobre tratamiento.
Aviso para el médico: Si ha entrado en los ojos, tratar los síntomas. Los síntomas pueden presentarse gradualmente. El contacto aparentemente trivial puede causar daños graves y retrasar la curación. La supervisión médica debe continuar hasta que la curación sea completa. INFORMACIÓN MÉDICA DE EMERGENCIA: Tenga con usted el envase o etiqueta del producto cuando llame al centro de control de envenenamientos o al médico, o acuda al tratamiento. Puede llamar al 1-800-246-7219 para obtener información sobre tratamiento médico de emergencia.	

RIESGOS AMBIENTALES: Para proteger el ambiente, no permita que el pesticida entre o se escurra en drenajes pluviales, zanjas de drenaje, cunetas o aguas superficiales. Aplicar este producto en clima tranquilo cuando no haya pronóstico de lluvia en las siguientes 24 horas ayudará a asegurarse de que el viento o la lluvia no soplen o laven el pesticida fuera del área de tratamiento. Dicuat es tóxico para los invertebrados acuáticos. No aplique este producto directamente al agua. No contamine el agua al limpiar los utensilios ni al deshacerse del agua que use para lavarlos. **ADVERTENCIA SOBRE LAS AGUAS SUBTERRÁNEAS:** Triclopir, imazapic y fluzifop-P-butilo tienen propiedades y características que se asocian con productos químicos detectados en aguas del subsuelo. El uso de este producto químico en áreas donde el suelo es permeable, en particular donde el manto freático está cerca de la superficie, puede resultar en la contaminación del agua del subsuelo. **ADVERTENCIA SOBRE LOS ORGANISMOS QUE NO SE PRETENDE AFECTAR:** Triclopir, imazapic, fluzifop-P-butilo y dicuat son tóxicos para las plantas y pueden afectar de manera adversa las fuentes de alimento y el hábitat de organismos que no se pretende afectar, como los polinizadores, en las áreas adyacentes al sitio tratado. Proteja las fuentes de alimento y el hábitat de estos organismos siguiendo las instrucciones de la etiqueta dirigidas a reducir al mínimo la dispersión del rocío. **ADVERTENCIA SOBRE LAS AGUAS SUPERFICIALES:** Triclopir, imazapic y fluzifop-P-butilo pueden afectar la calidad de las aguas superficiales debido a la escorrentía del agua de lluvia. Esto es especialmente cierto para los suelos con mal drenaje y los suelos con aguas subterráneas poco profundas.

ADVERTENCIA: En la medida contemplada por las leyes aplicables, el comprador asume toda responsabilidad por la seguridad y uso que no sea de acuerdo con las instrucciones.

***GARANTÍA PARA EL CONSUMIDOR**

Si por algún motivo usted no queda satisfecho después de usar este producto, simplemente envíenos el comprobante de venta original y reembolsaremos el precio de compra.

Los productos Roundup® para el césped y jardín proveen las soluciones a sus problemas de malezas más difíciles. Visite el sitio web de Roundup® www.roundup.com, para conocer más sobre la familia de productos de la marca Roundup®. Para las malezas en su césped, pruebe los productos de Roundup® For Lawns.



**Roundup® Dual Action Weed & Grass Killer
Plus 4 Month Preventer**

**Roundup® Mata Malezas Y Gramas de Doble Acción
con Supresor para 4 Meses**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Keep Out of Reach of Children

CAUTION: May cause eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, shoes plus socks and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Such items should be kept and washed separately from other laundry.



Do not allow people or pets to enter the treated area or touch treated plants until spray has dried.

FIRST AID	
IF ON SKIN OR CLOTHING	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES	• IMMEDIATELY hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. • Call a poison control center or doctor for additional treatment advice.
Note to Physician: If in eyes, treat symptomatically. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete. Emergency Medical Information: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-246-7219 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather and when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Diquat is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment wash waters. **GROUNDWATER ADVISORY:** Triclopyr, imazapic and fluzifop-P-butyl have properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soil is permeable, particularly where the water table is shallow, may result in groundwater contamination. **NON-TARGET ORGANISM ADVISORY:** Triclopyr, imazapic, fluzifop-P-butyl and diquat are toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift. **SURFACE WATER ADVISORY:** Triclopyr, imazapic and fluzifop-P-butyl may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Flip spout down or turn knob on cap to OFF. **NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP.** Completely dispense product in sprayer prior to storage. Close nozzle on wand sprayer. Engage trigger lock. Flip the wand closed and place in side clip. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using. To prevent accidental poisoning, never store this product in food, drink, or unlabeled containers.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different concentrated or ready-to-use product to be diluted in or poured directly into the container. Reuse or refill this container according to the directions contained in the **HOW TO REFILL** section. **If Empty:** Place in trash or offer for recycling, if available. **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



Questions, Comments or Information
¿Preguntas, Comentarios o Información?

1-800-246-7219
www.roundup.com

Roundup, Roundup & Design and Sure Shot are registered trademarks of Monsanto Technology LLC.
For a list of patents, if any, covering this product or its use, please go to
www.monsantotechnology.com/lawnandgarden.

©2022 Monsanto Company
Produced for Monsanto Company
Lawn & Garden Products
800 N. Lindbergh Blvd.
St. Louis, MO 63167

EPA Reg. No. 71995-66
EPA Est. 239-IA-3
Assembled in USA



FPO

0 70183 53783 9

Resealable Label for Directions & Precautions. /
Etiqueta resellable para instrucciones y avisos de precaución.