



YMX-35

Accessories list


Armrest(sitting sofa)

A  Right armrest(1)	B  Left armrest(1)	C  (XL8009)Hardware(4)	D  6*18 Screw(8)	E  M4*100*40 Wrench(1)	F  606#Sofa foot(2)
G  60*60 Woolenmat(2)	H  8*65 Screw(2)	I  8*17 Gasket(2)	J  M5*105*55 Wrench(1)	K  Armrest phone holder(1)	


STEP1: Install the armrest phone holder that sits on the right armrest.




STEP2: Install armrest screw





STEP3: Install armrest feet and woolenmat



STEP4: Assembly completed.



Armrest feet, hawaeand and armrest phone holder brackets are placed on the inner side of the armrest base fabric.




YMX-35

Accessories list

End table


A	B	C	D	E	F	G
End table(1)	606#Sofa foot(4)	8*65 Screw(4)	8*17 Gasket(4)	M5*105*55 Wrench(1)	U connector(2)	60*60 Woolenmat(4)

STEP1: Install end table feet and woolenmat, Pull out the power cord from the bottom zipper pocket.




STEP2:

End table feet hardware is in the end table frames.




STEP3:


Assembly completed



STEP 4: Connect the sofa and the edge with U connector hardware.





STEP 5: Assembly completed





YMX-35

Accessories list

OTTOMAN


A  Ottoman frame(1)	B  Ottoman base plate(1)	C  Ottoman cushion(1)	D  606#Sofa foot(4)	E  8*65 Screw(4)
F  8*17 Gasket(4)	G  M5*105*55 Wrench(1)	H  (F-8944)U connector(2)	I  60*60 Woolenmat(4)	

STEP1: Install the ottoman feet and woolenmat




STEP2:

place the base plate to ottoman.




STEP3:

Cut the compression bag






STEP4:

Assembly completed




Sofa feet, hardware and ottoman cushion are placed in the ottoman frame.




YMX-35

Accessories list


1 Seater

A  Seat frame(1)	B  Backrest(1)	C  Seat frame plate(1)	D  Seat cushion(1)	E  Back cushion(1)
F  Soft bag(1)	G  (XL8009) Hardware (2)	H  6*18 Screw(4)	I  M4*100*40 Wrench(1)	J  606#Sofa foot (4)
K  8*65 Screw(4)	L  8*17 Gasket(4)	M  M5*105*55 Wrench(1)	N  (F-8944)U connector(2)	O  60*60 Woolenmat(4)


STEP1: Install the legs of sofa and woolenmat




STEP2: Install backrest hardware.




STEP3: Insert the backrest into the sofa base.




STEP4: Put the seat frame plate board at the seat frame



STEP5: Cut the compression bag.



STEP6: Assembly completed



Sofa feet and hardware, seat cushion ,back cushion, and sofa bag are all placed in the seat frame.

