## SAFETY DATA SHEET

Issuing Date No data available Revision Date 8-Apr-2015 Revision Number 0



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name MITSUBISHI Li-Mn Button Cell CR2025

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Primary/Metal Batteries

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name GUANGZHOU TIANQIU ENTERPRISE CO., LTD.

**Supplier Address** 9/F TianQiu Building No.16-30, He Yi Rd., San Yuan Li Ave., GuangZhou China

GUANGZHOU GUANDONG 510410 CN

**Supplier Phone Number** Phone:8620-13825131170

Fax:8620-36323339

qd@gztianqiu.com

Contact Phone:8620-36322277

Supplier Email

Emergency telephone number

8620-13825131170

**Company Emergency Phone Number** 

## 2. HAZARDS IDENTIFICATION

## Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) This product is an article which is a sealed battery and as such does not require an MSDS per the OSHA hazard communication standard unless ruptured. The hazards indicated are for a ruptured battery.

Acute toxicity - Oral Category 4

\_\_\_\_\_



Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

#### GHS Label elements, including precautionary statements

## **Emergency Overview**

Signal word Danger

#### **Hazard Statements**

Harmful if swallowed Harmful if inhaled Causes skin irritation Causes serious eye irritation

May damage fertility or the unborn child

May cause damage to organs through prolonged or repeated exposure



This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold. Intended use of the product should not result in exposure to the chemical substance This is a battery. In case of rupture: the above hazards exist.

Appearance Silver Physical State Solid Odor No data available

## **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wear eye/face protection

## **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

#### **Eves**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse



Page 2/12

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

## **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### **Unknown Toxicity**

1.7% of the mixture consists of ingredient(s) of unknown toxicity

### **Other information**

Very toxic to aquatic life with long lasting effects

#### **Interactions with Other Chemicals**

Use of alcoholic beverages may enhance toxic effects.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

.

Chemical Name	CAS No	Weight-%	Trade Secret
Iron	7439-89-6	30 - 60	*
Manganese dioxide	1313-13-9	15 - 40	*
Perchloric acid, lithium salt	7791-03-9	1 - 5	*
Propylene carbonate	108-32-7	1 - 5	*
Lithium	7439-93-2	1 - 5	*
Graphite	7782-42-5	1 - 5	*
Ethylene glycol dimethyl ether	110-71-4	1 - 5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

## 4. FIRST AID MEASURES

## First aid measures

**General Advice** Show this safety data sheet to the doctor in attendance.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and

persists. Do not rub affected area.

\_\_\_\_\_

(UL)

Page 3/12

**Skin Contact** Wash off immediately with soap and plenty of water for at least 15 minutes. Get

medical attention if irritation develops and persists.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Ingestion** Rinse mouth immediately and drink plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Use personal protective equipment as

required. Wear personal protective clothing (see section 8).

## Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and** Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. **Effects** 

## Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

#### **Specific Hazards Arising from the Chemical**

No information available.

## **Hazardous Combustion Products**

Carbon oxides.

Physical/Chemical Reaction

**Properties** 

No data available.

**Explosion Data** 

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

\_\_\_\_\_

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Avoid generation of dust. Do not breathe dust. Evacuate

personnel to safe areas.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

**Environmental Precautions** 

**Environmental Precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage

if safe to do so.

Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

#### **Precautions for safe handling**

**Handling** In case of rupture. Handle in accordance with good industrial hygiene and safety practice.

Use personal protection equipment. Avoid contact with skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Store locked up.

**Incompatible Products** Strong acids. Strong oxidizing agents. Strong bases.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Manganese dioxide 1313-13-9	TWA: 0.02 mg/m <sup>3</sup> Mn TWA: 0.1 mg/m <sup>3</sup> Mn	(vacated) Ceiling: 5 mg/m <sup>3</sup> Ceiling: 5 mg/m <sup>3</sup> Mn	IDLH: 500 mg/m <sup>3</sup> Mn TWA: 1 mg/m <sup>3</sup> Mn
			STEL: 3 mg/m³ Mn



Page 5/12

Graphite	TWA: 2 mg/m <sup>3</sup> respirable	TWA: 15 mg/m³ total dust	IDLH: 1250 mg/m <sup>3</sup>
7782-42-5	fraction all forms except graphite	synthetic	TWA: 2.5 mg/m <sup>3</sup> respirable
	fibers	TWA: 5 mg/m <sup>3</sup> respirable	dust
		fraction synthetic	
		(vacated) TWA: 2.5 mg/m <sup>3</sup>	
		respirable dust natural	
		(vacated) TWA: 10 mg/m <sup>3</sup> total	
		dust synthetic	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction synthetic	
		TWA: 15 mppcf natural	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992) See section 15 for national exposure control parameters

#### **Appropriate engineering controls**

Engineering Measures Showers

Eyewash stations Ventilation systems

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** If splashes are likely to occur:. Wear safety glasses with side shields (or goggles). None

required for consumer use.

**Skin and Body Protection**Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves.

**Respiratory Protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not breathe dust. Wash hands before breaks and

immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Physical and Chemical Properties**

Physical StateSolidAppearanceSilverOdorNo data availableColorNo information availableOdor ThresholdNo information available

Remarks Method Property Values No data available None known рΗ Melting / freezing point No data available None known Boiling point / boiling range No data available None known **Flash Point** No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air **Upper flammability limit** No data available Lower flammability limit No data available Vapor pressure No data available None known



Vapor density No data available None known **Specific Gravity** No data available None known **Water Solubility** Insoluble in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known Autoignition temperature No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

**Explosive properties**No data available **Oxidizing Properties**No data available

#### **Other Information**

Softening Point

VOC Content (%)

Particle Size

No data available

No data available

No data available

**Particle Size Distribution** 

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

## **Chemical stability**

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

## **Hazardous Polymerization**

Hazardous polymerization does not occur.

## **Conditions to avoid**

Excessive heat.

## **Incompatible materials**

Strong acids. Strong oxidizing agents. Strong bases.

### **Hazardous Decomposition Products**

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information.

In case of rupture:.

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. Harmful by inhalation. (based on components).

\_\_\_\_\_



Page 7/12

Eye Contact Specific test data for the substance or mixture is not available. Expected to be an irritant

based on components. Irritating to eyes. May cause redness, itching, and pain. May cause

temporary eye irritation.

Skin Contact Specific test data for the substance or mixture is not available. Expected to be an irritant

based on components. Irritating to skin. Prolonged contact may cause redness and

irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea. May be harmful if swallowed. (based on components).

## **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Iron 7439-89-6	= 984 mg/kg (Rat)	-	-
Manganese dioxide 1313-13-9	= 9000 mg/kg (Rat)	-	-
Propylene carbonate 108-32-7	= 29000 mg/kg (Rat)	> 20 mL/kg (Rabbit)	-
Graphite 7782-42-5	> 10000 mg/kg (Rat)	-	-

#### Information on toxicological effects

Symptoms Erythema (skin redness). May cause redness and tearing of the eyes. Coughing and/ or

wheezing.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

Mutagenic Effects No information available.

**Carcinogenicity** Contains no ingredient listed as a carcinogen.

**Reproductive Toxicity**Contains a known or suspected reproductive toxin.

**STOT - single exposure** No information available.

**STOT - repeated exposure**Causes damage to organs through prolonged or repeated exposure. Based on

classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from

chronic or repeated exposure. (STOT RE).

**Chronic Toxicity**Contains a known or suspected reproductive toxin. Possible risk of irreversible effects.

Avoid repeated exposure. Prolonged exposure may cause chronic effects. May cause

adverse effects on the bone marrow and blood-forming system.

Target Organ Effects Respiratory system. Eyes. Skin. Reproductive System. Blood. Central Nervous System

(CNS). Central Vascular System (CVS). Kidney. Cardiovascular system. Liver.

Aspiration Hazard No information available.



## Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
844.00 mg/kg
ATEmix (inhalation-gas)
12,404.00 ppm (4 hr)
ATEmix (inhalation-dust/mist)
4.10 mg/l
ATEmix (inhalation-vapor)
30.00 ATEmix

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Iron		96h LC50: = 13.6 mg/L		
7439-89-6		(Morone saxatilis)		
Propylene carbonate	72h EC50: > 500 mg/L	96h LC50: > 1000 mg/L	EC50 > 10000 mg/L 17 h	48h EC50: > 500 mg/L
108-32-7	(Desmodesmus subspicatus)	(Cyprinus carpio) 96h LC50:		_
		= 5300 mg/L (Leuciscus		
		idus)		

#### Persistence and Degradability

No information available.

## **Bioaccumulation**

Chemical Name	Log Pow
Manganese dioxide 1313-13-9	<0
Propylene carbonate 108-32-7	0.48

## Other adverse effects

No information available.

**(U)** 

Page 9/12

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Dispose of contents/containers in accordance with local regulations.

#### California Hazardous Waste Codes 181

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Lithium	Corrosive
7439-93-2	Ignitable
	Reactive

## 14. TRANSPORT INFORMATION

Note:

The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule)

Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

 DOT
 NOT REGULATED

 Proper Shipping Name
 NON-REGULATED

Hazard Class

9

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated
Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Page 10/12

Proper Shipping Name NON-REGULATED PER SP 188

Hazard Class N/A EmS-No. F-A, S-I

RIDNot regulatedADRNot regulated

ADN Not regulated

## 15. REGULATORY INFORMATION

#### **International Inventories**

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Manganese dioxide - 1313-13-9	1313-13-9	15 - 40	1.0
Ethylene glycol dimethyl ether - 110-71-4	110-71-4	1 - 5	1.0

## SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## US State Regulations

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

Chemical Name	California Proposition 65
Lead - 7439-92-1	Carcinogen
	Developmental
	Female Reproductive
	Male Reproductive

\_\_\_\_\_



Page 11/12

Cadmium and compounds (as Cd) - 7440-43-9	Carcinogen
	Developmental
	Male Reproductive
Mercury - 7439-97-6	Developmental

## U.S. State Right-to-Know Regulations

.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Manganese dioxide 1313-13-9			Х	X	Х
Lithium 7439-93-2	Х	Х	Х		
Graphite 7782-42-5	Х	Х	Х		
Ethylene glycol dimethyl ether 110-71-4	X	X	Х	Х	Х

## International Regulations

#### Mexico

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Manganese dioxide		Mexico: TWA= 0.2 mg/m <sup>3</sup>
1313-13-9 ( 15 - 40 )		
Graphite		Mexico: TWA= 2 mg/m <sup>3</sup>
7782-42-5 ( 1 - 5 )		

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

#### **WHMIS Hazard Class**

Non-controlled

16. OTHER INFORMATION									
NFPA	Health Hazards	0	Flammability	0	Instability 0	Physical and Chemical Hazards -			
HMIS	Health Hazards	0	Flammability	0	Physical Hazard (	Personal Protection			

**Prepared By**Product Stewardship
23 British American Blvd.

Latham, NY 12110 1-800-572-6501 12-Sep-2012

Issuing Date12-Sep-2012Revision Date04-Feb-2015

Revision Note No information available

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**

**U** 

Page 12/12