



# Firelogs; Firelighters

## Safety Data Sheet

SDS Number 109

NON-HAZARDOUS CHEMICAL.

SAFETY DATA SHEET IS NOT REQUIRED BY THE FOLLOWING REGULATIONS:

Regulation (EU) No. 2015/830; US 29CFR1910.1200; Canadian Hazardous Products Regulation; Japanese Industrial Standard JIS Z 7253:2012; Australian Worksafe.

Issue date: 08/07/2013

Revision date: 04/08/2020

Supersedes: 03/27/2020

Version: 2.6

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : duraflame® Firelogs  
duraflame® Crackleflame® Firelogs  
duraflame® Gold Firelogs  
duraflame® firestart® Gold Firelighters  
duraflame® firestart® Firelighters  
duraflame® quick start® Firelighters  
duraflame® EVERY NIGHT® Firelogs  
CAS No : Mixture  
Other means of identification : Manufactured firelogs and firelighters

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : **Firelogs:** For use in indoor, open-hearth wood burning fireplaces; May also be used in outdoor fireplaces & fire pits in well-ventilated areas (read instructions & cautions on package); Not for use in wood stoves  
**Firelighters:** Used to start wood fires in any wood burning appliance or campfire (read instructions & cautions on package)

#### 1.3. Details of the supplier of the safety data sheet

Duraflame, Inc  
P.O. Box 1230 Stockton, CA 95201  
(209) 461-6600 (For product information)

#### 1.4. Emergency telephone number

EMERGENCY CONTACT PERSON: Chad Willis, Risk Manager, 24 hours: 606-875-3771  
EMERGENCY TRANSPORTATION NUMBER: 800-424-9300 Chemtrec (Continental U.S.)  
202-483-7616 (Alaska, Hawaii)  
EMERGENCY HEALTH NUMBER: 800-222-1222 National Capital Poison Center

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS)

Not classified

#### 2.2. Label elements

##### GHS labeling

No labelling applicable.

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS)

Not applicable

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

# Firelogs; Firelighters

Safety Data Sheet  
NON-HAZARDOUS CHEMICAL.

SDS Number 109

## 3.2. Mixture

Name	Product identifier	%
Sawdust from various softwood and hardwood species, ground agricultural biomass and other proprietary and miscellaneous materials.	Mixture (Sawdust) LOLI No. RR-04544-3	40-70
Hydrocarbon waxes	(CAS No) 64741-56-6	12 - 36
Paraffin waxes	(CAS No) 8002-74-2	6 - 30
Fatty acids, C16-18	(CAS No) 67701-03-5	6 - 30
Fatty acids, C14-18 and C16-18-unsatd., distn. residues	(CAS No) 70321-73-2	1 - 30
Natural seed used for crackling sound where applicable	(CAS No) Proprietary	1-10

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : This product is not hazardous. Not expected to require first aid measures.
- First-aid measures after inhalation : During combustion: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Never give anything by mouth to an unconscious person.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : No significant signs or symptoms indicative of any health hazard are expected to occur. During combustion: May cause respiratory irritation.
- Symptoms/injuries after inhalation : During combustion : Inhalation may cause: irritation, cough, shortness of breath.
- Symptoms/injuries after ingestion : Like any product not designed to be ingested, this product may cause stomach distress if ingested in large quantities.

### 4.3. Indication of any immediate medical attention and special treatment needed

All treatments should be based on observed signs and symptoms of distress in the patient.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Carbon dioxide. Foam. Dry chemical. Water spray.
- Unsuitable extinguishing media : None known.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : No particular fire or explosion hazard. Combustion generates: Carbon oxides (CO, CO<sub>2</sub>).
- Explosion hazard : Product is not explosive.
- Reactivity : Normally stable, even under fire exposure conditions, and not reactive with water.

### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any fire.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flame resistant/retardant clothing. Wear a self-contained breathing apparatus.
- Other information : Breaking up the burning log with a poker, etc. will cause a sudden flare-up and intensify the fire. Burning pieces of the firelog may stick to the poker.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

- Emergency procedures : No additional risk management measures required.

# Firelogs; Firelighters

Safety Data Sheet  
NON-HAZARDOUS CHEMICAL.

SDS Number 109

## 6.1.2. For emergency responders

Emergency procedures : Collect as much as possible in a clean container for (preferable) reuse or disposal. No additional risk management measures required.

## 6.2. Environmental precautions

Do not discharge into drains or the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Recover the product by vacuuming, shoveling or sweeping.

## 6.4. Reference to other sections

Section 7: safe handling. Section 8: personal protective equipment. Section 13: disposal information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : None known.

Precautions for safe handling : Handle with care to avoid breakage. Do not tear open the wrapper. Use only according to label directions.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, cool and well-ventilated place. Store in correctly labelled containers.

Incompatible materials : Strong oxidizers.

Storage temperature : ≤ 49 °C (<120 °F) (To prevent softening of the firelog. Softened product could break during handling).

Prohibitions on mixed storage : Keep away from incompatible materials.

### 7.3. Specific end use(s)

**Firelogs:** For use in indoor, open-hearth wood burning fireplaces; May also be used in outdoor fireplaces & fire pits in well-ventilated areas (read instructions & cautions on package); Not for use in wood stoves

**Firelighters:** Used to start wood fires in any wood burning appliance or campfire (read instructions & cautions on package)

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

All applicable OELs are shown

Paraffin waxes (8002-74-2)		
ACGIH	Local name	Paraffin wax fume
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
ACGIH	Remark (ACGIH)	URT irr; nausea

### 8.2. Exposure controls

Appropriate engineering controls : During combustion: either local exhaust or general room ventilation is usually required. No special work practices are needed beyond the above recommendations under anticipated conditions of normal use.

Personal protective equipment : None under normal use.

Consumer exposure controls : Do not use a poker or otherwise disturb a burning firelog or firestarter in any way. Always close wire mesh protective fire screen when burning a firelog or firestarter. Never leave any firelog or firestarter fire or wood fire unattended. Keep children and animals away from fireplaces when burning firelog or firestarter. Read and follow the firelog or firestarter label instructions.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Solid

Color : Brown

# Firelogs; Firelighters

## Safety Data Sheet

NON-HAZARDOUS CHEMICAL

SDS Number 109

Odor	: Slight
Odor threshold	: No data available
pH	: N/A
Melting point	: > 60 °C (140 °F)
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 182 °C (360 °F)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: N/A
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Solubility	: Water: Solubility in water of component(s) of the mixture : • : 0.027 mg/l
Log Pow	: N/A
Log Kow	: N/A
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: N/A
Viscosity, dynamic	: N/A

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Normally stable, even under fire exposure conditions, and not reactive with water.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Thermal decomposition generates : Carbon oxides (CO, CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Likely routes of exposure	: Dermal
Acute toxicity	: Not classified. (Conclusive but not sufficient for classification)
Skin corrosion/irritation	: Not classified. (Conclusive but not sufficient for classification)
Serious eye damage/irritation	: Not classified. (Conclusive but not sufficient for classification)
Respiratory or skin sensitization	: Not classified. (Conclusive but not sufficient for classification)
Germ cell mutagenicity	: Not classified. (Conclusive but not sufficient for classification)
Carcinogenicity	: Product is Not classified.

#### Residues (petroleum), vacuum (64741-56-6)

IARC group	2B - Occupational exposures to straight-run bitumens and their emissions during road paving are possibly carcinogenic to humans
------------	---

Reproductive toxicity : Not classified. (Conclusive but not sufficient for classification)

# Firelogs; Firelighters

Safety Data Sheet  
NON-HAZARDOUS CHEMICAL.

SDS Number 109

Specific target organ toxicity (single exposure)	: Not classified. (Conclusive but not sufficient for classification)
Specific target organ toxicity (repeated exposure)	: Not classified. (Conclusive but not sufficient for classification)
Aspiration hazard	: Not classified. (Conclusive but not sufficient for classification)
Potential Adverse human health effects and symptoms	: None under normal conditions.
Symptoms/injuries after inhalation	: During combustion : Inhalation may cause: irritation, cough, shortness of breath.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

### 12.2. Persistence and degradability

duraflame® Firelogs and Firelighters	
Persistence and degradability	Readily biodegradable.

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Effect on ozone layer : None known

Effect on the global warming : None known

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose in a safe manner in accordance with local/national regulations.

Waste disposal recommendations : Disposal via incineration is recommended. Dispose in a safe manner in accordance with local/national regulations.

Additional information : Do not attempt to handle or dispose of hot embers or firelog or firelighter that is still burning (even if it appears to be only smoking). Ash is not suitable for use as soil amendment; do not spread ash in gardens.

## SECTION 14: Transport information

### Department of Transportation

Not considered a dangerous good for transport regulations

### ADR

No additional information available

### Transport by sea

No additional information available

### Air transport

No additional information available

### Additional information

Other information : Bill of Lading Description: Firelogs or Firestarters  
Product Code Number: Various.

# Firelogs; Firefighters

Safety Data Sheet  
NON-HAZARDOUS CHEMICAL

SDS Number 109

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### All components

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### CANADA

#### duraflame® Firelogs and Firefighters

WHMIS Classification	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all of the information required by the HPR
----------------------	--

### EU-Regulations

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

### 15.3. US State regulations

#### duraflame® Firelogs and Firefighters

U.S. - California - Proposition 65

**⚠ WARNING** Combustion of this product results in emissions that can expose you to chemicals including carbon monoxide, soot, smoke and other combustion by-products, which are known to the State of California to cause cancer, birth defects or other reproductive harm, and/or other adverse health effects. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

U.S. - California - Other information

BAAQMD Regulation 6, Rule 3 and SCAQMD Rule 445:

Use of this and other solid fuels may be restricted at time by law. Please check 1-877-4NO-BURN or <http://www.8774NOBURN.ORG> before burning.

## SECTION 16: Other information

Section	Changed Item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
1	Trade names	Modified	Added duraflame® EVERY NIGHT® Firelogs to trade names

Revision date : 3/27/2020

Data sources : European Chemicals Agency (ECHA) Registered Substances list.  
Internal Company test data.  
National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition.  
Organisation for Economic Co-operation and Development.


Abbreviations and acronyms : ACGIH: American Conference of Government Industrial Hygienists.  
ATE: Acute Toxicity Estimate.  
CAS: (Chemical Abstracts Service) number.  
EC50: Environmental Concentration associated with a response by 50% of the test population.  
GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).  
LC50: Median lethal concentration.  
LD50: Median lethal dose.  
SDS: Safety Data Sheet.  
TWA: Time Weighted Average.

# Firelogs; Firelighters

Safety Data Sheet  
NON-HAZARDOUS CHEMICAL.

SDS Number 109

NFPA health hazard : 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.  
NFPA fire hazard : 1 - Must be preheated before ignition can occur.  
NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



## SDS prepared by:

The Redstone Group, dba SafeBridge Consultants, Inc.  
110 Polaris Pkwy  
Suite 200  
Westerville, OH USA 43082  
P: +1 (614) 923-7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*Duraflame, Inc., believes that the information in this document is accurate as of the date of issued and is offered in good faith, but without warranty or representation. Since some ingredients are purchased from third parties, Duraflame, Inc., in good faith, relies on information provided by these third parties. Since conditions of use are beyond our control, we do not assume any responsibility for the result of its use. This information is offered solely for the consideration, investigation, and verification by our customers, storers, handlers and users of this product. Further, this information and the product are furnished on the condition that the users receiving them shall make their own determination as to the suitability of the product for their particular purpose, and on the condition that they assume the risk of their use thereof.*

*Duraflame, Inc., reserves the right to revise this Safety Data Sheet periodically as new information becomes available.*