

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC JOHNSON® PASTE WAX**

Version 1.2

Print Date 12/17/2019

Revision Date 12/17/2019

SDS Number 350000003598

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product information**

**Product name** : SC JOHNSON® PASTE WAX

**Recommended use** : Furniture Polish/Cleaner

**Restrictions on use** : Use only as directed on label

**Manufacturer, importer, supplier** : S.C. Johnson & Son, Inc.  
1525 Howe Street  
Racine WI 53403-2236

**Telephone** : +1-800-558-5252

**Emergency telephone number** : 24 Hour Medical Emergency Phone: (866)231-5406  
24 Hour International Emergency Phone: (703)527-3887  
24 Hour Transport Emergency Phone: (800)424-9300

**2. HAZARDS IDENTIFICATION**

**Classification of the substance or mixture**

**Globally Harmonized System (GHS) Classification**

| Hazard classification | Hazard category | Hazards identification |
|-----------------------|-----------------|------------------------|
| Flammable solids      | Category 2      |                        |

**Labelling**

**Hazard symbols**

Flame

**Signal word**

Warning

**Hazard statements**

Flammable solid.

**Precautionary statements**

In case of fire: Use alcohol-resistant foam, carbon dioxide or dry sand to extinguish.  
Keep away from heat/sparks/open flames/hot surfaces. No smoking.

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON® PASTE WAX

Version 1.2

Print Date 12/17/2019

Revision Date 12/17/2019

SDS Number 350000003598

Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ ventilating/ lighting equipment.  
Wear protective gloves.

**Other hazards** : None identified

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name                        | CAS-No.   | Weight percent |
|--------------------------------------|-----------|----------------|
| Stoddard solvent                     | 8052-41-3 | 60.00 - 100.00 |
| Paraffin waxes and Hydrocarbon waxes | 8002-74-2 | 10.00 - 30.00  |

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see [www.whatsinsidescjohnson.com](http://www.whatsinsidescjohnson.com).

### 4. FIRST AID MEASURES

#### Description of first aid measures

**Eye contact** : No special requirements

**Skin contact** : No special requirements

**Inhalation** : No special requirements.

**Ingestion** : No special requirements

#### Most important symptoms and effects, both acute and delayed

Eyes : No adverse effects expected when used as directed.

Skin effect : No adverse effects expected when used as directed.

Inhalation : No adverse effects expected when used as directed.

Ingestion : No adverse effects expected when used as directed.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC JOHNSON® PASTE WAX**

Version 1.2

Print Date 12/17/2019

Revision Date 12/17/2019

SDS Number 350000003598

**Indication of any immediate medical attention and special treatment needed**

See Description of first aid measures unless otherwise stated.

**5. FIREFIGHTING MEASURES**

**Suitable extinguishing media** : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Further information** : Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions** : Obtain special instructions before use. Wear personal protective equipment. Wash thoroughly after handling.

**Environmental precautions** : Outside of normal use, avoid release to the environment.

**Methods and materials for containment and cleaning up** : Sweep up and shovel into suitable containers for disposal. Clean residue from spill site.

**7. HANDLING AND STORAGE**

**Handling**

**Precautions for safe handling** : Avoid contact with skin, eyes and clothing. For personal protection see section 8. Use only as directed. **KEEP OUT OF REACH OF CHILDREN AND PETS.** Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC JOHNSON® PASTE WAX**

Version 1.2

Print Date 12/17/2019

Revision Date 12/17/2019

SDS Number 350000003598

**Advice on protection against fire and explosion** : Normal measures for preventive fire protection.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Occupational Exposure Limits**

| Components                           | CAS-No.   | mg/m3       | ppm     | Non-standard units | Basis     |
|--------------------------------------|-----------|-------------|---------|--------------------|-----------|
| Stoddard solvent                     | 8052-41-3 | 2,900 mg/m3 | 500 ppm | -                  | OSHA TWA  |
| Stoddard solvent                     | 8052-41-3 | -           | 100 ppm | -                  | ACGIH TWA |
| Paraffin waxes and Hydrocarbon waxes | 8002-74-2 | 2 mg/m3     | -       | -                  | ACGIH TWA |
| Ethyl Benzene                        | 100-41-4  | -           | 20 ppm  | -                  | ACGIH TWA |
| Ethyl Benzene                        | 100-41-4  | 435 mg/m3   | 100 ppm | -                  | OSHA TWA  |
| NAPHTHALENE                          | 91-20-3   | 50 mg/m3    | 10 ppm  | -                  | OSHA TWA  |
| NAPHTHALENE                          | 91-20-3   | -           | 10 ppm  | -                  | ACGIH TWA |
| CUMENE                               | 98-82-8   | 245 mg/m3   | 50 ppm  | -                  | OSHA TWA  |
| CUMENE                               | 98-82-8   | -           | 50 ppm  | -                  | ACGIH TWA |

**Personal protective equipment**

**Respiratory protection** : No special requirements.

**Hand protection** : No special requirements.

**Eye protection** : No special requirements.

**Skin and body protection** : No special requirements.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC JOHNSON® PASTE WAX**

Version 1.2

Print Date 12/17/2019

Revision Date 12/17/2019

SDS Number 350000003598

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Form** : solid

**Color** : opaque

**Odour** : solvent-like

**Odour Threshold** : No data available

**pH** : Not applicable

**Melting point/freezing point** : Not applicable

**Initial boiling point and boiling range** : No data available

**Flash point** : 31.1 °C  
87.98 °F  
Method: Tag Closed Cup (TCC)

**Evaporation rate** : No data available

**Flammability (solid, gas)** : No data available

**Upper/lower flammability or explosive limits** : No data available

**Vapour pressure** : No data available

**Vapour density** : No data available

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC JOHNSON® PASTE WAX**

Version 1.2

Print Date 12/17/2019

Revision Date 12/17/2019

SDS Number 350000003598

|  |   |  |   |
|--|---|--|---|
| <b>Relative density</b>                              | : | 6.52 g/cm <sup>3</sup> at 25 °C  |   |
| <b>Solubility(ies)</b>                               | : | negligible   |   |
| <b>Partition coefficient: n-octanol/water</b>        | : | No data available  |   |
| <b>Auto-ignition temperature</b>                     | : | No data available  |   |
| <b>Decomposition temperature</b>                     | : | No data available  |   |
| <b>Viscosity, dynamic</b>                            | : | Not applicable   |   |
| <b>Viscosity, kinematic</b>                          | : | Not applicable   |   |
| <b>Oxidizing properties</b>                          | : | No data available  |   |
| <b>Volatile Organic Compounds Total VOC (wt. %)*</b> | : | 80 % - additional exemptions may apply<br>*as defined by US Federal and State Consumer Product Regulations |   |
| <b>Other information</b>                             | : | None identified  | : |

**10. STABILITY AND REACTIVITY**

|   |   |   |
|---|---|---|
| <b>Reactivity</b>                         | : | No dangerous reaction known under conditions of normal use. |
| <b>Chemical stability</b>                 | : | Stable under recommended storage conditions.                |
| <b>Possibility of hazardous reactions</b> | : | Stable under recommended storage conditions.                |
| <b>Conditions to avoid</b>                | : | Direct sources of heat.                                     |

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC JOHNSON® PASTE WAX**

Version 1.2

Print Date 12/17/2019

Revision Date 12/17/2019

SDS Number 350000003598

**Incompatible materials** : Strong oxidizing agents

**Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapours.

**11. TOXICOLOGICAL INFORMATION**

**Acute oral toxicity** :

**Acute inhalation toxicity** :

**Acute dermal toxicity** :

| GHS Properties                                   | Classification             | Routes of entry |
|--|----------------------------|-----------------|
| Acute toxicity                                   | No classification proposed | -               |
| Skin corrosion/irritation                        | No classification proposed | -               |
| Serious eye damage/eye irritation                | No classification proposed | -               |
| Skin sensitisation                               | No classification proposed | -               |
| Respiratory sensitisation                        | No classification proposed | -               |
| Germ cell mutagenicity                           | No classification proposed | -               |
| Reproductive toxicity                            | No classification proposed | -               |
| Specific target organ toxicity - single exposure | No classification proposed | -               |
| Aspiration hazard                                | No classification proposed | -               |

**Aggravated Medical Condition** : None known.

**12. ECOLOGICAL INFORMATION**

**Product** : The product itself has not been tested.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC JOHNSON® PASTE WAX**

Version 1.2

Print Date 12/17/2019

Revision Date 12/17/2019

SDS Number 350000003598

**Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

**Toxicity to fish**

| Components                           | End point                                       | Species                                | Value      | Exposure time |
|--------------------------------------|---|--|------------|---------------|
| Stoddard solvent                     | LC50  | Lepomis macrochirus (Bluegill sunfish) | 3.15 mg/l  | 96 h          |
| Paraffin waxes and Hydrocarbon waxes | static test<br>LC50<br>Read-across<br>(Analogy) | Pimephales promelas (fathead minnow)   | > 100 mg/l | 96 h          |

**Toxicity to aquatic invertebrates**

| Components                           | End point  | Species                    | Value         | Exposure time |
|--------------------------------------|--|----------------------------|---------------|---------------|
| Stoddard solvent                     | static test<br>LC50                                  | Daphnia magna (Water flea) | 1.36 mg/l     | 48 h          |
|                                      | NOEC   | Daphnia magna (Water flea) | 0.1 mg/l      | 21 d          |
| Paraffin waxes and Hydrocarbon waxes | EC50<br>Read-across<br>(Analogy)                     | Daphnid                    | > 10,000 mg/l | 48 h          |
|                                      | semi-static test<br>NOEC<br>Read-across<br>(Analogy) | Daphnia                    | 10 mg/l       | 21 d          |



**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC JOHNSON® PASTE WAX**

Version 1.2

Print Date 12/17/2019

Revision Date 12/17/2019

SDS Number 350000003598

**Toxicity to aquatic plants**

| Components                           | End point                  | Species                                       | Value      | Exposure time |
|--------------------------------------|----------------------------|---|------------|---------------|
| Stoddard solvent                     | EC50                       | Pseudokirchneriella subcapitata (green algae) | 1.2 mg/l   | 72 h          |
| Paraffin waxes and Hydrocarbon waxes | NOEC Read-across (Analogy) | Pseudokirchneriella subcapitata (green algae) | > 100 mg/l | 72 h          |

**Persistence and degradability**

| Component                            | Biodegradation             | Exposure time | Summary                    |
|--------------------------------------|----------------------------|---------------|----------------------------|
| Stoddard solvent                     | 55 - 63 %                  |               | Not readily biodegradable. |
| Paraffin waxes and Hydrocarbon waxes | 31 % Read-across (Analogy) | 28 d          | Not readily biodegradable. |

**Bioaccumulative potential**

| Component                            | Bioconcentration factor (BCF) | Partition Coefficient n-Octanol/water (log) |
|--------------------------------------|-------------------------------|---|
| Stoddard solvent                     | No data available             | No data available                           |
| Paraffin waxes and Hydrocarbon waxes | No data available             | 6.7   |

**Mobility**

| Component                            | End point         | Value |
|--------------------------------------|-------------------|-------|
| Stoddard solvent                     | No data available |       |
| Paraffin waxes and Hydrocarbon waxes | No data available |       |

**PBT and vPvB assessment**

| Component | Results |
|-----------|---------|
|           |         |

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC JOHNSON® PASTE WAX**

Version 1.2

Print Date 12/17/2019

Revision Date 12/17/2019

SDS Number 350000003598

|                                      |                                      |
|--------------------------------------|--------------------------------------|
| Paraffin waxes and Hydrocarbon waxes | Not fulfilling PBT and vPvB criteria |
|--------------------------------------|--------------------------------------|

**Other adverse effects** : None known.**13. DISPOSAL CONSIDERATIONS**

Consumer may discard empty container in trash, or recycle where facilities exist.

**14. TRANSPORT INFORMATION**

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

|   | Land transport   | Sea transport  | Air transport  |
|---|--|--|--|
| <b>UN number</b>  | 1325   | 1325   | 1325   |
| <b>UN proper shipping name</b>  | Flammable solids, organic, n.o.s. (Petroleum Distillates)  | Flammable solids, organic, n.o.s. (Petroleum Distillates)  | Flammable solids, organic, n.o.s. (Petroleum Distillates)  |
| <b>Transport hazard class(es)</b>   | 4.1  | 4.1  | 4.1  |
| <b>Packing group</b>  | II   | II   | II   |
| <b>Environmental hazards</b>  | -  | -  | -  |
| <b>Special precautions for user</b>   | Limited quantities derogation may be applicable to this product, please check transport documents. | Limited quantities derogation may be applicable to this product, please check transport documents. | Limited quantities derogation may be applicable to this product, please check transport documents. |
| <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b> | Product not transported as bulk.   | Product not transported as bulk.   | Product not transported as bulk.   |

**15. REGULATORY INFORMATION****Notification status** : All ingredients of this product are listed or are excluded from

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC JOHNSON® PASTE WAX**

Version 1.2

Print Date 12/17/2019

Revision Date 12/17/2019

SDS Number 350000003598

listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**Notification status** : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

**California Prop. 65** : This product is not subject to the reporting requirements under California's Proposition 65.

**16. OTHER INFORMATION**

**HMIS Ratings**

|                     |   |
|---------------------|---|
| <b>Health</b>       | 1 |
| <b>Flammability</b> | 3 |
| <b>Reactivity</b>   | 0 |

**NFPA Ratings**

|                   |   |
|-------------------|---|
| <b>Health</b>     | 1 |
| <b>Fire</b>       | 3 |
| <b>Reactivity</b> | 0 |
| <b>Special</b>    | - |

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

**Further information**

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC JOHNSON® PASTE WAX**

Version 1.2

Print Date 12/17/2019

Revision Date 12/17/2019

SDS Number 350000003598

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

|             |  |
|-------------|--|
| Prepared by | SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA) |
|-------------|--|