

USE ON
ST. AUGUSTINEGRASS
(INCLUDING FLORATAM)
CENTIPEDEGRASS, ZOYSIAGRASS,
AND CARPETGRASS LAWNS

—UNIQUE—
3IN1
FORMULA



Turf Builder®

S O U T H E R N

TRIPLE ACTION



KILLS
ELIMINA

**KILLS DOLLARWEED
AND CLOVER**

PREVENTS
PREVIENE

**PREVENTS AND KILLS FIRE
ANTS UP TO 6 MONTHS**

FEEDS
FERTILIZA

**FEEDS AND STRENGTHENS
LAWNS AGAINST HEAT AND DROUGHT**

COVERS 8,000 SQ FT

**NET WT/PESO NETO
26.64 lb (12.08 kg)**

ACTIVE INGREDIENTS:
Atrazine® 1.352%
Related Compounds 0.028%
Bifenthrin™ 0.139%
OTHER INGREDIENTS..... 98.481%
TOTAL 100.000%

KEEP OUT OF REACH OF CHILDREN
CAUTION SEE BACK FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.

*CIS isomers 97% minimum, trans isomers 3% maximum

†CAS# 1912-24-9

‡CAS# 82657-04-3

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCIÓN CONSULTE EL REVERSO PARA CONOCER LOS
ANOSOS DE PRECAUCIÓN ADICIONALES.

29-0-10

SCOTTS® IS HERE FOR YOUR LAWN CARE NEEDS

Founded in 1868, we are proud of our long history and celebrate the lawn by offering best-in-class products.

We start with the fundamental truth; the lawn is alive. Our scientists embrace this truth by developing technologies that benefit the lawn and fit your lawn care needs. If you need to feed the lawn - we are here. If you have issues with pesky weeds - we've got your back.

So if you're a die-hard lawn warrior or a novice learning how to care for your lawn - let us help.

WHAT DOES SCOTTS® TURF BUILDER® SOUTHERN TRIPLE ACTION DO?

Scotts® Turf Builder® Southern Triple Action is an innovative three-in-one formula that kills existing lawn weeds like dollarweed and clover, prevents fire ants for up to 6 months, and feeds your lawn. Three benefits in one bag - step up to Triple Action lawn care.

KILLS

DOLLARWEED | DANDELION
CLOVER | OXALIS | PLANTAIN
CHICKWEED | HENBIT

PREVENTS

FIRE ANTS | ARMYWORMS
GRASSHOPPERS | FLEAS
MOLE CRICKETS | CHINCHBUGS
SOD WEBWORMS | TICKS

For a list of weeds and pests that Scotts® Turf Builder® Southern Triple Action targets visit: scotts.com


SCOTTS® TURF BUILDER®
SOUTHERN TRIPLE ACTION WORKS ON
ST. AUGUSTINEGRASS (INCLUDING FLORATAM)
CENTPEDEGRASS | ZOYSIAGRASS | CARPETGRASS

DIRECTIONS FOR USE | INSTRUCCIONES

It is violation of federal law to use this product in a manner inconsistent with its labeling. This package applies 3.33 lbs. of product per 1,000 sq. ft. Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta. Con este paquete se aplican 1.51 kg de producto por cada 93 m².

1 PREP | PREPARE

KNOW YOUR
LAWN SIZE
TENNIS COURT
~ 2,800 SQ FT



x 3 ~



8,000
SQ. FT BAG
COVERS ~ 3
TENNIS
COURTS

Use Scotts® MyLawn App to Calculate Your Lawn Size

FILL & SET SPREADER | Llene y ajuste el esparcidor

SCOTTS®
BROADCAST/
SPREADER
Esparcidor por
vuelo/giratorio
Scotts®
SETTING
4 1/4





SCOTTS®
DROP
SPREADER
Esparcidor
por gravedad
Scotts®
SETTING
8 1/2



2 APPLY | APLIQUE

WALK AT A STEADY PACE | Camine a ritmo constante



BROADCAST ROTARY SPREADER
Line up each pass approximately 5' from wheel track.
Alinee cada pasada a aproximadamente 1.5 m
de la huella dejada por la rueda.

Apply when grass and weeds are actively growing.
If complete control is not obtained a second
treatment may be applied after 8 weeks but
not more than twice per year.

Aplique este producto cuando el césped y las malezas estén
creciendo activamente. Si no se obtiene un control total,
puede aplicarse un segundo tratamiento después de 8
semanas, pero no más de dos veces al año.

This product applies 2 lbs. atrazine (and its related
compounds) per acre and 0.2 lbs. bifenthrin per acre.
Con este producto se aplican 0.9 kg de atrazina (y sus
compuestos relacionados) por acre y 91 g de bifentrina por acre.

DROP SPREADER

Align arrow with previous wheel track.
Alinee la flecha con la huella dejada
previamente por la rueda.

Apply this product directly to the lawn area.
Water treated area as directed on this label.
Do not water to the point of runoff.

Aplique este producto únicamente al área del césped.
Riegue el área tratada como se indica en la etiqueta.
No riegue al grado que oscurece.

This product may be used on warm season grasses
including St. Augustinegrass (including Floratam),
Centipedegrass, Zoysiagrass and Carpetgrass.
Se puede utilizar este producto sobre céspedes
para climas cálidos, incluyendo: San Agustín (incluida
la variedad Floratam), ciempies, zoysia y alfombra.

This product must be WATERED IN
IMMEDIATELY after application.
Este producto se debe REGAR
INMEDIATAMENTE después de la aplicación.

RESTRICTIONS

- Do not allow people or pets to enter treatment area until watering-in is complete and the surface is dry. • Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. • Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur. • Apply only when grass is dry. • Do not apply on or under the branch spread (root zone) of trees, shrubs, bedding plants, flowers, or garden plants, particularly in compact slowly draining soils. • Do not apply granular lawn products by hand. Broadcast applications must NOT be made using hand-held devices, such as belly-grinder or hand-held rotary applicator. Such equipment may only be used for spot treatments. • Maximum of 2 applications per year. • Do not make applications during rain. • Do not apply to lawns during the period of winter dormancy. • Do not apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice. • Do not plant spring/sod for one month, or sow new grass seed for six months following application of this product.

RESTRICCIONES

- No deje que las personas o las mascotas ingresen a las áreas de tratamiento hasta que termine de regar y la superficie esté seca. • No aplique este producto de forma que entre en contacto con ninguna persona o mascota, ya sea directamente o al ser arrastrado por el viento. Durante la aplicación, mantenga alejadas del área a las personas y a las mascotas. • No debe aplicarse a céspedes o céspedes mixtos de grama bahía, bermuda, pasto azul, cañaleta fina, Bent grass, raigrás, cañaleta alta u oreja de ratón, pues puede dañarlos. • Aplíquelo solo cuando el césped esté seco. • No lo aplique sobre o debajo de la zona cubierta por las ramas (la zona de las raíces) de árboles, arbustos, plantas en macizos, flores u hortalizas, especialmente en suelos compactos de drenaje lento. • No aplique productos granulados para el césped manualmente. NO deben realizarse aplicaciones por voleo con aparatos manuales, como esparcidores de cintura o aplicadores giratorios manuales. Este tipo de equipo solo puede utilizarse para hacer tratamientos localizados. • El máximo número de aplicaciones es 2 por año. • No haga aplicaciones mientras esté lloviendo. • No lo aplique al césped durante el período de latencia invernal. • No lo aplique en a céspedes ciempies o alfombra recién sembrados sino hasta después de por lo menos el segundo corte del césped. • No plante tepes o retoños por al menos un mes ni siembre semillas de césped nuevas durante al menos seis meses después de haber aplicado este producto.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION: Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Call 1-800-543-8873. **NOTE TO PHYSICIAN:** This product is a pyrethroid. If large amounts have been ingested, milk, cream, or other digestible fats and oils may increase absorption and should be avoided.

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. Atrazine can travel (seep or leach) through soil and can enter ground water, which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply atrazine on sand and loamy soils where the water table (ground water) is close to the surface and where these soils are very permeable; i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and location of ground water. This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.
PESTICIDE DISPOSAL: Non-refillable container. Do not reuse or refill this container.
If Empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Scotts® Turf Builder® Southern Triple Action 29-0-10 F643
GUARANTEED ANALYSIS

Total Nitrogen (N) 29%
1.0% Ammoniacal Nitrogen
19.0% Urea Nitrogen
8.2% Other Water Soluble Nitrogen†
0.8% Water Insoluble Nitrogen†
Soluble Potash (K₂O) 10%
Sulfur (S) 4%
4.0% Combined Sulfur (S)
Derived from: Ammonium Sulfate, Methyleneureas, Urea, Potassium Sulfate and Polymer Coated Urea.
†Contains 14.6% slowly available Nitrogen from Methyleneureas and Polymer Coated Urea.
Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

EPA Reg. No. 538-307
EPA Est. No. 538-OH-1¹, 538-OH-2², 9198-OH-1¹, 9198-OH-2², 9198-AL-1¹, 82757-FL-1¹, 82757-MA-2², 82757-OH-1¹, 84175-TX-1¹, 85653-OH-1¹
Superscript designates the first letter of the lot code.
Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices. Check with your county or city government to determine if there are local regulations for fertilizer use.

QUESTIONS / COMMENTS / INFORMATION

SMG Sold and Guaranteed By:
The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041
U.S. Patent No. 5,102,440; 9,155,306; 6,254,655 B1

Lawn Questions?
1-800-543-8873
©2019 The Scotts Company LLC.
World rights reserved.

AVISOS DE PRECAUCIÓN Riesgos para los seres humanos y los animales domésticos

PRECAUCIÓN: Lávese bien con agua y jabón después de usarlo y antes de comer, beber, masticar goma de mascar, o consumir tabaco.

PRIMEROS AUXILIOS

SI ENTRA EN LOS OJOS: Mantenga el ojo abierto y enjuáguelo lentamente y con cuidado con agua por 15 a 20 minutos. Retire los lentes de contacto, de haberlos, después de transcurridos los primeros 5 minutos, y continúe enjuagando el ojo. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento. Tenga el envase o la etiqueta del producto con usted cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento. Llame al 1-800-543-8873. **NOTA PARA EL MÉDICO:** Este producto es un piretroida. Si ha ingerido grandes cantidades se debe evitar tomar leche, crema o cualquier otra grasa o aceite digerible, pues puede aumentar la absorción del pesticida.

RIESGOS AMBIENTALES: Para proteger el medio ambiente, no permita que el pesticida penetre o se escurra en drenajes pluviales, zanjas de drenaje, cunetas o aguas superficiales. La aplicación de este producto en un clima tranquilo cuando no haya un pronóstico de lluvia para las próximas 24 horas, asegurará que el viento o la lluvia no soplen o lloven el pesticida fuera del área de tratamiento. Barra el producto que caiga sobre la entrada de automóviles, la acera o la calle hacia el área tratada del césped para evitar que se escurra a cuerpos de agua o sistemas de drenaje. Se ha encontrado atrazina en el agua del subsuelo. Se advierte a los usuarios no aplicar atrazina en suelos arenosos o margosos, donde el manto freático (el agua del subsuelo) está cerca de la superficie y la tierra es muy permeable (tierra con buen drenaje). Sus organismos agrícolas locales pueden proporcionarle más información sobre la clase de suelo de su zona y la ubicación del agua subterránea. Este producto es tóxico para los invertebrados acuáticos. No lo aplique directamente al agua, en áreas donde haya agua presente en la superficie ni en zonas intermareales por debajo de la línea de la marea alta. La dispersión y los escurrimientos desde las áreas tratadas pueden ser peligrosos para los organismos acuáticos de las zonas aledañas. No contamine el agua al deshacerse de la que use para lavar o enjuagar los utensilios.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA: Guardar en un lugar limpio y seco. Vuelva a cerrar la bolsa abierta doblando la parte superior y asegurándola.
ELIMINACIÓN DEL PESTICIDA: Este envase no se puede relleno. No vuelva a usar ni llenar este envase. Si está vacío: Tirelo a la basura o, si está disponible, ofrézcale para reciclaje. Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos o externos.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

AVISO: En la medida contemplada por las leyes aplicables, el comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se siguen las instrucciones.

SCOTTS NO-QUIBBLE GUARANTEE®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Si por alguna razón no está satisfecho luego de utilizar este producto, usted, el consumidor, tiene derecho a la devolución de su dinero. Sólo envíenos el comprobante de compra y le enviaremos un cheque de reembolso por correo inmediatamente.

SCOTTS® TURF BUILDER®
SOUTHERN TRIPLE ACTION
6M 2600844

FPO

PROOF OF PURCHASE UPC 0-3247-26008-4
2600844 10-48 657764

0 3247 26008 4



PROOF OF PURCHASE
UPC 0-32247-26008-4

26008
A4



PROOF OF PURCHASE
UPC 0-32247-26008-4

26008
A4

