



WEED & GRASS KILLER₄

EXCLUSIVE FORMULA

- RAINPROOF IN AS FAST AS 30 MINUTES
- VISIBLE RESULTS IN HOURS

Keep Out of Reach of Children

CAUTION See back panel booklet for additional precautionary statements.

Mantener Fuera del Alcance de los Niños

PRECAUCIÓN Vea los avisos adicionales de precaución en el panel posterior.

ACTIVE INGREDIENTS:

Triclopyr, triethylamine salt 0.122%
Fluazifop-P-butyl 0.097%
Diquat dibromide 0.073%

OTHER INGREDIENTS 99.708%

TOTAL 100.000%

Contains 0.0073 lbs. triclopyr acid equivalent, 0.0081 lbs. fluazifop-P-butyl, and 0.0061 lbs. diquat dibromide per US gallon.



PPN 40161V1-03



NET 1.33 GAL (170 FL OZ/5 L)

PUMP 'N GO²

The FAST and EASY Way to Kill Weeds!

• The Pump 'N Go² 2 Sprayer provides up to 10 minutes of continuous spray!

OPEN /
ABRA



DID YOU KNOW?

• Spray the leaves to kill the root

©2022 MONSANTO COMPANY
Produced for Monsanto Company
Lawn & Garden Products
800 N. Lindbergh Blvd.
St. Louis, MO 63167
www.roundup.com
EPA Reg. No. 71995-65
EPA Est. 239-1A-3
Assembled in USA



FPO

0 70183 00006 7



HOW TO ASSEMBLE AND USE INSTRUCTIONS

	1. CUT Carefully cut the zip ties securing the hose and pump handle with scissors. Use caution not to cut the white hose.		4. PUMP Make sure handle is screwed on tightly or the bottle will not pressurize. Pump container 25-30 times to pressurize bottle. A full bottle requires fewer pumps than an empty bottle. Pumping to the higher range will provide longer spray duration. After pumping, push pump down and turn handle clockwise to lock into carrying position. NOTE: This bottle is designed to expand under pressure and cannot be over-pressurized.
	2. CONNECT Unwind hose. Firmly push the connector at the end of the hose onto the spout on the pump, until it locks into place.		5. SPRAY Aim wand. Spray by pushing down trigger with thumb. Adjust spray pattern by rotating nozzle tip up to one-half rotation. Spray weeds until thoroughly wet.
	3. EXTEND WAND Lift sprayer wand off bottle. Push yellow button while pulling out on the wand nozzle tip. Fully extend wand until yellow button snaps into SPRAY POSITION. NOTE: Trigger will not function until wand is fully extended and yellow button is visible in the SPRAY POSITION.		6. STORE When finished spraying, push the yellow button and retract the wand until the yellow button snaps back into the original STORAGE POSITION. Place wand back onto the top of the bottle in the integrated holster with nozzle tip extended through the eyelet opening. 7. DEPRESSURIZE Push pump handle all the way down and turn pump handle and cap counter-clockwise to relieve pressure, then retighten to store.

PRODUCT FACTS

KILLS MANY TYPES OF WEEDS AND GRASSES INCLUDING:

Bahiagrass, Barnyardgrass, Bermudagrass, Black Medic, Buckhorn Plantain, Burning Nettle, Bush Honeysuckle, Carolina Geranium, Carpetweed, Chamber-Bitter, Chickweed (Common), Chickweed (Mouseear), Common Lespedeza, Common Purslane, Creeping Woodsorrel, Curly Dock, Dandelion, Dichondra, Evening Primrose, Fall Panicum, Field Bindweed, Field Sandbur, Florida Pusley, Giant Foxtail, Goosegrass, Green Foxtail, Himalayan Blackberry, Itchgrass, Junglerice, Kentucky Bluegrass, Kikuyugrass, Lambsquarters, Large Crabgrass, Lespedeza, Maypop Passionflower, Morning Glory (Annual), Oxalis, Pennywort, Plantain (Broadleaf), Poison Ivy, Purslane Speedwell, Quackgrass, Red Clover, Shattercane, Southern Dewberry, Spotted Spurge, Sprawling Horseweed, Spurge (Garden), St. Augustinegrass, Tall Fescue, Texas Panicum, Thistle, Timothy, White Clover, Wild Oats, Wild Proso Millet, Wild Strawberry, Wild Violet, Wirestem Muhly, Witchgrass, Woolly Cupgrass, Yellow Bluestem, Yellow Foxtail.

Container covers up to 400 sq ft. For outdoor residential use.

HOW IT WORKS

This product is formulated with three active ingredients for broad spectrum control of weeds and grasses. Two ingredients, flazifop-P-butyl and triclopyr, are absorbed by the leaves of grasses or weeds and move within the plant down to the roots. Weeds die, down to the root – so they don't grow back. The third ingredient, diquat, works on contact to provide visible results within hours.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Always read and follow label directions.

WHERE TO USE

- In flower beds & perennial landscape plants
- Around trees & shrubs
- On patios, walkways, & driveways, gravel, or mulch beds
- Along fences & foundations
- Edging around foundations and retaining walls

WHERE NOT TO USE

Do not use on or around edible food or feed crops; or where livestock grazing is allowed.

HOW TO APPLY

- Follow illustrations and/or instructions in the HOW TO ASSEMBLE AND USE section to prime the sprayer.
- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plants are sprayed accidentally, rinse off immediately with water.

IMPORTANT

- Do not spray plants or grasses you like - they will die. Not recommended for spot weed control in lawns since this product kills lawn grasses. Do not allow treated weeds to come in contact with desirable plants until spray has dried.

WHEN TO APPLY

- Apply when weeds are actively growing.
- For best results, apply during warm, sunny weather above 60°F.
- Spray when air is calm to prevent drift to desirable plants.
- RAINPROOF: Rain or watering 30 minutes after application will NOT wash away effectiveness.
- Weeds yellow and wilt within hours with complete kill in 1 to 2 weeks for annual weeds. Perennial weeds such as poison ivy may take 4 or more weeks for complete kill.

APPLICATION RESTRICTIONS: Avoid contact with eyes, skin or clothing during and after application. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Only persons applying this product may be in the area during application. Do not exceed the maximum single or yearly application rate of 60 fl oz product per 300 sq ft (9 lb ae triclopyr per acre) and wait a minimum of 28 days before repeating application.

WHEN TO REPLANT

- All ornamental flowers may be planted 1 day after application.
- Lawn grasses may be planted 7 days after application.
- Non-conifer trees and shrubs may be planted 14 days after application.
- Conifer trees and shrubs may be planted 30 days after application.

HOW TO REFILL

- This container and sprayer can be reused.
- To refill this empty container, pour product carefully and directly from the Roundup® Weed & Grass Killer, container designated as the ready-to-use refill container. DO NOT add water.
- Use Roundup® Weed & Grass Killer, Concentrate to refill the container. Add 8 fl oz (16 Tbs) of Roundup® Weed & Grass Killer, Concentrate to this empty container then fill with water slowly to avoid foaming.

ADDITIONAL TIPS

FOR LAWN REPLACEMENT

Use this product to kill an existing lawn and weeds before planting a new lawn or prior to laying a patio, sidewalk or driveway.

- If green patches remain after 28 days and the area has not been reseeded, spot treat as necessary.
- Wait at least 7 days after last application to rake or till area in preparation for planting seed or sod.

FOR FLOWERBED AND GARDEN PREPARATION

Use this product to kill weeds, grasses, and brush before planting flowers, trees or shrubs.

- Wait 1 to 30 days after last application before planting garden. See When To Replant section for details.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Push the yellow button and retract the wand until the yellow button snaps back into the original storage position. Place wand back onto the top of the bottle in the integrated holster with nozzle tip extended through the eyelet opening. Push pump handle all the way down and turn pump handle and cap counter-clockwise to relieve pressure, then retighten to store. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using. To prevent accidental poisoning, never store this product in food, drink, or unlabeled containers.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different concentrated or ready-to-use product to be diluted in or poured directly into the container. Reuse or refill this container according to the directions contained in the HOW TO REFILL section. If Empty: Place in trash or offer for recycling, if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Keep Out of Reach of Children

CAUTION: May cause eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, shoes plus socks and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Such items should be kept and washed separately from other laundry.



Do not allow people or pets to enter the treated area or touch treated plants until spray has dried.

FIRST AID

IF ON SKIN OR CLOTHING	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES	• IMMEDIATELY hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. • Call a poison control center or doctor for additional treatment advice.

Note to Physician: If in eyes, treat symptomatically. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete.

Emergency Medical Information: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-246-7219 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather and when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Diquat is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment wash waters. **GROUNDWATER ADVISORY:** Triclopyr and fluzifop-P-butyl have properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soil is permeable, particularly where the water table is shallow, may result in groundwater contamination. **NON-TARGET ORGANISM ADVISORY:** Triclopyr, fluzifop-P-butyl and diquat are toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift. **SURFACE WATER ADVISORY:** Triclopyr and fluzifop-P-butyl may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

*CONSUMER GUARANTEE

If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.

Roundup® Lawn & Garden products have the solutions to your toughest weed problems. Visit the Roundup® website, www.roundup.com, to learn more about the Roundup® brand family of products. For weeds in your lawn, try Roundup® For Lawns products.

Español

¡La manera FÁCIL y RÁPIDA de eliminar malezas!

- ¡El rociador Pump 'N Go® 2 le proporciona hasta 10 minutos de rocío continuo!

**PUMP
'N GO® 2**



Roundup® Mata Malezas Y Gramas₄



Conecte



**Extienda la
varilla**



Bombée



Rocíe



Guarde



**Libere la presión
Vuelva a apretar
para almacenarlo**

¿SABÍA USTED?

- Rocíe las hojas para acabar con la raíz

DÓNDE USAR

- Arriates de flores
- Alrededor de árboles
- A lo largo de cercas
- Caminos de acceso y pasos peatonales

LO QUE DEBE SABER

- A prueba de lluvia en tan rápido como 30 minutos
- Resultados visibles en tan rápido como 6 horas
- Siembre 1 a 30 días después de la aplicación

INSTRUCCIONES PARA ENSAMBLAR Y USAR

	1. CORTE Corte cuidadosamente con una tijera los lazos de cierre que aseguran la agarradera de la bomba y la manguera. Tenga cuidado de no cortar la manguera blanca.		4. BOMBEE Asegúrese de que la agarradera esté atornillada fuertemente o el envase no alcanzará la presión necesaria. Bombear el envase 25-30 veces para presurizarlo. Un envase lleno necesita menos bombeadas que un envase vacío. Bombear hasta el rango superior proporcionará una mayor duración del rocío. Después de bombear, oprima la bomba y gire la agarradera hacia la derecha para bloquearla en la posición para transportarla. NOTA: Este envase está diseñado para expandirse bajo presión y no puede presurizarse en exceso.
	2. CONECTE Desenrolle la manguera. Empuje firmemente el conector en el extremo de la manguera en la boquilla de la bomba hasta que trabaje.		5. ROCÍE Apunte la varilla. Rocíe oprimiendo el accionador con el pulgar. Ajuste el patrón de rocío girando la punta de la boquilla hasta media rotación. Rocíe las malezas hasta que estén completamente mojadas.
	3. EXTIENDA LA VARILLA Levante la varilla del rociador y sepárela del envase. Oprima el botón amarillo mientras jala la punta de la boquilla de la varilla. Extienda la varilla por completo hasta que el botón amarillo quede en la posición de rociar 'SPRAY POSITION'. NOTA: El gatillo no funcionará hasta que la varilla esté completamente extendida y el botón amarillo esté visible en la posición de rociar 'SPRAY POSITION'.		6. GUARDE Cuando termine de rociar, presione el botón amarillo y regrese la varilla hasta que el botón amarillo trabaje en la posición original de almacenamiento 'STORAGE POSITION'. Coloque la varilla en la parte superior del envase en la funda integrada con la punta de la boquilla extendida a través de la abertura del oje.
			7. LIBERE LA PRESIÓN Empuje completamente hacia abajo la agarradera y gire la agarradera y la tapa hacia la izquierda para liberar la presión, luego vuelva a apretar para almacenarlo.

DATOS DEL PRODUCTO

ELIMINA MUCHOS TIPOS DE MALEZAS Y GRAMAS

Cubre alrededor de 400 pies cuadrados. Para uso en exteriores de áreas residenciales.

CÓMO FUNCIONA

Este producto está formulado con tres ingredientes activos para el control de amplio espectro de malezas y gramas. Dos ingredientes, el fluazifop-P-butilo y el triclopir, son absorbidos por las hojas de las hierbas o malezas y se desplazan dentro de la planta hasta las raíces. Las malezas mueren, hasta la raíz, por lo que no vuelven a crecer. El tercer ingrediente, el dicuat, actúa por contacto para proporcionar resultados visibles en horas.

INSTRUCCIONES DE USO

Utilizar este producto de modo inconsistente con las declaraciones de su etiqueta constituye una violación de las leyes federales. Siempre lea y siga las indicaciones de la etiqueta.

DÓNDE USAR

- En arriates de flores y plantas de jardines perennes
- Alrededor de arbustos y árboles
- En patios, pasos peatonales y caminos de acceso, grava o arriates con cubresuelos orgánicos
- A lo largo de cercas y cimientos
- En bordes alrededor de los cimientos y muros de contención

DÓNDE NO USAR

No se debe usar en o alrededor de cultivos destinados al consumo humano o animal, o donde se permite el pastoreo de ganado.

CÓMO APLICAR

- Siga las ilustraciones e instrucciones en la sección Instrucciones para ensamblar y usar, para cebar el rociador.
- Rocíe las malezas o gramas que desee eliminar hasta **mojarlos completamente**.
- Al aplicar un tratamiento localizado cerca de plantas que no desee eliminar, proteja dichas plantas de la diseminación con una lámina de cartón o de plástico. Si rocía accidentalmente las plantas que desee conservar, lávelas inmediatamente con agua.

IMPORTANTE

- **No rocíe las plantas o gramas que desee conservar, pues morirán.** No se recomienda para el control localizado de malezas en céspedes, ya que este producto elimina la grama del césped. No permita que las malezas tratadas entren en contacto con las plantas que desee conservar hasta que el rocío se haya secado.

CUÁNDO APLICAR

- Aplicarlo cuando las malezas estén creciendo activamente.
- Para obtener los mejores resultados, aplique durante clima cálido y soleado arriba de 60°F.
- Rocíe cuando el aire se encuentre cálido para evitar la diseminación a plantas que desee conservar.
- A PRUEBA DE LLUVIA: La lluvia o el riego 30 minutos después de la aplicación NO eliminarán su eficacia.
- Las malezas se ponen amarillentas y se marchitan al cabo de horas y en las malezas anuales se produce la eliminación completa en 1 a 2 semanas. Las malezas perennes tales como la hiedra venenosa, pueden tardar 4 o más semanas para la eliminación completa.

RESTRICCIONES DE APLICACIÓN: Evite el contacto con los ojos, la piel o la ropa durante y después de la aplicación. No aplique este producto de cualquier forma que entre en contacto con las personas o las mascotas, ya sea directamente o por la deriva. Mantenga a las personas y las mascotas alejadas del área durante la aplicación. Sólo la persona que aplica el producto puede estar dentro del área durante la aplicación. No exceda la aplicación individual o anual máxima de 60 onzas líquidas por 300 pies cuadrados (9 libras de triclopir por acre) y espere un mínimo de 28 días antes de repetir la aplicación.

CUÁNDO REPLANTAR

- Todas las flores ornamentales se pueden plantar 1 día después de la aplicación.
- Se puede plantar césped 7 días después de la aplicación.
- Los árboles y arbustos no coníferos se pueden plantar 14 días después de la aplicación.
- Los árboles y arbustos coníferos se pueden plantar 30 días después de la aplicación.

CÓMO RELLENAR

- Este envase y rociador puede ser reutilizado.
- Para rellenar este envase vacío, vierta el producto cuidadosa y directamente desde el envase de Roundup® Mata Malezas Y Gramas, designado como el envase para rellenar listo para usar. NO agregue agua.
- Usar Roundup® Concentrado Mata Malezas Y Gramas para volver a llenar este envase. Agregue 8 onzas líquidas (16 cucharadas) de Roundup® Concentrado Mata Malezas Y Gramas, a este envase vacío y luego línelo con agua lentamente para evitar la formación de espuma.

CONSEJOS ADICIONALES

PARA SUSTITUIR EL CÉSPED

Utilice este producto para eliminar el césped y las malezas existentes antes de plantar césped nuevo antes de instalar un nuevo patio, acera o camino de acceso.

- Si quedan zonas verdes después de 28 días y el área no se ha vuelto a sembrar, haga aplicaciones focalizadas como sea necesario.
- Espere al menos 7 días después de la aplicación antes de rastrillar o labrar la zona en preparación para plantar semillas o tepes.

PARA PREPARAR MACIZOS FLORALES Y JARDINES

Utilice este producto para eliminar malezas, gramas y broza antes de plantar flores, árboles o arbustos.

- Espere de 1 a 30 días después de la última aplicación antes de plantar el jardín. Consulte la sección Cuándo replantar para conocer los detalles.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA: Presione el botón amarillo y regrese la varilla hasta que el botón amarillo trabaje en la posición original de almacenamiento. Coloque la varilla en la parte superior del envase en la funda integrada con la punta de la boquilla extendida a través de la abertura del ojet. Empuje completamente hacia abajo la agarradera y gire la agarradera y la tapa hacia la izquierda para liberar la presión, luego vuelva a apretar para almacenarlo. Guarde el producto en el envase original en un lugar seguro lejos de la luz directa del sol. Proteja del congelamiento. Si se congela, deje que se descongele y agítelo bien antes de usarlo. Para evitar una intoxicación accidental, nunca almacene este producto en recipientes de alimentos, bebidas o sin etiquetas.

ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE: Este envase no se puede rellenar. No vuelva a usar o rellenar este envase a menos que las instrucciones de uso permitan que un producto concentrado o listo para usar distinto se pueda echar directamente o diluir en el envase. Este envase se puede reutilizar o rellenar de acuerdo con las instrucciones contenidas en la sección **CÓMO RELLENAR**. Si está vacío: Colóquelo en la basura u ofrézcalo para reciclaje, si está disponible. Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones de eliminación. Nunca elimine el producto sin usar en ningún drenaje interior o exterior.

AVISOS DE PRECAUCIÓN

RIESGOS PARA HUMANOS Y ANIMALES DOMÉSTICOS

Mantener Fuera del Alcance de Los Niños

PRECAUCIÓN: Puede causar irritación en los ojos. Evite el contacto con los ojos, la piel o la ropa. El contacto prolongado o reiterado de este producto con la piel puede causar reacciones alérgicas en algunas personas. Lleve camisa de manga larga y pantalones largos, zapatos con calcetines y guantes. Lávese completamente con agua y jabón después de usarlo y antes de comer, beber, masticar chicle, consumir tabaco o usar el inodoro. Debe quitarse y lavar la ropa contaminada antes de volver a usarla. Estos artículos deben guardarse y lavarse separado del resto de la ropa sucia.



No permita que las personas o las mascotas ingresen al área tratada o toquen las plantas tratadas hasta que se seque el rocío.

PRIMEROS AUXILIOS

SI CAE EN LA PIEL O ROPA	• Quite la ropa contaminada. • Enjuague la piel inmediatamente con abundante agua durante 15 a 20 minutos. • Llame al centro de control de envenenamiento o al médico para obtener más recomendaciones sobre tratamiento.
SI ENTRA EN LOS OJOS	• INMEDIATAMENTE mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15–20 minutos. • Si tiene lentes de contacto, quítelos después de lavarse los primeros 5 minutos y continúe lavando los ojos. • Llame al centro de control de envenenamientos o al médico para obtener más recomendaciones sobre tratamiento.

Aviso para el médico: Si ha entrado en los ojos, tratar los síntomas. Los síntomas pueden presentarse gradualmente. El contacto aparentemente trivial puede causar daños graves y retrasar la curación. La supervisión médica debe continuar hasta que la curación sea completa.

INFORMACIÓN MÉDICA DE EMERGENCIA: Tenga con usted el envase o etiqueta del producto cuando llame al centro de control de envenenamientos o al médico, o acuda al tratamiento. Puede llamar al 1-800-246-7219 para obtener información sobre tratamiento médico de emergencia.

RIESGOS AMBIENTALES: Para proteger el ambiente, no permita que el pesticida entre o se escurra en drenajes pluviales, zanjas de drenaje, cunetas o aguas superficiales. Aplicar este producto en clima tranquilo cuando no haya pronóstico de lluvia en las siguientes 24 horas ayudará a asegurarse de que el viento o la lluvia no soplen o lleven el pesticida fuera del área de tratamiento. Diquat es tóxico para los invertebrados acuáticos. No aplique este producto directamente al agua. No contamine el agua al limpiar los utensilios ni al deshacerse del agua que use para lavarlos. **ADVERTENCIA SOBRE LAS AGUAS SUBTERRÁNEAS:** Triclopir y fluzifop-P-butilo tienen propiedades y características que se asocian con productos químicos detectados en aguas del subsuelo. El uso de este producto químico en áreas donde el suelo es permeable, en particular donde el manto freático está cerca de la superficie, puede resultar en la contaminación del agua del subsuelo. **ADVERTENCIA SOBRE LOS ORGANISMOS QUE NO SE PRETENDE AFECTAR:** Triclopir, fluzifop-P-butilo y diquat son tóxicos para las plantas y pueden afectar de manera adversa las fuentes de alimento y el hábitat de organismos que no se pretende afectar, como los polinizadores, en las áreas adyacentes al sitio tratado. Proteja las fuentes de alimento y el hábitat de estos organismos siguiendo las instrucciones de la etiqueta dirigidas a reducir al mínimo la dispersión del rocío. **ADVERTENCIA SOBRE LAS AGUAS SUPERFICIALES:** Triclopir y fluzifop-P-butilo pueden afectar la calidad de las aguas superficiales debido a la escorrentía del agua de lluvia. Esto es especialmente cierto para los suelos con mal drenaje y los suelos con aguas subterráneas poco profundas.

ADVERTENCIA: En la medida contemplada por las leyes aplicables, el comprador asume toda responsabilidad por la seguridad y uso que no sea de acuerdo con las instrucciones.

*GARANTÍA PARA EL CONSUMIDOR

Si por algún motivo usted no queda satisfecho después de usar este producto, simplemente envíenos el comprobante de venta original y reembolsaremos el precio de compra.

Los productos Roundup® para el césped y jardín proveen las soluciones a sus problemas de malezas más difíciles. Visite el sitio web de Roundup® www.roundup.com, para conocer más sobre la familia de productos de la marca Roundup®. Para las malezas en su césped, pruebe los productos de Roundup® For Lawns.



Roundup® Weed & Grass Killer₄ Roundup® Mata Malezas Y Gramas₄

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

Keep Out of Reach of Children

CAUTION: May cause eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long-sleeved shirt and long pants, shoes plus socks and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Such items should be kept and washed separately from other laundry.



Do not allow people or pets to enter the treated area or touch treated plants until spray has dried.

FIRST AID

IF ON SKIN OR CLOTHING	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment advice.
IF IN EYES	- IMMEDIATELY hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. - Call a poison control center or doctor for additional treatment advice.

Note to Physician: If in eyes, treat symptomatically. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should be continued until healing is complete.

Emergency Medical Information: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-246-7219 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather and when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Diquat is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment wash waters. **GROUNDWATER ADVISORY:** Triclopyr and fluzifop-P-butyl have properties and characteristics associated with chemicals detected in groundwater. The use of this product in areas where soil is permeable, particularly where the water table is shallow, may result in groundwater contamination. **NON-TARGET ORGANISM ADVISORY:** Triclopyr, fluzifop-P-butyl and diquat are toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift. **SURFACE WATER ADVISORY:** Triclopyr and fluzifop-P-butyl may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Push the yellow button and retract the wand until the yellow button snaps back into the original storage position. Place wand back onto the top of the bottle in the integrated holster with nozzle tip extended through the eyelet opening. Push pump handle all the way down and turn pump handle and cap counter-clockwise to relieve pressure, then retighten to store. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using. To prevent accidental poisoning, never store this product in food, drink, or unlabeled containers.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different concentrated or ready-to-use product to be diluted in or poured directly into the container. Reuse or refill this container according to the directions contained in the HOW TO REFILL section. If Empty: Place in trash or offer for recycling, if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.



Questions, Comments or Information
¿Preguntas, Comentarios o Información?

1-800-246-7219
www.roundup.com

Roundup, Roundup & Design and Pump 'N Go are registered trademarks of Monsanto Technology LLC.

For a list of patents, if any, covering this product or its use, please go to www.monsantotechnology.com/lawnandgarden.

©2022 Monsanto Company
Produced for Monsanto Company
Lawn & Garden Products
800 N. Lindbergh Blvd.
St. Louis, MO 63167

EPA Reg. No. 71995-65

EPA Est. 239-IA-3

Assembled in USA



PPN 40161W2-14
537530405
LB17984

FPO

0 70183 00006 7

Resealable Label for Directions & Precautions.
Etiqueta resellable para instrucciones y avisos de precaución.