
GARDEN SHED

MODEL:4X6 FT

WF297850+WF297851



ASSEMBLY INSTRUCTIONS

The assembly requires two persons to do it and will take between 2 and 3 hours to complete.

WARNING

- Please read the instructions carefully before assembly.
- Please assemble strictly to the instructions stated.
- · Please check all parts are accounted for before assembly.
- To avoid injury, work gloves are recommended during assembly.

BEFORE YOU BEGIN

Owner's Manual

Before beginning construction, check local building codes regarding footings, location and other requirements. Study and understand this owner's manual. Important information and helpful tips will make your construction easier and more enjoyable.

Assembly Instructions: Instructions are supplied in this manual and contain all appropriate information for your building model. Review all instructions before you begin, and during assembly, follow the step sequence carefully for correct results.

Parts and Parts List: Check to be sure that you have all the necessary parts, you're your building.

Separate contents of the carton by the part number while reviewing parts list. The first few steps show how to join related parts to make larger sub assemblies which will be used later.

Familiarize yourself with the hardware and fasteners for easier use during construction.

These are packaged within the carton. Note that extra fasteners have been supplied for your convenience.

PLAN AHEAD

Watch the Weather: Be sure the day you select to install your building is dry and calm. Do not attempt to assemble your building on a windy day. Be careful on wet or muddy ground. **Teamwork:** Whenever possible, two or more people should work together to assemble your building. One person can position parts or panels while the other is able to handle the fasteners and the tools.

Tools and Materials: These are some basic tools and materials you will need for the construction of your building. Decide which method of anchoring and the type of foundation you wish to use in order to form a complete list of the materials you will need.

CARE & MAINTENANCE

Finish: For long lasting finish, periodically clean and wax the exterior surface. Touch-up scratches as soon as you notice them on your unit. Immediately clean the area with a wire brush; wash it and apply touch-up paint per manufacturer's recommendation.

Roof: Keep roof clear of leaves and snow with long handled, soft-bristled broom. Heavy amounts of snow on roof can damage building making it unsafe to enter. In snow country, Roof Strengthening Kits are available for most Arrow Buildings for added protection against heavy snow accumulation.

Doors: Always keep the door tracks clear of dirt and other debris that prevent them from sliding easily. Lubricate door track annually with furniture polish or silicone spray. Keep doors closed and locked to prevent wind damage

Fasteners: Use all washers supplied to protect against weather infiltration and to protect the metal from being scratched by screws. Regularly check your building for loose screws, bolts, nuts, etc. and retighten them as necessary.


Moisture: A plastic sheet (vapor barrier) placed under the entire floor area with good ventilation will reduce condensation.

Other Tips....

Wash off inked part numbers on coated panels with soap and water. Silicone caulking may be used for watertight seals throughout the building.

Do not store swimming pool chemicals in your building. Combustibles and corrosives must be stored in alr tight approved containers.

STRUCTURE VIEW



PARTS LIST BOX 1/2 WF297850

		VVF
NO.	PART	Qty.
15		2
19		1
25L		1
25R		1
27		2
P1A		6
P2		4
P3		3
P4A		2
D1		1
D2		1
F1	(Janno	199
F2		80
F3	{\\v\\	8


NO.	PART	Qty.
G2		4
GB		2
GC		4
GD	<u> </u>	4
GE		2
K		1
S1	©	142
S2	0)	165
30		2


PARTS LIST BOX 2/2 WF297851


NO.	PART	Qty.
1		2
3L		1
3R		1
4L		1
4R		1
5		1
6	0	1
7		1
8		1
9		1
10L		1
10R		1
11		1
13		2
14		2
17		2
18	÷	2
20	0 0	4

NO.	PART	Qty.
21L		2
21R		2
B1		2
B2		2
В3		4
GF		4
P5		2
P6		2
P7		1
P8		1
W1		2
W2		2
W3		3
9L		2
9R		2
28		2


BASE ASSEMBLE










PART	NO.	Qty.
	4L	1
(MVA>	F1	2













WALL ASSEMBLE




PART	NO.	Qty.
	P2	1
(MM>	F1	3
0	S2	3










PART	NO.	Qty.
	P1A	2
€ ● ●	F2	4
(MA)	F1	8
0	S2	8








PART	NO.	Qty.
<u> </u>	30	1
















PART	NO.	Qty.
	9	1
()ww	F1	11
0)	S2	11























PART	NO.	Qty.
for the second	21L	2
	21R	2
4	В1	2
4	B2	2
<i>\(\frac{\partial}{\partial}\)</i>	ВЗ	4
⊕ ——⊕	F2	12
0	S2	12




TRIANGLE PLATE ASSEMBLE

PART	NO.	Qty.
	GF	4
9	F2	8












PART	NO.	Qty.
	13	2
	14	2
n=-0	F2	2

(13)









ROOF ASSEMBLE


PART	NO.	Qty.
	P5	1
	P6	1
	P7	1
()VV	F1	18
0	S2	18




PART	NO.	Qty.
	P5	1
	P6	1
	P8	1
()WW	F1	18
0	S2	18




PART	NO.	Qty.
	17	2
	18	2
()WW	F1	4
0	S2	4







PART	NO.	Qty.
	15	2
\Diamond	GC	4
	F1	6
0	S2	2





GC




DOOR ASSEMBLE














PART	NO.	Qty.
{\bu\dots	F3	8

NO.	PART	Qty.
W1		2
W2		2
W3		3
F1	(<u> </u> ww>	4




NO.	PART	Qty.
28		2
F2	0 - -0	16
9L		2
9R		2





PART	NO.	Qty.
0	S1	142



Add S1 in Each F1 for Protection

