FRONT



CONTROLS

□ NEW

BRAND

05/10/17

MERCEDEZ

CMYK

X REVISIONS

2/13/20

AM853 - AMDRO Quick Kill Outdoor

PMS # _000

PMS # 000

Insect Killer Concentrate 1Qt


SPOT PMS # 000

WEB DIRECTION

7.85"(h) x 4.3"(w)


BASE LABEL






BOOKLET OUTSIDE








CCL	•	Description: Sevin 32 oz. Back ECL		NOTES	LEGEND
		Supplied for: Central Garden & Pet	File No.: T00636	Measurements are in inches.	Copy Image Area
		Finished Size: 7.85" (H) x 3.625" (W)	Supercedes: N/A		Base Cut/Fold Lines
		Date: 6/16/15	Supplied By: CCL Label Memphis		Book Cut/Fold Lines
		Application: Illustrator CS6	Prepared By: JW		BOOK CUt/Fold Lines
		Application: Illustrator C36	Trepared by.		<u> </u>


2.375" 2.375" ORNAMENTALS, ROSES, FLOWERS To Kill Carnenter Ants Outdoors Apply to carpenter ant trails around doors and & TREES windows and other places where carpenter ants To Kill Ants, (including Cut Ants), Aphids, Bagworms, Earwigs, Sow Bugs, Millipedes, Beetles, Weevils, have been observed or are expected to forage. For best results, locate and treat carpenter ant Plant Bugs, Leaf-cutting Bees, Sawflies, Caterpillars, Moths and other listed pests on Ornamentals, Roses, Apply a perimeter treatment as described above. Flowers and Trees (including deciduous and evergreen trees, shrubs, ground covers, bedding plants, annuals, To protect firewood from carpenter ants (and termites), apply to the soil beneath where the firewood perennials, and foliage plants). will be stacked. Use 1 quart to treat 640 square feet. DO NOT treat firewood with this product. Apply 0.02-0.04% solution to point of runoff by brush or as a spray. Spray up to the point of run-off making sure to cover Not intended to replace structural treatments. For all sides of leaves and trunk. Retreat if pests return. termites – not recommended as sole protection against termites. Such applications are not a substitute for • For ground covers, bedding plants, foliage, annuals and perennials, apply one gallon of 0.02-0.04% solution per 1,000 square feet as a uniform spray. Repeat treatment as necessary to achieve control using higher application rates mechanical alterations, soil or foundation treatment but merely as a supplement. For active infestations, get a professional inspection. as pest pressure & foliage area increases. Repeat To Kill Blacklegged and Brown Dog Ticks Outdoors

To prevent infestation of the home, treat soil and vegetation around the exterior perimeter of the home as described above. application should be limited to no more than once per seven days. Certain plants may be sensitive to the final spray solution. A limited area should be treated and observed for one week prior to application to the entire planting. Treat soil and vegetation adjacent to wooded areas on the property where blacklegged and brown dog ticks may be harboring. Treat areas of taller vegetation (2-3 ft), around the exterior of PESTS CONTROLLED Caterpillars, Butterflies and Moths Treatment should be made to the point of runoff. Tent forming caterpillars, cocoon forming caterpillars, chrysalis Treatment should be applied thoroughly and uniformly forming caterpillars. Treatment of Wood-in-Place to Kill Exposed Stages of Leaf feeding caterpillars (including leaves of flowering plants, bushes and other ornamentals, vegetables and trees), azalea 7.1383" 7.85" Wood-Infesting Insects For the control of insects including Termites, Ants and Carpenter leafminers, green cloverworm, fruit eating caterpillars, legume feeding caterpillars, vegetable feeding caterpillars, stem and trun Ants in localized areas of infested wood in and around boring caterpillars, and leafrolling caterpillars. Caterpillars of the Yucca Moth family including Fairy moths and Yucca moths; Clothes moth family; bagworm moth family, Gelechiid moth family including Potato tuber moths; Ermine Moth family including structures, apply to voids and galleries in damaged wood and in spaces between wooden members of a structure and between wood and foundations where wood is vulnerable. Not intended to replace structural treatments. Ailanthus Webworm moth; Clear Winged moth family including Manroot borer, Squash Vine borer, Doll's Clearwing moth, California Sycamore borer; Tortricid Moth family (millers) including Fruit Tree LAWNS Sycamore borer; lortricid Moth family (millers) including Fruit Tree Leafroller moth, Orange Tortrix, and Codling moth; Skippers including Least Skipper, Silver-spotted Skipper, and Long-tail Skipper; Swallowtails including Green swallowtail, Zebra Swallowtail, Giant Swallowtail (Orange Tail, Orange Puppy), Pale Swallowtail, Eastern Tiger Swallowtail, Eastern Black Swallowtail, Spicebush Swallowtail, and Phoebus; Whites, Sulphurs and Orange Tips family including Sara Orange Tip, Great Southern White, and European Cabbage Butterfly; Gossamer-Winged Butterflies Family including Great Purple Hairstreak, Spring Azure, Early Hairstreak, Fastern Tailed blue. Harvester Silvery Rive, Brown Effin, Marine To Kill Ants, Fire Ants, Beetles, Chinch Bugs, Sod Webworms, Weevils and other listed Pests in Lawns Uniformly apply one gallon of 0.02% solution over a 1,000 square feet area with a sprayer. Lawn should not be longer than 3 inches at the time of application. Repeat application is necessary only if there are signs of renewed insect activity. To Kill Fleas and Mosquitoes Eastern Tailed blue, Harvester, Silvery Blue, Brown Elfin, Marine Blue, American Copper, and Gray Hairstreak; Metalmark family including Northern Metalmark; Snout Butterflies family including For best results, locate areas where these pests are most active or may become active. Treat using 15 fl. oz. per gallon of water per 1,000 sq. ft. Common Snout Butterfly; Brush-Footed Butterfly family including Apply uniformly over lawn. Treat area directly using a coarse Gulf Fritillary, White Peacock, Harris' Checkerspot, Painted Lady spray until thoroughly wet and up to the point of runoff. Chistle butterfly), American Painted Lady (Painted Beauty),
Baltimore, Zebra (Yellow-barred Heliconian), Viceroy, White Admira
(Banded Purple), Mourning Cloak, Milbert's Tortoise Shell, Pearl
Crescent, Question Mark, Buckeye, Great Spangled Fritillary, and **Ant Mound Treatments** To treat ant mounds including imported fire ant mounds, dilute 0.8 fl. oz. of this product in 1-2 gal water and apply to each mound area by sprinkling the mound until it is wet and treat a Red Admiral; Hackberry and Goatweed Butterfly family including Hackberry butterfly; Satyrs, Nymphs and Arctics family including Wood Nymph (American Grayling), White Wood Satyr, Eyed Brown 4 foot diameter circle around the mound. Use the higher volume for mounds larger than 12" For best (Grass Nymph), Pearly Eye, and Chryxus Arctic; Milkweed Butterfly family including Queen, and Monarch; Smoky Moth family including results, apply in cool weather, including in early morning or late evening hours, but not in the heat of the day. 2.875" -2.875" -

	Description: S	Sevin 32 oz. Back ECL		NOTES	LEGEND
	Supplied for:	Central Garden & Pet	File No.: T00636	Measurements are in inches.	Copy Image Area
CCL	Finished Size:	7.85" (H) x 3.625" (W)	Supercedes: N/A		Base Cut/Fold Lines
	Date: 6/16/1	5	Supplied By: CCL Label Memphis		Book Cut/Fold Lines
	Application:	Illustrator CS6	Prepared By: JW		BOOK CUt/Fold Lines



	Description:	Sevin 32 oz. Back ECL			NOTES		LEGEND
	Supplied for:	Central Garden & Pet	File No.:	T00636	Measurements are in inches.	15	Copy Image Area
CCL IV	Finished Size:	7.85" (H) x 3.625" (W)	Supercedes:	N/A			Base Cut/Fold Lines
	Date: 6/16	/ 15	Supplied By:	CCL Label Memphis			Book Cut/Fold Lines
	Application:	Illustrator CS6	Prepared By:	JW		\Box	Book Cut/Fold Lines



	Description: Sevin 32 oz. Back ECL		NOTES	LEGEND
	Supplied for: Central Garden & Pet	File No.: T00636	Measurements are in inches.	Copy Image Area
CCL I	Finished Size: 7.85" (H) x 3.625" (W)	Supercedes: N/A		Base Cut/Fold Lines
	Date: 6/16/15	Supplied By: CCL Label Memphis		Book Cut/Fold Lines
	Application: Illustrator CS6	Prepared By: JW		

