24" Bar Handle Dishwasher

500 Series - Stainless Steel SHXM65Z55N





SHXM65Z55N Stainless Steel

The AutoAir™ drying option automatically releases the door at the end of the cycle to let moisture escape and fresh air in for drier dishes.

Features & Benefits

44 dBA: dishwasher runs quietly so your kitchen conversations aren't interrupted.

The Flexible 3rd Rack with fold down sides adds 30% more¹ loading area, perfect for utensils and ramekins.

The EasyGlide™ rack system provides a smooth glide for easier loading & unloading on the upper rack

The AquaStop® leak protection system contains leaks through a precisely engineered system. If a leak occurs, the system contains it by shutting down operation and pumping out water. So you have the ultimate peace of mind whether you are away or at home.

General Properties	
Number of wash cycles	5
Number of options	5
dBA	44
Drying system	AutoAir™
Third rack	Flexible 3rd Rack
Rack adjustability	Rackmatic®
Tub material	Stainless Steel
Control type	Buttons
Concealed water heating element	Yes
Leak protection system	24/7 AquaStop®
NSF®-certified² sanitize option	Yes
Water softener	No
Five-level wash	Yes
ChildLock	No
Special features	InfoLight®, AutoAir™ Option
Efficiency	
Water usage per cycle	3.5
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption (kWh)	269
Total annual water consumption (g)	623.5
Capacity	
Number of place settings	16









¹Compared to a Bosch dishwasher with 2 racks.

³September 2020 running production change to remove adhesive routing clips for power cord. These



Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, with notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.





Technical Details	
Watts (W)	1440 W
Current (A)	12 Amps
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power cord full length	67"
Power cord install length from edge of unit when facing the door (in) ³	Left – 45" Right – 56"
Minimum water pressure (lb/sin)	14
Length outlet hose (in)	79"
Dimensions & Weight	
Overall appliance dimensions (HxWxD) (in)	33 7/8" x 23 9/16" x 23 3/4"
dimensions (HxWxD)	
dimensions (HxWxD) (in) Required cutout size	x 23 3/4" 33 7/8" x 23 5/8"
dimensions (HxWxD) (in) Required cutout size (HxWxD) (in)	x 23 3/4" 33 7/8" x 23 5/8" x 24"
dimensions (HxWxD) (in) Required cutout size (HxWxD) (in) Adjustable feet	x 23 3/4" 33 7/8" x 23 5/8" x 24" Yes
dimensions (HxWxD) (in) Required cutout size (HxWxD) (in) Adjustable feet Net weight (lbs)	x 23 3/4" 33 7/8" x 23 5/8" x 24" Yes
dimensions (HxWxD) (in) Required cutout size (HxWxD) (in) Adjustable feet Net weight (lbs) Accessories—Optional	x 23 3/4" 33 7/8" x 23 5/8" x 24" Yes 91 lbs SMZPCJB1UC
dimensions (HxWxD) (in) Required cutout size (HxWxD) (in) Adjustable feet Net weight (lbs) Accessories—Optional Junction Box Bosch Dishwasher Water	x 23 3/4" 33 7/8" x 23 5/8" x 24" Yes 91 lbs SMZPCJB1UC SMZSH002UC



SMZ5002UC

SMZEPCC1UC

Anti-Tarnish Silverware

Edge Protector + Power

Cord Clip Install Kit

Cassette


²Certification to NSF/ANSI Standard 184 for residential dishwashers


24" Bar Handle Dishwasher


500 Series - Stainless Steel SHXM65Z55N





Installation Details











Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.


Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


24" Bar Handle Dishwasher

500 Series - Stainless Steel SHXM65Z55N



Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79" (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.