Version 3.1		Revision Date 06/10/2020	Print Date 10/29/2021
SECTION 1. PRODUCT AND COM	MPA	ANY IDENTIFICATION	
Material name	:	ZEP CONCENTRATED ALL-IN-ONE WASH	PREMIUM PRESSURE
Material number	:	ZUPPWC160	
Manufacturer or supplier's details			
Company	:	Zep Inc.	
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137	

Telephone	: 404-352-1680

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	light blue
Odour	characteristic

Skin irritation Serious eye damage Specific target organ toxicity - repeated exposure (Inhalation)	: Category 2 : Category 1 : Category 2
GHS label elements	
Hazard pictograms	
Signal word	Health hazard Corrosion : Danger

GHS Classification

Version 3.1	Revision Date 06/10/2020	Print Date 10/29/2021
Hazard statements	 H315 Causes skin irritation. H318 Causes serious eye damage. H373 May cause damage to organs t repeated exposure if inhaled. 	hrough prolonged or
Precautionary statements		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

_

Chemical name	CAS-No.	Concentration [%]
tetrasodium ethylenediaminetetraacetate	64-02-8	>= 3 - < 5
Alcohols, C9-11, ethoxylated	68439-46-3	>= 3 - < 5
sodium xylenesulphonate	1300-72-7	>= 1 - < 3
The event percenteres of displaced substance	a ara withhald as trada	agarata

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. 	
If inhaled	 Consult a physician after significant exposure. If unconscious, place in recovery position and seek med advice. 	lical
In case of skin contact	 Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call a physician. 	

Version 3.1	Revision Date 06/10/2020	Print Date 10/29/2021
In case of over contact		
In case of eye contact	 Small amounts splashed into eyes tissue damage and blindness. Rinse immediately with plenty of wa for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s 	ater, also under the eyelids,
If swallowed	: Keep respiratory tract clear. Do NOT induce vomiting. Never give anything by mouth to an If symptoms persist, call a physicia Take victim immediately to hospital	in.
Most important symptoms and effects, both acute and delayed	 Effects are immediate and delayed Symptoms may include blistering, i Effects are dependent on exposure contact time). Symptoms may differ depending or affected. These effects generally a function or change, which may incl respiratory issues, and general pair Causes skin irritation. Causes serious eye damage. May cause damage to organs throu exposure if inhaled. Review section 2 of SDS to see all 	irritation, burns, and pain. e (dose, concentration, n organs and systems are reflected in reduced ude cramping, swelling, n.
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray jet Carbon dioxide (CO2) Alcohol-resistant foam Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) Smoke Sulphur oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Version 3.1		Revision Date 06/10/2020	Print Date 10/29/2021
		Fire residues and contaminated fire ext be disposed of in accordance with loca Standard procedure for chemical fires.	
Special protective equipment for firefighters	:	Wear self-contained breathing apparate necessary.	is for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid formation of aerosol. Do not breathe vapours or spray mist. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms Dispose of rinse water in accordance with local and national regulations. 	
Conditions for safe storage	Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.	
Materials to avoid	Store and keep away from, oxidizing agents and acids.	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : effective ventilation in all processing areas

Personal protective equipment

Version 3.1	Revision Date 06/10/2020	Print Date 10/29/2021
Respiratory protection	: Use respiratory protection unless ade ventilation is provided or exposure as that exposures are within recommend	sessment demonstrates
Hand protection Material Remarks	Protective glovesThe suitability for a specific workplace with the producers of the protective gl	
Eye protection	 Access to clean water to rinse eyes must be available, optio include: eye wash stations or showers, or eye wash bottles with pure water. Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems. 	
Skin and body protection	: Impervious clothing Choose body protection according to concentration of the dangerous subst	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the	end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	light blue
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	11.5 - 12.5
Melting point/freezing point	:	No data available
Boiling point	:	100 °C
Flash point	:	
		does not flash
Evaporation rate	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.05 g/cm3
Bulk density	:	No data available
Solubility(ies)		
Water solubility	:	soluble

Version 3.1	Revision Date 06/10/2020	Print Date 10/29/2021
Solubility in other solvents	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, dynamic	: No data available	
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Strong acids and oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Effects are dependent on exposure (dose, concentration, contact time). Symptoms may differ depending on organs and systems affected. These effects generally are reflected in reduced function or change, which may include cramping, swelling, respiratory issues, and general pain. Causes skin irritation. Causes serious eye damage. May cause damage to organs through prolonged or repeated exposure if inhaled. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.

Version 3.1	Revision Date 06/10/2020	Print Date 10/29/2021
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	0
ACGIH	No component of this product present equal to 0.1% is identified as a carcin carcinogen by ACGIH.	0
OSHA	No component of this product present equal to 0.1% is on OSHA's list of reg	0
NTP	No component of this product present equal to 0.1% is identified as a known	at levels greater than or

Acute toxicity

Product:

Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg
		Method: Calculation method

by NTP.

Components:

Alcohols, C9-11, ethoxylated		
Acute oral toxicity	:	LD50 Oral Rat: 1,400 mg/kg

Skin corrosion/irritation

Product:

Result: Irritating to skin. Method: Alkaline Reserve Titration

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

Version 3.1

Revision Date 06/10/2020

Print Date 10/29/2021

Components:

tetrasodium ethylenediaminetetraacetate: Exposure routes: Inhalation Assessment: May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	

Regulation40 CFR Protection of Environment; Part 82 Protection of
Stratospheric Ozone - CAA Section 602 Class I
SubstancesRemarksThis product neither contains, nor was manufactured
with a Class I or Class II ODS as defined by the U.S.
Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A
+ B).

Additional ecological : No data available information

SECTION 13. DISPOSAL CONSIDERATIONS

Version 3.1	Revision Date 06/10/2020	Print Date 10/29/2021
Disposal methods		
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations. 	
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Version 3.1

Revision Date 06/10/2020

Print Date 10/29/2021

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ethylbenzene	100-41-4	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure) Skin corrosion or irritation	
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop. 65		
	WARNING: This product can expose you to chemicals including ethylbenzene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.	

The components of this product are reported in the following inventories:

DSLAll components of this product are on the Canadian DSLTSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 3.1

Revision Date 06/10/2020

Print Date 10/29/2021

Further information

NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High


4 = Extreme

HMIS III:

HEALTH	3*
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, * = Chronic



Version 3.1

Revision Date 06/10/2020

Print Date 10/29/2021

Version:	3.1
Revision Date:	06/10/2020
Print Date:	10/29/2021

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.