



BUG B-gon™

**LAWN & LANDSCAPE
INSECT KILLER**
CONCENTRATE

**KILLS ALL
LISTED INSECTS***

STARTS TO KILL IMMEDIATELY***

**6 MONTH
CONTROL****



ANTS



FLEAS



MOSQUITOES



TICKS



SPIDERS

*Refer to booklet for complete list of insects

**Applies outdoors to spiders (excluding black widow, brown recluse, hobo)

***Applies to: carpenter ants, harvester ants, oriental and German cockroaches

**KEEP OUT OF
REACH OF CHILDREN
CAUTION**

See back booklet for additional
precautionary statements

FOR RESIDENTIAL OUTDOOR USE ONLY

ACTIVE INGREDIENTS:		BY WT.
Bifenthrin ¹		0.300%
Zeta-Cypermethrin ²		0.075%
OTHER INGREDIENTS:		99.625%
TOTAL:		100.000%

¹Cis isomers 97% min, trans isomers 3% max

²Cis/trans ratio: Max. 75% (±) cis and
min. 25% (±) trans

U.S. Patent No. 4,238,505.

Other U.S. Patents Pending

NET CONTENTS / CONTENIDO NETO
32 fl oz / 946 mL



LB14583

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA:	Proteja del congelamiento. Para ser almacenado en su envase original y colocado en lugares inaccesibles para los niños.
ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE:	Si está vacío: Este envase no se puede rellenar. No vuelva a usar ni a llenar este envase. Tirelo a la basura o reciclado, de ser posible. Si está parcialmente lleno: Llame a su agencia de desechos sólidos local para obtener instrucciones sobre cómo eliminar el producto. Nunca elimine el producto no utilizado en drenajes internos (como el inodoro) o externos (como una alcantarilla).

AVISOS DE PRECAUCIÓN

RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN: Es nocivo si se ingiere. Causa irritación moderada en los ojos. Evite el contacto con los ojos o la ropa. Vista: camisa de manga larga y pantalones largos, medias o calcetines, zapatos, y guantes. Lávese con abundante agua y jabón después de manipular el producto, y antes de comer, beber, masticar chicle, consumir tabaco o usar el inodoro. El contacto prolongado o reiterado de este producto con la piel puede causar reacciones alérgicas en algunas personas.

PRIMEROS AUXILIOS

SI SE INGIERE:	- Llame a un centro de control de envenenamientos o a un médico inmediatamente para recibir instrucciones de tratamiento. - Que la persona beba un vaso de agua si puede tragar. - No induzca el vómito, a menos que así se lo indique el centro de control de envenenamientos o el médico. - No le dé nada por la boca a una persona que haya perdido el conocimiento.
SI ENTRA EN LOS OJOS:	- Mantenga el ojo abierto y enjuáguelo lentamente y con cuidado con agua por 15 a 20 minutos. - Retire los lentes de contacto, de haberlos, después de transcurridos los primeros 5 minutos, y continúe enjuagando el ojo. - Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

NÚMERO DE LÍNEA DIRECTA: Tenga el envase o la etiqueta del producto con usted cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento. También puede llamar al 1-877-465-5161 para obtener atención de emergencia.

AVISO PARA EL MÉDICO: Para obtener información de emergencia, llame al 1-877-465-5161.

RIESGOS MEDIOAMBIENTALES:

Este pesticida es extremadamente tóxico para los peces, los invertebrados acuáticos, las ostras y los camarones. Para proteger el medio ambiente, no permita que el pesticida caiga o se escuma hacia drenajes pluviales, cunetas de desagüe, canales o aguas superficiales. Aplique este producto con un clima tranquilo, cuando no se pronostiquen lluvias durante las próximas 24 horas, ayudado a asegurar que si el viento ni la lluvia soplen o laven el pesticida fuera del área tratada. Enjuague el equipo usado para la aplicación sobre el área tratada ayudando a evitar escurrimientos hacia cuerpos de agua o sistemas de drenaje. La dispersión y los escurrimientos desde las áreas tratadas pueden ser peligrosos para los organismos acuáticos de las zonas aledañas. Hay que tener cuidado al rociar para no afectar a los peces y reptiles que se tengan como mascota en o alrededor de estanques ornamentales. Este producto es sumamente tóxico para las abejas expuestas a los residuos o al tratamiento directo de los cultivos o las hierbas en floración. No aplique este producto ni permita que sea arrastrado por el viento hacia los cultivos en floración si hay abejas que estén visitando el área de tratamiento.

RIESGOS FÍSICOS O QUÍMICOS:

No aplique este producto en equipos eléctricos ni sobre ellos, ya que existe el riesgo de sufrir una descarga eléctrica.

ADVERTENCIA: En la medida contemplada por las leyes aplicables, el comprador asume todos los riesgos derivados del uso, el almacenamiento o el manejo de este producto si no se siguen las instrucciones de la etiqueta.



Si por alguna razón usted, el consumidor, no está satisfecho con este producto, envíenos por correo el comprobante de compra original para obtener un reembolso completo de su precio de compra.

16

ORTHO[®] BUG B-gon[™] LAWN & LANDSCAPE INSECT KILLER CONCENTRATE

**KILLS INSECTS* OUTDOORS
BEFORE THEY CAN COME INSIDE**

Kills all listed insects*

Provides Long Lasting Control

Starts Killing Within Minutes

Formulated for Use on Edibles

Makes up to 42 gallons

OPEN
Resealable
Label for
Directions &
Precautions

WHAT IT DOES:

Kills 235 insects
Including ants, fleas, ticks and spiders (See inside for complete list)

WHERE TO USE:

Use on lawns, around home perimeter, ornamentals,
flowers, trees, shrubs, vegetables & fruit trees

WHEN TO USE:

Apply when insects first appear

People and pets
may enter treated areas
after spray has dried.

*Refer to booklet for complete list of insects

Questions & Comments
Call 1-800-225-2883

or visit our website at ortho.com



If for any reason you, the consumer, are not satisfied
with this product, mail us your original proof of
purchase to obtain a full refund of your purchase price.



0 71549 01772 9

FOR RESIDENTIAL
OUTDOOR USE ONLY

© 2020 The ORTHO Group
World rights reserved.

Sold by The ORTHO Group
P.O. Box 190,
Marysville,
OH 43040



EPA Reg. No. 239-2718

EPA Est. No. 239-1A-3

LB14585

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not water the treated area to the point of run-off.

Do not make applications during rain.

OUTDOOR APPLICATIONS INCLUDING HARD SURFACES

All outdoor applications must be limited to spot and crack-and-crevice treatments only, except for the following permitted uses:

1. Treatment to soil or vegetation around structures;
2. Application to lawns, turf, and other vegetation;
3. Application to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to hard surfaces such as sidewalks, driveways, patios, porches and structural surfaces (e.g., windows, doors and eaves) are limited to spot and crack-and-crevice applications only.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

APPLICATION TO HORIZONTAL HARD SURFACES

To help prevent product from running off into sewers, storm drains, and curbside gutters, do not treat hard flat surfaces (e.g., driveways, sidewalks) unless the surface is protected from rainfall and spray from sprinklers.

APPLICATION TO VERTICAL HARD SURFACES

Pest control on outside surfaces and around buildings: Applications to hard vertical surfaces outdoors (e.g., foundations) are permitted to a maximum height of 3 feet above the ground. Sections of hard vertical surfaces that join to hard flat surfaces outdoors can only be treated if either 1) these sections are protected from rainfall and spray from sprinklers, or 2) the hard flat surfaces they touch do not drain into a sewer, storm drain, or curbside gutter.

Perimeter treatment: For sections of foundation that join to hard flat surfaces, the treated areas must be protected from rainfall and spray from sprinklers unless those hard flat surfaces do not drain into a sewer, storm drain, or curbside gutter.

Food utensils such as spoons and measuring cups must not be used for food purposes after use with pesticides.

Shake Well

KILLS INSECTS:

- **Adelgids** Eastern Sprucegall
- **Ants** Argentine, Carpenter, Harvester, Imported Fire, Lasius, Odorous House, Pavement, Pharaoh/Sugar, Pyramid
- **Aphids** Apple, Black Cherry, Black Pecan, Buckhorn, Greenbug, Pea, Root, Rose, Rosy Apple, Walnut, Yellow Pecan
- **Bees**
- **Beetles** Bean Leaf, Billbugs (Bluegrass), Cucumber (Banded, Spotted & Striped), Black Turfgrass Attenius, Blister, Brown Leaf Notcher, Carpet, Colorado Potato, Corn Rootworm Larvae (Mexican, Northern, Southern, & Western), Curculio (Cow Pea & Plum), Elm Leaf, Flea (Black, Dichondra, & Sweetpotato), Ground, Japanese Adult, Ladybeetles, Mexican Bean, Pine Chafer, Pine Shoot, Red Flour, Rose Chafer, Sap, Southern Corn Leaf, Weevils (Annual Bluegrass, Black Vine, Blue Green Citrus Root, Carrot, Cranberry, Diaprepes Root, Little Leaf Notcher, Northern Pine, Orchard, Orchid, Pea Leaf, Pecan, Pepper, Pine Shoot, & Sweetpotato), Whitefringed
- **Borers** American Plum, Common Stalk, European Corn, Hop Vine, Lesser Peachtree, Peach Twig, Peachtree, Southern Corn, Southwestern Corn, Squash Vine, Stalk
- **Boxelder Bug**
- **Caterpillars** Alfalfa, Alfalfa Looper, Armyworm (Beet, Fall, Southern, True, & Yellowstriped), Bagworms, Blueberry Spanworm, Budworm, Casebearers (Pecan Leaf & Pecan Nut), Celery Leaf-tier, Corn Earworm (same as Tomato Fruitworm), Cross-Striped, Cabbageworm, Cutworms (Black & Western Bean), Filbertworm, Fruitworms (Cranberry, Green, & Tomato), Green Cloverworm, Hickory Shuckworm, Imported Cabbageworm, Loopers (Cabbage & Celery), Melonworm, Navel Orangeworm, Orange Tortrix, Painted Lady, Pickleworm, Rindworm, Saltmarsh, Tent, Hornworms (Tobacco & Tomato), Tomato Pinworm, Webworms (Fall, Mimosa, Oak, & Sod), Velvetbean
- **Centipedes**
- **Chinch Bugs** False, Hairy, Southern
- **Cockroaches** American, Asian, Brown Banded, German, Smoky Brown
- **Crickets**
- **Earwigs**
- **Fleas** Cat, Dog
- **Fleahoppers**
- **Flies** Apple Maggot, Biting Flies, Cherry Fruit, Consilks, European Crane, House, Walnut Husk
- **Fungus Gnats**
- **Grasshoppers**
- **Hornets**
- **Lace Bugs**
- **Leaf-footed Bugs** Squash Bug
- **Leafhoppers** Aster/California, Corn, Eastern Grape, Glassy Winged Sharpshooter, Potato, Southern Garden, Western Grape
- **Leafminers** Alder, Boxwood, Holly, Oak, Spruce Needle, Tentiform, Vegetable
- **Leafrollers** Oblique Banded, Red-Banded, Variegated
- **Mealybugs**

(continued)

KILLS INSECTS: (cont'd)	
• Midges • Millipedes • Mites Banks Grass, Broad, Carmine, Chigger, Clover, European, Grain, Pacific Spider, Pecan Leaf Scorch, Pecan Scorch, Red Spider, Spider, Spruce, Two-Spotted Spider • Mole Crickets • Mosquitos* Malaria, Northern House, Yellowfever, *including those that may transmit the Chikungunya virus, yellow fever, dengue fever, encephalitis, West Nile Virus and Zika Virus • Moths Artichoke Plume, Codling, Diamondback, Gypsy, Lucerne, Oriental Fruit, Zimmerman Pine • Periodical Cicadas • Pillbugs & Rollie Pollies • Plant Bugs Tarnished, Lygus Bugs • Phylloxera Pecan Leaf, Pecan • Psyllids • Sawflies European Pine,	- Redheaded Pine, Rose Slug • Scales Brown Soft, California Red, Euonymus, Pine Needle, San Jose • Scorpions • Sowbugs • Spiders Black Widow, Brown Recluse, Daddy Long Legs, Hobo, Pirate Wolf • Spittlebugs Meadow, Pecan • Stink Bugs Brown Marmorated, Kudzu • Springtails • Termites • Thrips • Ticks* American Dog, Brown Dog, Deer *including ticks that may transmit Lyme disease • Treehoppers Threecornered Alfalfa Hopper • Wasps • Whiteflies • Wireworms Corn, Southern Potato • Yellowjackets
WHERE TO USE	
• Roses and other ornamentals • Listed vegetables and fruit trees • Trees and shrubs • Lawns • Around house foundations, porches, patios and stored lumber	
AMOUNT TO USE	
Roses, ornamentals, vegetable gardens, melons and fruit trees:	Mix 3 Tbs (1.5 fl oz) per gallon of water. Spray plants until thoroughly covered.
Lawns:	Mix 1.5 to 3 Tbs (0.75 fl oz to 1.5 fl oz) per gallon of water sprayed to cover 125 sq ft.
Around house foundations:	Mix 3 Tbs (1.5 fl oz) per gallon of water sprayed to cover 65 sq ft.
People & Pets: 	People and pets may enter treated areas after spray has dried.

ROSES, FLOWERS, SHRUBS & SMALL TREES	
KILLS INSECTS	Aphids, Armyworms (including Beet, Fall, Southern, True, Yellowstriped), Bagworms, Beetles (including Elm Leaf, Flea, Japanese (Adult), Pine Chaffer, Pine Shoot, Sap), Caterpillars (including Saltmarsh, Tent), Crickets, Eastern Sprucegall Adelgid, Grasshoppers, Lace Bugs, Lygus Bugs, Mealybugs, Mites (including Spruce, Two-Spotted Spider), Mosquitoes, Moths (including Gypsy, Zimmerman Pine), Periodical Cicadas, Plant Bugs (including Tarnished), Sawflies (including European Pine, Redheaded Pine), Spittlebugs, Stink Bugs (including Brown Marmorated, Kudzu Bug), Thrips, Wasps/Hornets, Webworms (including Fall, Mimosa, Oak), Weevils (including Northern Pine, Orchard, Pine Shoot), Whiteflies
HOW TO USE	Ortho® Dial N Spray® Instructions Set: 1. Turn dial to 1.5 fl oz. Fill: 1. Pour desired amount of concentrate into sprayer jar. 2. Turn sprayer nozzle to preferred spray. 3. Do NOT add water. Spray: 1. Connect hose to sprayer. 2. Turn on water. 3. Press and hold trigger for continuous spray. Apply evenly. 4. Spray only until surface is wet. Finish: 1. Pour unused concentrate back into its original container. 2. To clean: refer to the Ortho® Dial N Spray® cleaning instructions.
	TANK SPRAYER INSTRUCTIONS 1. Add 1.5 fl oz per gallon of water. 2. Spray plants until thoroughly covered.
HOW TO APPLY	• Spray to uniformly cover upper and lower leaf surfaces, stems, and branches. When treating potted plants also lightly spray the soil surface. • Spray when air is calm to avoid drift. Apply as necessary, waiting 7 to 14 days between each application. Hard to control insects may require 2 to 3 applications. • If temperature is expected to exceed 85° F, spray in early morning or late afternoon when it is cooler. • Mosquitoes coming to rest on treated areas will be killed for varying periods of time after application, depending on exposure of treated areas to weather conditions. • Try to spray underside of leaves and penetrate dense foliage. Bottle (32 fl oz) will treat 2,700 sq. ft.

AROUND HOUSE FOUNDATIONS, PORCHES, PATIOS & STORED LUMBER Do NOT TREAT Firewood	
KILLS INSECTS	Ants (including Argentine, Carpenter, Lasius, Odorous, Pavement, Pharaoh/Sugar, Pyramid, Red Harvester), Centipedes, Cockroaches/Roaches (including American/Palmetto/Waterbug, Asian/Oriental, German), Crickets, Earwigs, Fleas, House Flies, Millipedes, Mosquitoes, Scorpions, Sowbugs/Pillbugs/Rollie Pollies, Spiders (including Black Widow, Brown Recluse, Hobo), Stink Bugs (including Brown Marmorated and Kudzu Bug), Ticks (including American, Brown Dog, Deer)
HOW TO USE	Ortho® Dial N Spray® Instructions Set: 1. Turn dial to 1.5 fl oz. Fill: 1. Pour 6 fl. oz. of concentrate into sprayer jar. 2. Turn sprayer nozzle to preferred spray. 3. Do NOT add water. Spray: 1. Connect hose to sprayer. 2. Turn on water. 3. Press and hold trigger for continuous spray. Apply evenly. 4. Spray evenly over 64 linear feet (or 260 sq. ft.) until jar is empty. Finish: 1. Pour unused concentrate back into its original container. 2. To clean: refer to the Ortho® Dial N Spray® cleaning instructions.
HOW TO APPLY	TANK SPRAYER INSTRUCTIONS 1. Add 1.5 fl oz (3 Tbs) per gallon of water for every 16 linear feet (65 sq. ft.). • To keep insects from entering the house, use a hose-end or tank sprayer to spray a 2 foot band of soil around the house next to the foundation. Also spray the foundation of the house to a height of 2 feet. • Repeat application every 14 days if necessary. • Bottle (32 fl oz) will treat 1,400 sq ft of foundation/perimeter.

LAWN INSECTS	
KILLS INSECTS	Ants (including Argentine, Carpenter, Foraging Fire), Armyworms, Beetles (including Black Turfgrass Ataenius, Adult Japanese), Billbugs, Chinch Bugs, Crickets, Cutworms, Deer Ticks, Greenbug, Mole Crickets, Mosquitoes, Sod Webworms, Weevils (including Annual Bluegrass)
WHEN TO MOW & WATER	• Apply to lawn that was mowed and watered within the last 24 hours. Mowing may be resumed after 2-3 days. • For mole cricket control, water thoroughly immediately after application.
WHEN TO APPLY	• Apply when insects first appear. • Wait 4 to 6 weeks between applications.
HOW TO USE	Ortho® Dial N Spray® Instructions Set: 1. Turn dial to 1.5 fl oz. Fill: 1. Pour desired amount of concentrate into sprayer jar. 2. Turn sprayer nozzle to preferred spray. 3. Do NOT add water. Spray: 1. Connect hose to sprayer. 2. Turn on water. 3. Press and hold trigger for continuous spray. Apply evenly. 4. Spray only until leaves are wet. Finish: 1. Pour unused concentrate back into its original container. 2. To clean: refer to the Ortho® Dial N Spray® cleaning instructions.
HOW TO APPLY	TANK SPRAYER INSTRUCTIONS 1. Add 0.75 to 1.5 fl. oz. (1.5 to 3 Tbs) per gallon of water for every 125 sq. ft. • Measure lawn. Calculate square feet by multiplying length times width. • Spray evenly over measured area. Treat entire lawn. • Bottle (32 fl oz) will treat up to 5,300 sq ft. • Tough to Control Insects: To control carpenter ants spray 1.5 fl oz per gallon evenly over 65 sq ft. • Mosquitoes coming to rest on treated areas will be killed for varying periods of time after application, depending on exposure of treated areas to weather conditions.

HOME VEGETABLE GARDENS, MELONS AND FRUIT & NUT TREES	
KILLS INSECTS	Aphids (including Apple, Black Cherry, Buckhorn, Pea, Pecan, Rosy Apple, Walnut), Apple Maggot, Armyworms (including Beet), Beetles (including Colorado Potato, Flea, Mexican Bean, Sap, Spotted Cucumber, Striped Cucumber), Borers (including American Plum, Lesser Peachtree, Peachtree, Peach Twig, Squash Vine, Stalk), Caterpillars (including Alfalfa, Alfalfa Looper, Blueberry Spanworm, Cabbage Looper, Celery Looper, Cranberry Fruitworm, Filbertworm, Green Cloverworm, Green Fruitworm, Hickory Shuckworm, Imported Cabbageworm, Navel Orangeworm, Painted Lady, Pickleworm, Rindworm, Saltmarsh, Tobacco Hornworm, Tomato Fruitworm, Corn Earworm, Tomato Hornworm, Tomato Pinworm, Velvetbean), Chinch Bugs, Corn Borers (including European, Southwestern), Corn Rootworms, Crickets, Cutworms (including Western Bean), Fall Webworms, Flies (including Cherry Fruit, Cornsilk, Walnut Husk), Grasshoppers, Lace Bugs, Leafhoppers (including Potato), Leafminers (including Tentiform, Vegetable), Leafrollers (including Oblique Banded, Red-Banded, Variegated), Lygus Bug, Mites, (including Clover), Moths (including Artichoke Plume, Codling, Diamondback, Oriental Fruit), Pear Psylla, Pecan Casebearer, Pecan Leaf Phylloxera, Pecan Nut Casebearer, Pecan Spittlebug, Plant Bugs (including Tarnished), Scales (including San Jose), Squash Bug, Stink Bug, (including Brown Marmorated, Kudzu Bug), Weevils (including Black Vine, Carrot, Cow Pea Curculio, Cranberry, Pea, Pecan, Pepper, Plum Curculio), Whiteflies
WHEN TO USE	• Apply when insects first appear. • Re-apply as necessary to maintain control waiting at least 7 days between each application.
HOW TO USE	Ortho® Dial N Spray® Instructions Set: 1. Turn dial to 1.5 fl oz. Fill: 1. Pour desired amount of concentrate into sprayer jar. 2. Turn sprayer nozzle to preferred spray. 3. Do NOT add water. Spray: 1. Connect hose to sprayer. 2. Turn on water. 3. Press and hold trigger for continuous spray. Apply evenly. 4. Spray only until leaves are wet. Finish: 1. Pour unused concentrate back into its original container. 2. To clean: refer to the Ortho® Dial N Spray® cleaning instructions. TANK SPRAYER INSTRUCTIONS 1. Mix 1.5 fl oz (3Tbs) per gallon of water.

HOME VEGETABLE GARDENS, MELONS AND FRUIT & NUT TREES (cont'd)	
HOW TO APPLY	• Apply as a thorough spray, wetting leaves and branches, but do not let runoff occur. • Be sure to follow important limitations for the specific edible plant you are spraying, including the amount of spray which can be applied, the interval between sprays, and the days to wait before harvest. • Try to spray underside of leaves and penetrate dense foliage. Bottle (32 fl oz) will treat 2,700 sq ft.

VEGETABLES AND FRUITS	DAYS TO HARVEST
Tomatoes	1
Corn (Sweet corn)	3
Blackberries, Raspberries	3
Lima Beans	3
Peas (Green pea, Snow pea, Sugar Snap pea), Beans (Snap bean, Wax bean), Blackeyed pea	3
Chayote (fruit), Cucumber, Edible gourds, Cantaloupe, Casaba, Honeydew melon, Pumpkin, Summer squash (Zucchini), Winter squash (Butternut squash, Acorn squash, Spaghetti squash), Watermelon	3
Mustard Greens (DO NOT USE IN CA)	7
Broccoli, Chinese broccoli, Cabbage, Cauliflower	7
Peppers (Bell and Non-bell), Eggplant	7
Head Lettuce	7
Pears	14
Pecans	21

MODO DE EMPLEO

Es una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta.

No rieque el área tratada al grado que el agua se oscurece.

No realice aplicaciones cuando esté lloviendo.

APLICACIONES EN EXTERIORES, INCLUYENDO LAS SUPERFICIES IMPERMEABLES

Todas las aplicaciones al aire libre deben limitarse exclusivamente a tratamientos focalizados, y de grietas y hendiduras, excepto para los siguientes usos permitidos:

1. el tratamiento de tierra o vegetación alrededor de estructuras;
2. aplicaciones en prados, céspedes y demás vegetación; y
3. la aplicación a los cimientos de edificaciones, hasta una altura máxima de 3 pies (90 cm).

Salvo en las aplicaciones a los cimientos de edificaciones, todas las aplicaciones sobre superficies impermeables, tales como aceras, entradas de vehículos, patios, porches y superficies estructurales (p. ej., puertas, ventanas y aleros) se limitan exclusivamente a aplicaciones focalizadas en grietas y hendiduras.

Está prohibido aplicarlo directamente en desagües o alcantarillas, o en cualquier otra área, como una cuneta, donde pudiera escurrirse hasta alcantarillas, drenajes pluviales, cuerpos de agua o hábitats acuáticos. No permita que el producto caiga por ningún drenaje durante ni después de la aplicación.

APLICACIÓN A SUPERFICIES IMPERMEABLES HORIZONTALES

Para ayudar a evitar que el producto se escurra a alcantarillas, drenajes pluviales y cunetas, no trate las superficies impermeables planas (p. ej., entradas de automóvil o aceras), a menos que estén protegidas contra la lluvia y el rocío de aspersores.

APLICACIÓN A SUPERFICIES IMPERMEABLES VERTICALES

Control de plagas en superficies exteriores y alrededor de edificios: Las aplicaciones a superficies impermeables verticales en exteriores (p. ej., los cimientos) están permitidas hasta una altura máxima de 3 pies (90 cm) sobre el nivel del suelo. Las secciones de superficies impermeables verticales que se unen a superficies impermeables planas en exteriores solo pueden ser tratadas si: 1) estas secciones están protegidas de la lluvia y el rocío de aspersores; o 2) las superficies impermeables planas que tocan no drenan hacia una alcantarilla, drenaje pluvial o cuneta.

Tratamiento perimetral: Para las secciones de cimientos que se unen a superficies impermeables planas, las áreas tratadas deben estar protegidas de la lluvia y el rocío de aspersores, a menos que dichas superficies no drenen hacia una alcantarilla, drenaje pluvial o cuneta.

Los utensilios para comida, tales como cucharas y tazas medidoras, no deben usarse con alimentos después de haberlos utilizado con pesticidas.

Agite bien el producto

EXTERMINA INSECTOS:

Elimina 235 variedades de insectos, incluyendo arañas, hormigas, pulgas, garrapatas, mosquitos y escarabajos japoneses.

DÓNDE USARLO

- En rosales y otras plantas ornamentales
- En las hortalizas y los árboles frutales enumerados
- En árboles y arbustos
- En céspedes
- Alrededor de cimientos de casas, porches, patios y madera almacenada

CANTIDAD A UTILIZAR

En rosales, plantas ornamentales, huertas de hortalizas, melones y árboles frutales:	Mezcle 3 cucharadas (1.5 onzas líquidas o 44 ml) de producto por cada galón de agua. Rocíe las plantas hasta cubrirlas completamente.
En céspedes:	Mezcle de 1.5 a 3 cucharadas (0.75 a 1.5 onzas líquidas, o 22 a 44 ml) de producto por cada galón de agua a rociar para cubrir 125 pies ² (11.6 m ²).
Alrededor de los cimientos de casas:	Mezcle 3 cucharadas (1.5 onzas líquidas o 44 ml) de producto por cada galón de agua a rociar para cubrir 65 pies ² (6 m ²).

Personas y mascotas:	 Las personas y las mascotas pueden ingresar a las áreas tratadas luego de que se seque el rocío.
-----------------------------	---

ROSALES, FLORES, ARBUSTOS Y ÁRBOLES PEQUEÑOS

CÓMO USARLO	Instrucciones para usar el rociador Dial 'N Spray® de Ortho®
	Ajuste: 1. Gire el selector a la posición de 1.5 onzas líquidas (44 ml). Llene: 1. Vierta la cantidad deseada de concentrado en el depósito del rociador. 2. Gire la boquilla del rociador al patrón de rocío de su preferencia. 3. NO agregue agua. Rocíe: 1. Conecte el rociador a la manguera. 2. Abra la llave del agua. 3. Apriete la manija del rociador sin soltarla para un rocío continuo. Aplique uniformemente. 4. Rocíe sólo hasta humedecer la superficie. Termine: 1. Vierta el concentrado restante de vuelta a su envase original. 2. Para limpiar: consulte las instrucciones de limpieza del rociador Dial 'N Spray® de Ortho®.

(continúa)

ROSALES, FLORES, ARBUSTOS Y ÁRBOLES PEQUEÑOS (cont.)	
	INSTRUCCIONES PARA ROCIADORES CON DEPÓSITO 1. Agregue 1.5 onzas líquidas (44 ml) de producto por cada galón de agua. 2. Rocíe las plantas hasta que queden completamente cubiertas.
CÓMO APLICARLO	- Rocíe para cubrir uniformemente las superficies superiores e inferiores de las hojas, los tallos y las ramas. Al tratar plantas en macetas, también se debe rociar ligeramente la superficie de la tierra. - Rocíe cuando no haga viento para evitar que el producto sea arrastrado por él. Aplíquelo cuantas veces sea necesario, esperando de 7 a 14 días entre cada aplicación. Puede que sea necesario realizar de 2 a 3 aplicaciones para los insectos difíciles de controlar. - Si está previsto que la temperatura exceda los 85 °F (29 °C), rocíe durante las primeras horas de la mañana o las últimas de la tarde, cuando está más fresco. - La eliminación de los mosquitos que vienen a descansar en las zonas tratadas se dará en diferentes periodos luego de la aplicación, dependiendo de la exposición de estas zonas a las condiciones climáticas. - Intente rociar el reverso de las hojas y penetrar el follaje tupido. La botella (32 onzas líquidas o 946 ml) alcanzará para tratar 2,700 pies² (251 m²).
ALREDEDOR DE LOS CIMIENTOS DE CASAS, PORCHES, PATIOS Y MADERA ALMACENADA NO TRATE la leña para el fuego	
CÓMO USARLO	Instrucciones para usar el rociador Dial 'N Spray' de Ortho® Ajuste: 1. Gire el selector a la posición de 1.5 onzas líquidas (44 ml). Llene: 1. Vierta 6 onzas líquidas (177 ml) de concentrado en el depósito del rociador. 2. Gire la boquilla del rociador al patrón de rocío de su preferencia. 3. NO agregue agua. Rocíe: 1. Conecte el rociador a la manguera. 2. Abra la llave del agua. 3. Apriete la manija del rociador sin soltarla para un rociado continuo. Aplique uniformemente. 4. Rocíe de manera uniforme un área de 64 pies (19.5 m) de longitud (260 pies ² o 24 m ²) hasta que el depósito esté vacío. Termine: 1. Vierta el concentrado restante de vuelta a su envase original. 2. Para limpiar: consulte las instrucciones de limpieza del rociador Dial 'N Spray' de Ortho®.

ALREDEDOR DE LOS CIMIENTOS DE CASAS, PORCHES, PATIOS Y MADERA ALMACENADA NO TRATE la leña para el fuego (cont.)	
	INSTRUCCIONES PARA ROCIADORES CON DEPÓSITO 1. Agregue 1.5 onzas líquidas (3 cdas. o 44 ml) de producto por cada galón de agua, para cada 16 pies (4.88 m) de longitud (65 pies ² o 6 m ²).
CÓMO APLICARLO	- Para impedir que los insectos entren a la casa, utilice un rociador con depósito o de manguera para rociar una franja de tierra de 2 pies de ancho alrededor de la casa, pegado a los cimientos. También rocíe los cimientos de la casa hasta una altura de 2 pies (60 cm). - Repita la aplicación cada 14 días, de ser necesario. - La botella (32 onzas líquidas o 946 ml) alcanza para tratar 1,400 pies² (130 m²) de cimientos/perímetro.
INSECTOS DEL CÉSPED	
CUÁNDO CORTAR Y REGAR EL CÉSPED	- Aplíquelo al césped cortado y regado en las últimas 24 horas. Se puede volver a cortar el césped después de 2 o 3 días. - Para el control de los grillos topo, riegue bien inmediatamente después de la aplicación.
CUÁNDO APLICARLO	- Aplíquelo tan pronto como aparezcan los insectos. - Espere de 4 a 6 semanas entre una aplicación y otra.
CÓMO USARLO	Instrucciones para usar el rociador Dial 'N Spray' de Ortho® Ajuste: 1. Gire el selector a la posición de 1.5 onzas líquidas (44 ml). Llene: 1. Vierta la cantidad deseada de concentrado en el depósito del rociador. 2. Gire la boquilla del rociador al patrón de rocío de su preferencia. 3. NO agregue agua. Rocíe: 1. Conecte el rociador a la manguera. 2. Abra la llave del agua. 3. Apriete la manija del rociador sin soltarla para un rociado continuo. Aplique uniformemente. 4. Rocíe sólo hasta humedecer las hojas. Termine: 1. Vierta el concentrado restante de vuelta a su envase original. 2. Para limpiar: consulte las instrucciones de limpieza del rociador Dial 'N Spray' de Ortho®.

INSECTOS DEL CÉSPED (cont.)	
	INSTRUCCIONES PARA ROCIADORES CON DEPÓSITO 1. Agregue 0.75 a 1.5 onzas líquidas (1.5 a 3 cdas., o 22 a 44 ml) de producto por cada galón de agua, para cada 125 pies ² (11.6 m ²).
CÓMO APLICARLO 	• Mida el prado. Calcule los pies cuadrados multiplicando el largo por el ancho. • Rocíe de manera uniforme sobre el área medida. Trate el prado entero. • La botella (32 onzas líquidas o 946 ml) alcanzará para tratar hasta 5,300 pies² (492 m²). • Insectos difíciles de controlar: para controlar las hormigas carpinteras, rocíe de manera uniforme 1.5 onzas líquidas (44 ml) de producto por cada galón de agua sobre 65 pies² (6 m²). • La eliminación de los mosquitos que vienen a descansar en las zonas tratadas se dará en diferentes periodos luego de la aplicación, dependiendo de la exposición de estas zonas a las condiciones climáticas.

HUERTAS CASERAS, MELONES, Y ÁRBOLES FRUTALES Y DE NUECES	
CUÁNDO USARLO	• Aplíquelo tan pronto como aparezcan los insectos. • Vuelva a aplicar según sea necesario para mantener el control, esperando por lo menos 7 días entre una aplicación y otra.
CÓMO USARLO	Instrucciones para usar el rociador Dial 'N Spray' de Ortho® Ajuste: 1. Gire el selector a la posición de 1.5 onzas líquidas (44 ml). llene: 1. Vierta la cantidad deseada de concentrado en el depósito del rociador. 2. Gire la boquilla del rociador al patrón de rocío de su preferencia. 3. NO agregue agua. Rocíe: 1. Conecte el rociador a la manguera. 2. Abra la llave del agua. 3. Apriete la manija del rociador sin soltarla para un rociado continuo. Aplique uniformemente. 4. Rocíe sólo hasta humedecer las hojas. Termine: 1. Vierta el concentrado restante de vuelta a su envase original. 2. Para limpiar: consulte las instrucciones de limpieza del rociador Dial 'N Spray' de Ortho®.

HUERTAS CASERAS, MELONES, Y ÁRBOLES FRUTALES Y DE NUECES (cont.)	
	INSTRUCCIONES PARA ROCIADORES CON DEPÓSITO 1. Mezcle 1.5 onzas líquidas (3 cdas. o 44 ml) de producto por cada galón de agua.
CÓMO APLICARLO	• Rocíe de manera abundante, humedeciendo las hojas y las ramas, pero sin dejar que escorra. • Asegúrese de respetar las restricciones de importancia para la planta comestible específica que esté rociando, como la cantidad que puede aplicarse, el intervalo entre aplicaciones y los días que hay que esperar antes de cosechar. • Intente rociar el reverso de las hojas y penetrar el follaje tupido. La botella (32 onzas líquidas o 946 ml) alcanzará para tratar 2,700 pies² (251 m²).

HORTALIZAS Y PLANTAS FRUTALES	DÍAS HASTA LA COSECHA
Tomates	1
Maíz (dulce)	3
Moras y frambuesas	3
Habas de Lima	3
Chicharos o arvejas (verde, china y dulce), frijoles (judías verdes y canario) y frijol del ojo negro	3
Chayote (la fruta), pepino, calabazas de San Juan comestibles, melón, melón verde o casaba, melón chino, calabaza, calabaza amarilla (calabacin), calabaza o zapallo de invierno (moscada, pinta o pipiana), y sandía	3
Hojas de mostaza (NO LO USE EN CALIFORNIA)	7
Brócoli, brócoli chino, col o repollo y coliflor	7
Pimientos (morrones y de otras variedades) y berenjena	7
Lechuga iceberg	7
Peras	14
Nueces pecanas	21

STORAGE & DISPOSAL

PESTICIDE STORAGE: Keep from freezing. To be stored in original container and placed in areas inaccessible to children.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: **If empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear: Long-sleeved shirt and long pants, socks, shoes, and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID

IF SWALLOWED:

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-465-5161 for Emergency Assistance.

NOTE TO PHYSICIAN: Emergency Information call 1-877-465-5161.

ENVIRONMENTAL HAZARDS:

This pesticide is extremely toxic to fish, aquatic invertebrates, oysters and shrimp. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run-off to water bodies or drainage systems. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Care should be used when spraying to avoid fish and reptile/pets in/around ornamental ponds. This product is highly toxic to bees exposed to direct treatment of residues on blooming crops or weeds. Do not apply this product or allow to drift to blooming crops if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS:

Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.



If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

© 2020 The ORTHO Group.
World rights reserved.

Sold by **The ORTHO Group**
P.O. Box 190, Marysville, OH 43040

EPA Reg. No. 239-2718
EPA Est. No. 239-1A-3



Questions & Comments
Call 1-800-225-2883
or visit our website
at ortho.com



LB14585

PRESS TO RESEAL.

