

# SAFETY DATA SHEET

**Reference No......**: WTX21X03020832B

Applicant : SYSMAX Innovations Co.,Ltd.

Address...... : Rm 2601-06, Central Tower, No.5 Xiancun Road, Tianhe District,

Guangzhou, 510623, Guangdong, China

Manufacturer.....: Huizhou Meinovo Energy & Technology Co., Ltd

Address.....: Liwu Industrial area, Yuanzhou town, Boluo county, Huizhou, China

Sample's name.....: Li-ion Rechargeable battery

**Date of Issue**..... : 2021-05-07

Test Report Form No.....: WBB-SDS-01A

Prepared By:

Waltek Testing Gro (Shenzhen) Co., Ltd.

Address: 1/F., Room 101, Building WHong Wei Industrial Park, Liuxian 2nd Road,

Block 70 Bao'an District, Shenzhen, Guangdong, China

Tel:+86-755-33663308

Fax:+86-755-33663309

Emma Wang

Compiled by

Approved by



# **Safety Data Sheet**

# Section 1- Identification of the Substance/Preparation and of the Company/Undertaking

<b>Product Name:</b>	Li-ion Rechargeable battery		
Model No.: NL1834,NL1835,NL1832,NL1826,NL1823,NL1835HP,NL1835R,NL L1485,NL2150HPR , NL2150HPi , NL2150HP,NL2150,NL2140i , NL2140,NL2140R			
Ratings	3.7V, 3400mAh, 12.6Wh		
Dimension	Φ18.4mm×69.3mm		
Weight:	Approx.48.4g		
Manufacturer:	Huizhou Meinovo Energy &Technology Co., Ltd		
Address:	Liwu Industrial area, Yuanzhou town, Boluo county, Huizhou, China		
Emergency Telephone:	0752-6982776		
Email:	sales2@meinovo.com		

#### **Section 2-Hazards Identification**

Classification	This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29CFR 1910.1200) this product is an article which is a sealed battery and as
Writek Muritek M	such does not require an MSDS per the OSHA hazard communication standard unless ruptured. The hazards indicated are for a
at at a	ruptured battery.

Skin corrosion/irritation	See section 8 for exposure controls In the event that this battery has been ruptured, the electrolyte solution contained within the battery would be corrosive and can cause burns
Serious eye damage/eye irritation	The steam of the electrolyte may stimulate eyes. Especially, substance that may cause inflammation of the eyes is contained
Skin sensitization	The leakage of the electrolyte may cause sore and stimulation on the skin
Carcinogenicity	Inhalation of materials from a sealed battery is not an expected route of exposure. Vapors or mists from a ruptured battery may cause respiratory irritation
Specific target organ toxicity (repeated)	Swallowing is not anticipated due to the battery size. The ingestion of the electrolyte causes tissue damage to throat

#### GHS Label elements, including precautionary statements

#### **Emergency Overview**

Signal word: Danger Hazard Statements

Causes skin irritation Category 2
Causes serious eye irritation Category 1

May cause allergic skin reaction

May cause cancer after repeated exposure

Sensitization - Skin/Category 1

Carcinogenicity/Category 1

Flammable liquid and vapor Category 3

# Reference No: WTX21X03020832B Page 3 of 12





This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold.

Intended use of the product should not result in exposure to the chemical substance This is a battery. In case of rupture: the above hazards exist.

Appearance: Various Physical State: Solid Odor: No odor

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Sensitization - skin	Category 1
Carcinogenicity	Category 1
Flammable liquid and vapor	Category 3

Precautionary	Obtain special instructions before use		
Statements - Prevention	Do not handle until all safety precautions have been read and understood Use personal protective equipment as required  Wash face, hands and any exposed skin thoroughly after handling Contaminated work clothing should not be allowed out of the workplace Wear protective gloves		
	Do not breathe dust/fume/gas/mist/vapors/spray		
	Do not eat, drink or smoke when using this product		
Precautionary Statements - Response	IF exposed or concerned: Get medical advice/attention  Specific treatment (see supplemental first aid instructions on this label)		
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention		
	IF ON SKIN: Wash with plenty of soap and water		
	Take off contaminated clothing and wash before reuse		
	If skin irritation or rash occurs: Get medical advice/attention		
Precautionary Statements -	Store locked		

Page 4 of 12



Storage	WIN WILL BY THE ITE WITH MIT WALL		
Precautionary Statements - Disposal	Dispose of contents/container to an approved waste disposal plant		
Hazards not otherwise classified (HNOC)	Not applicable while while with the wind wind with the wind wind with the wind wind with the wind wind wind wind with the wind wind wind wind wind wind wind wind		
Unknown Toxicity Other	31.6% of the mixture consists of ingredient(s) of unknown toxicity		
Other information May be harmful if swallowed. Very toxic to aquatic life with long lasting effects. Repeated or prolonged skin contact may cause allergic reactions with susception persons			
Interactions with Other Chemicals	No information available.		

# Section 3 – Composition/information on Ingredient

# Pure ☐ Admixture ☐

Chemical Name	CAS Number	Weight-%	Trade Secret
Lithium Cobalt Oxide	12190-79-3	35	STER WILL SAL
Graphite	7782-42-5	25	M. A.
Copper Foil	7740-50-8	15	WILL MULL MULL
Aluminium Foil	7429-90-5	13	A 15 15
Phosphate(1-),hexafluoro- ,lithium	21324-40-3	12	The man

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

## **Section 4 – First Aid Measure**

General Advice	First aid is upon rupture of sealed battery.  Eye contact: If symptoms persist, call a physician. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area.			
est uniter white	<b>Inhalation:</b> Remove to fresh air. If symptoms persist, call a physician. Get medical attention immediately if symptoms occur.			
MULLIC MULL A	<b>Ingestion:</b> Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician.			
ari ari ar	Self-protection of the first aider: Avoid contact with skin, eyes or clothing.			
LIEK WALTER WALTE	Use personal protective equipment as required. Wear personal protective clothing (see section 8).			
Most important symptoms and effects, both acute and delayed	Most important symptoms and effects: Itching. Coughing and/ or wheezing.			



# Section 5 – Fire Fighting measures

Suitable extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Unsuitable extinguishing Media	CAUTION: Use of water spray when fighting fire may be inefficient.		
Specific Hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.		
Hazardous  Combustion Products	Carbon LEK WALTER		
Explosion Data	Sensitivity to Mechanical Impact: No.  Sensitivity to Static Discharge: No.		
Protective Equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.		

# Section 6 – Accidental Release Measures

<b>Personal Precautions:</b> Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.		
Other Information: Refer to protective measures listed in Sections 7 and 8.		
Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.		
Methods for Containment: Prevent further leakage or spillage if safe to do so.  Methods for cleaning up: Pick up and transfer to properly labeled containers.		

# Section 7 – Handing and storage

Precautions for safe handling	<b>Handling:</b> In case of rupture. Use personal protection equipment. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not breathe dust/fume/gas/mist/vapors/spray.
Conditions for safe storage, including any incompatibilities	Storage: Keep containers tightly closed in a dry, cool and well-ventilated place.  Incompatible Products: Strong acids. Strong oxidizing agents. Strong bases.

Page 6 of 12



#### Section 8 - Exposure controls, Personal Protection

#### **Control parameters**

#### **Exposure Guidelines**

<b>Exposure Guid</b>	lelines ACGIH TLV	OSHA PEL	NIOSH IDLH
No information is	s available		
No information is	s available	24 24	TEX JES LIV MIN WILL
No information is	s available	EX TEX TOTAL	The shift was
No information is	s available	- NUT - 12.	

<sup>\*</sup>ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

#### Other Exposure Guidelines


Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls	Engineering Measures:
	Showers
t niter white white white	Eyewash stations Ventilation systems.
Individual protection measures, such as personal protective equipment	<b>Eye/Face Protection:</b> If splashes are likely to occur:. Wear safety glasses with side shields (or goggles). None required for consumer use.
	<b>Skin and Body Protection:</b> Wear protective gloves and protective clothing. Long sleeved clothing. Impervious gloves.
	Respiratory Protection: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
WILER MILIER MULTER MULTER	Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product.

# Section 9 - Physical and Chemical Properties

Physical	Physical				
Properties	Appearance: Various				
	Odor: No odor				
	Physical	Physical			
10, 21, 2	Odor Threshold:	Odor Threshold: No information available.			
Chemical Prop	erties:	NUT, MUT, MU, MI			
Property	The Mr.	Values	Remarks/ Method		
рН	4 4 1	No data available	None known		
Melting / freezi	ng point	No data available	None known		
Boiling point /	boiling range	No data available	None known		
Flash Point	TER LITER WIT	No data available	None known		
Evaporation Ra	ate	No data available	None known		



Flammability (solid, gas)	No data available	None known
Flammability Limit in Air Upper flammability limit Lower flammability limit	No data available No data available	None known None known
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	No data available	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	0.0001	None known
Autoignition temperature	130℃	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	0.0001	None known
Explosive properties	No data available	None known
Oxidizing Properties	No data available	None known

#### Other Information

Reference No: WTX21X03020832B

Softening Point	No data available
VOC Content (%)	No data available
Particle Size	No data available
Particle Size Distribution	No data available

# Section 10 - Stability and Reactivity

Reactivity:	No data is available
Chemical stability: Stable under recommended storage condition	
Possibility of Hazardous Reactions:	None under normal processing.
Hazardous Polymerization:	Hazardous polymerization does not occur.
Conditions to avoid:	None known based on information supplied.
Incompatible materials	Strong acids. Strong oxidizing agents. Strong bases.
Hazardous Decomposition Products:	Carbon oxides.

# Section 11 – Toxicological Information

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture:.
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye Contact	Specific test data for the substance or mixture is not available.  Expected to be an irritant based on components. Irritating to eyes. May cause redness, itching, and pain. May cause temporary eye irritation.
Skin Contact	Specific test data for the substance or mixture is not available.  Expected to be an irritant based on components. Irritating to skin.  Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Waltek Testing Group (Shenzhen) Co., Ltd. http://www.waltek.com.cn



Reference No: WTX21X03020832B Page 8 of 12

Information on toxicological effects	Symptoms: Erythema (skin redness). May cause redness and tearing of the eyes. Itching. Rashes. Hives.
Delayed and immediate effects as well as chronic effects from short and long-term exposure	Sensitization: May cause sensitization of susceptible persons. May cause sensitization by skin contact.  Mutagenic Effects: No information available.  Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
No information is available	LIEK NITEK MITEK	WILLER MULL MULL		
No information is available	L St St	TEX NITER WITE	White white whi	Aur. Aur.

#### **ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

#### IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

### OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure.  Based on classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from chronic or repeated exposure. (STOT RE).
Chronic Toxicity	Contains a known or suspected carcinogen. Avoid repeated exposure. Prolonged exposure may cause chronic effects. May cause adverse liver effects.
Target Organ Effects	Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Central Vascular System (CVS).Kidney. Liver. Lungs. Heart.
Aspiration Hazard	No information available.

**Numerical measures of toxicity Product Information** 

The values which are on the right are	ATEmix (oral): X
calculated based on chapter 3.1 of the GHS	ATEmix (dermal): X
document.	We are any any



#### Section 12 - Ecological Information

#### **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
No information is available	WALTER WALTER WA	y mr. m	et set set	TIEK NITEK MIT

Persistence and Degradability	No information available.
Bioaccumulation	No information available.
Other adverse effects	No information available.

## Section 13 - Disposal Considerations

#### Waste treatment methods

**Disposal methods:** This material, as supplied, is not a hazardous waste according to Federal regulations (40CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements. **Contaminated Packaging:** Dispose of in accordance with federal, state and local regulations.

#### California Hazardous Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

<b>Chemical Name</b>	California Hazardous Waste
No information is available	TEN TEN STEEL STEEL STATE STATES WALTER WALTER WALTER
No information is available	N'EX WHITE WAITE WAL WAS THE THE TEXT STEEL ON THE
No information is available	THE LIER MILLER WALLER WALLE WALL WALL WALL WALL WALL WALLEN
No information is available	White white white white white white white white

#### Section 14 - Transport information

The Li-Ion battery as stated in Appendix are made in compliance to the requirements stated in the latest edition of the IATA Dangerous Goods Regulations Packing Instruction 965 section II such that they can be transported as a NOT RESTRICTED (non-hazardous/non-dangerous) goods. However, if those Li-Ion batteries are packed with or contained in an equipment, then it is the responsibility of the shipper to ensure that the consignment are packed in compliance to the latest edition of the IATA. Dangerous Goods Regulations section of either Packing Instruction 966 or 967. II. With regard to transport, the following regulations are cited and considered:

- The International Civil Aviation Organization (ICAO) Technical Instructions, Packing instruction 965 or 966 or 967, section II (2015-2016 Edition).
- The International Air transport Association (IATA) Dangerous Goods Regulations, Packing instruction 965 or 967, section II (62nd Edition.).
- Special provision 188 of the International Maritime Dangerous Goods (IMDG) Code (Amendment 39-18 Edition).

Waltek Testing Group (Shenzhen) Co., Ltd. http://www.waltek.com.cn



- The US Hazardous Materials Regulation 49 CRF (Code of Federal Regulations), sections 173-185 Lithium batteries and cells.
- The UN Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria 38.3 Lithium batteries, Rev.6, Amend.1

These products are properly classified, described, packaged, marked, and labeled, and are in proper condition for transportation according to all the applicable international and national governmental regulations, not limited to the above mentioned. We further certify that the enclosed products have been tested and fulfilled the requirements and conditions in accordance with UN Recommendations (T1 – T8) on the Transport of Dangerous Goods Model Regulations and the Manual of Tests and Criteria.

Test results of the UN Recommendation on the Transport of Dangerous Goods

Manual of Tes	t and Criteria (38.3 Lithium batte	ery)	The Mr. Mr.	
No.	Test items	Test results	Remark	
T1	Altitude simulation	Pass	TEL TEL SITE OUT	
T2	Thermal test	Pass	Mr. Att. M. M.	
T3	Vibration	Pass	· + + +	
T4	Shock	Pass	TEL TE OLIT WILL ON	
T5	External short circuit	Pass	11. 10.	
T6- /	Impact / Crush	Pass	1 the extreme	
T7 0 0	Overcharge	Pass	er with and who	
T8	Forced discharge	Pass	24 24	

## Section 15 – Regulatory Information

#### **International Inventories**

TSCA: Complies

DSL: All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 – Threshold Values %
No information is available	EL WILL MULLE MU	1 1 1 1 1 1 1 1 -	TER TER STEEL WITER
No information is available	TER STER SOUT	er mil antil mil o	ur in the
No information is available	711 711	LIER THE MITER AN	TEL MILL MILL WILL WILL
No information is available	Wil ambrica	W W St St St	y i et aliet milet whi

SARA 311/312 Hazard Categories

Acute Health Hazard	No L
Chronic Health Hazard	No tel tell till att att att
Fire Hazard	No m m m
Sudden release of pressure hazard	No Later All And All And
Reactive Hazard	No the till the till the till

Page 11 of 12



#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
X No information is available	White Mulit wh	W	TEX TEX TEX	OLIEK ONLIEK WALI

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ INTEL WALTER
No information is available	LIEX WITER WALTER	we we will	at at at
No information is available	at tet tet o	LIE WALTER WALTER WALTER	n mi mi

## **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
No information is available	THE LIFE ALT WILL WAS AND WILL AND

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
No information is available	LITTER TOLLING	Turi vice		TEX	TEX OLIEK ON
No information is available	\ \ <u>\</u>	TE SILITE		m. m	
No information is available		LIK STEK	LIEK MLIE NA	White white	MULL MULL
No information is available	WALTER WALTER	nen n		TEX STEK	OLIEK WALTER
No information is available	TEX STEX I	LIEN WALTER WAS		A10- 1111	or let
No information is available	10. 20. 20.	H TEK NITE	NLIEK WALTER	WILL MUTTE	13. Mur. M

#### **International Regulations**

#### **Mexico**

#### **National occupational exposure limits**

Component	Carcinogen Status	Exposure Limits
No information is available	V + *	THE THE THE WITH WITH W
No information is available	et ite alle min	Wer The My Mr.

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

#### **WHMIS Hazard Class**

Non-controlled

Page 12 of 12



#### Section 16 – Additional Information

NFPA	Health Hazards 1	Flammability 0	Instability 0	Physical and
HMIS	Health Hazards 0	Flammability 0	Physical Hazard	Chemical Hazards -
20.	1 1	LEX LEX NO	10 ml 3	Personal Protection X

**Revision Date:** X

Revision Note: No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

===== End of Report =====

Waltek Testing Group (Shenzhen) Co., Ltd. http://www.waltek.com.cn