


Sideboard CF4222



PART LIST	Г			
A	B	C	D	E
Top Panel	Left Panel	Right Panel	Bottom Panel	Adjustable Shelf
1 PC	1 PC	1 PC	1 PC	2 PCS
F	G	H		J
Partition Panel	Left Door	Right Door	Support Leg	Back Panel
1 PC	2 PCS	2 PCS	1 PC	1 PC

HARDWARE LIST											
#1	#2	#3	#4	#5							
()aaaaaaaa	Ð	0									
1/4"x1-1/4"	1/4"	1/4"x16mm 8x30mm									
Bolt	Spring Washer	Flat Washer	Wood Dowel	Knob							
12 PCS (Extra 1)	12 PCS (Extra 1)	12 PCS (Extra 1)	12 PCS (Extra 1)	4 PCS							
#6	#7	#8	#9	#10							
(Commo	Sector	< 1111()	Ĵ	Om							
5/32x25mm		3x14mm		3x14mm							
Round Head Bolt	Double Magnet	Round Head Screw	Shelf Holder	Screw							
4 PCS (Extra 1)	2 PCS	4 PCS (Extra 1)	8 PCS (Extra 1)	26 PCS (Extra 1)							
<u>#11</u>	#12										
M 4											
Allen Wrench	Safety Strap Kit										
1 PC	1 SET										


ADDITIONAL TOOLS (Not Provided)


Note: It is not recommended to use power tools during assembly.




Phillips Head Screwdriver


Note: Wood dowels are intended for alignment. Additional clearance between wood dowel and pre-drilled hole is intentional for ease of assembly.







- Step 7. Attach doors (parts G & H) by placing bottom pin hinge (preinstalled in door) in the pre-drilled hole of bottom panel (part D). Then depress the top spring-loaded pin hinge so it can be placed in the pre-drilled hole of top panel (part A).
 - Note: Be sure top and bottom pin hinges are fully extended to secure doors in place.
 - Note: It is important to adjust levelers once fully assembled and upright. Extend adjustable leveler until it's firmly in contact with the floor. If relocating, adjust leveler as needed until it's firmly in contact with the floor in new location.
- Important: Safety strap kit (part #12) must be installed to prevent tipping, damage and/or injury.



#12	A	В	С	D	E
E	<u></u> @	e e	C Hilling	Ø MIMMAN	\bigcirc
			5/8"x Ø3xD8	1-1/2"x	
Safety Strap Kit	Wall Anchor	Bracket	Short Screw	Long Screw	Safety Wall Strap
1 SET	1 PC	2 PCS	1 PC	1 PC	1 PC

SAFETY WALL STRAP INSTALLATION

Note: It is highly recommended to install this safety strap kit to prevent tipping, damage and/or injury.

- 1. Insert short screw (C) and safety wall strap (E) through bracket (B) and attach to top panel (part A) using phillips head screwdriver.
- 2. Drill a 11/32" hole where you want to secure the unit. The drilled hole will be at the same height as the hole in top panel (part A) where bracket (B) is attached. Tap wall anchor (A) into the hole.
- 3. Insert long screw (D) and safety wall strap (E) through bracket (B) into wall anchor (A) using phillips head screwdriver.

