



1. Identification

Product identifier	BEHR Flat Paint & Primer Color Sample - Ultra Pure White		
Other means of identification			
Product number	B3100		
Recommended use	Architectural Coating		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Supplier	Behr Process Corp.		
	1801 E. St. Andrew Place		
	Santa Ana, CA 92705		
Telephone	714-545-7101		
Emergency telephone	+1 760 476 3962		
	+1 866 519 4752		
Access code	335213		
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Serious eye damage/eye irritation Category 2A		
OSHA defined hazards	Not classified.		
Label elements			
Cinnal word	Warning		
Signal word Hazard statement	Warning		
	Causes serious eye irritation.		
Precautionary statement Prevention	Weah therewakly after handling. Wear ave protection/face protection		
	Wash thoroughly after handling. Wear eye protection/face protection.		
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of waste and residues in accordance with local authority requirements.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Titanium dioxide	13463-67-7	10 - 30
Kaolin, calcined	92704-41-1	1 - 5
C12-14 Fatty alkyl ether sulfate, sodium salt	68891-38-3	0.5 - 1.5

Composition comments	All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.	
	The manufacturer has claimed the exact percentage as trade secret under the OSHA Hazard Communication Standard.	
4. First-aid measures		
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.	
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Ingestion	Rinse mouth. Get medical attention if symptoms occur.	
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	
5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	No unusual fire or explosion hazards noted.	
6. Accidental release measures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	

Methods and materials for This product is miscible in water. containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautionsNever return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handlingAvoid contact with eyes. Provide adequate ventilation. Wear appropriate personal protective
equipment. Observe good industrial hygiene practices.Conditions for safe storage,
including any incompatibilitiesStore in tightly closed container. Store away from incompatible materials (see Section 10 of the
SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (2	29 CFR 1910,1000)
	2 3 01 10 10 10 1000)

	Туре	Value	Form
Titanium dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 C			
Components	Туре	Value	Form
Titanium dioxide (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Lim			
Components	Туре	Value	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
logical limit values	No biological exposure limits noted for the ingredient(s).		
propriate engineering htrols	Good general ventilation should be u applicable, use process enclosures, maintain airborne levels below recon established, maintain airborne levels	ocal exhaust ventilation, or oth mended exposure limits. If exp	ner engineering controls to posure limits have not been
ntrols	applicable, use process enclosures, maintain airborne levels below recon	ocal exhaust ventilation, or oth mended exposure limits. If ex to an acceptable level. Provide	ner engineering controls to posure limits have not been
ntrols	applicable, use process enclosures, maintain airborne levels below recon established, maintain airborne levels	ocal exhaust ventilation, or oth mended exposure limits. If ex to an acceptable level. Provide ent	ner engineering controls to posure limits have not been
ividual protection measure	applicable, use process enclosures, maintain airborne levels below recom established, maintain airborne levels s, such as personal protective equipm	ocal exhaust ventilation, or oth mended exposure limits. If ex to an acceptable level. Provide ent s (or goggles).	ner engineering controls to posure limits have not been
ividual protection measure Eye/face protection Skin protection	applicable, use process enclosures, maintain airborne levels below recom established, maintain airborne levels s, such as personal protective equipm Wear safety glasses with side shields	ocal exhaust ventilation, or oth mended exposure limits. If ex to an acceptable level. Provide ent s (or goggles).	ner engineering controls to posure limits have not been
ividual protection measure Eye/face protection Skin protection Hand protection	applicable, use process enclosures, l maintain airborne levels below recom established, maintain airborne levels s, such as personal protective equipm Wear safety glasses with side shields Wear appropriate chemical resistant Wear suitable protective clothing.	ocal exhaust ventilation, or oth mended exposure limits. If exi- to an acceptable level. Provide ent s (or goggles). gloves.	her engineering controls to posure limits have not been e eyewash station.
ividual protection measure Eye/face protection Skin protection Hand protection Skin protection	applicable, use process enclosures, l maintain airborne levels below recom established, maintain airborne levels s, such as personal protective equipm Wear safety glasses with side shields Wear appropriate chemical resistant	ocal exhaust ventilation, or oth mended exposure limits. If exp to an acceptable level. Provide ent s (or goggles). gloves. the applicable exposure limits, -pressure air-supplied respirate are not known, or any other c	ner engineering controls to posure limits have not been e eyewash station. use NIOSH approved or if there is any potential for
ividual protection measure Eye/face protection Skin protection Hand protection Skin protection Other	applicable, use process enclosures, I maintain airborne levels below recom established, maintain airborne levels s, such as personal protective equipm Wear safety glasses with side shields Wear appropriate chemical resistant Wear suitable protective clothing. If airborne concentrations are above respiratory protection. Use a positive uncontrolled release, exposure levels	ocal exhaust ventilation, or other mended exposure limits. If exp to an acceptable level. Provide ent s (or goggles). gloves. the applicable exposure limits, -pressure air-supplied respirate are not known, or any other of ide adequate protection.	ner engineering controls to posure limits have not been e eyewash station. use NIOSH approved or if there is any potential for

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	White.
Odor	Slight.
Odor threshold	Not available.
рН	7 - 10
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 99 °F (> 37.2 °C)
Flash point	Not applicable.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.

Upper/lower flammability or explosive limits

Upper/lower flammability or explosive limits				
Flammability limit - lower (%)	Not available.			
Flammability limit - upper (%)	Not available.			
Vapor pressure	Not available.			
Vapor density	Not available.			
Relative density	1.45			
Solubility(ies)				
Solubility (water)	Soluble			
Partition coefficient (n-octanol/water)	Not available.			
Auto-ignition temperature	Not available.			
Decomposition temperature	Not available.			
Viscosity	50 - 140 ku (25 °C)			
Other information				
Density	12.12 lbs/gal			
Explosive properties	Not explosive.			
Oxidizing properties	Not oxidizing.			
voc	1 g/l (excluding water) (Coating) 1 g/l (including water) (Material)			

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.		
Skin contact	Prolonged skin contact may cause temporary irritation.		
Eye contact	Causes serious eye irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.		

Information on toxicological effects

Acute toxicity

Components	Species	Test Results		
3-lodo-2-propynyl butylca	3-lodo-2-propynyl butylcarbamate (CAS 55406-53-6)			
Acute				
Dermal				
LD50	Rabbit	> 2000 mg/kg		
Oral				
LD50	Rat	1 g/kg		

Components	Species	Test Results	
Titanium dioxide (CAS 13463-67-7)		
<u>Acute</u>			
Inhalation			
LC50	Rat	3.43 mg/l, 4 Hours	
Oral		5000	
LD50	Rat	> 5000 mg/kg	
Skin corrosion/irritation	Causes mild skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory or skin sensitization			
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to caus		
Germ cell mutagenicity	mutagenic or genotoxic.	t or any components present at greater than 0.1% are	
Carcinogenicity	Due to the form of the product, expo expected.	sure to the potentially carcinogenic components is not	
• •	Evaluation of Carcinogenicity		
Titanium dioxide (CAS 13 NTP Report on Carcinogens Not listed.		ossibly carcinogenic to humans.	
	d Substances (29 CFR 1910.1001-10	53)	
Reproductive toxicity	This product is not expected to caus	e reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Due to the physical form of the produin halation.	uct, the ingredients are not expected to present a hazard by	
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmfu	l.	
Further information	No other specific acute or chronic he	alth impact noted.	
12. Ecological information			
Ecotoxicity	Harmful to aquatic life.		
Persistence and degradability	No data is available on the degradal	pility of any ingredients in the mixture.	
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects	No data available.		
13. Disposal consideration	IS		
Disposal instructions		aled containers at licensed waste disposal site. Incinerate the in an approved incinerator. Dispose of contents/container in nal/international regulations.	
Local disposal regulations	Dispose in accordance with all applic	cable regulations.	
Hazardous waste code	The waste code should be assigned disposal company.	in discussion between the user, the producer and the waste	
Waste from residues / unused products		regulations. Empty containers or liners may retain some ts container must be disposed of in a safe manner (see:	
Contaminated packaging		product residue, follow label warnings even after container is e taken to an approved waste handling site for recycling or	
14. Transport information			

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are listed on or exempt from the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard Serious eye damage or eye irritation

categories

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Titanium dioxide (CAS 13463-67-7)

US. New Jersey Worker and Community Right-to-Know Act

3-lodo-2-propynyl butylcarbamate (CAS 55406-53-6) Titanium dioxide (CAS 13463-67-7)

US. Pennsylvania Worker and Community Right-to-Know Law

- Titanium dioxide (CAS 13463-67-7)
- US. Rhode Island RTK

Titanium dioxide (CAS 13463-67-7)

16. Other information, including date of preparation or last revision

Issue date	12-March-2020
Revision date	-
Version #	01
HMIS® ratings	Health: 2 Flammability: 0 Physical hazard: 0

List of abbreviations	LD50: Lethal Dose, 50%.
	LC50: Lethal Concentration, 50%.
	IATA: International Air Transport Association.
	IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.
	IMDG Code: International Maritime Dangerous Goods Code.
	MARPOL: International Convention for the Prevention of Pollution from Ships. PEL: Permissible Exposure Limit. TWA: Time Weighted Average Value.
References	HSDB® - Hazardous Substances Data Bank
Disclaimer	Behr Process Corp cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.