



Uspa  
**Operating  
Instruction Manual**

**UB-6800**

- *Thank you for purchasing this USPA product.*
- *Carefully read this operating instruction manual for proper use of this appliance*
- *Save this manual and place in an easily accessible location.*
- *Register Warranty for proper service.*
- *We recommend that you change your water filter once every six months depending on the type of water that you have.*



# 1 Important Safeguards

## 1. READ ALL INSTRUCTIONS BEFORE USING

### **DANGER - To reduce the risk of electric shock:**

1. Do not place or store this appliance where it can fall or be pulled into a tub or sink.
2. Do not place in, or drop into water or other liquid.
3. Do not reach for a product that has fallen into water. Unplug immediately.

### **WARNING - To reduce the risk of burns, electric shock, fire or injury to persons.**

1. Close supervision is necessary when this appliance is used by or near the very young, the elderly or in invalids. Children should not be permitted to use or touch this appliance without the supervision of an adult.  
Be sure to adjust the temperature of the toilet seat for the elderly, those who are incapacitated, or people with sensitive skin.
2. Use this appliance only for its intended purpose as described in this manual. Do not use attachments not recommended by the manufacturer.
3. Never operate this appliance if it has a damaged cord or plug, if it is not working properly, if it has been dropped, damaged or dropped into water.
4. Install the unit properly by following the installation procedure.
5. Only authorized persons can install or repair the unit. Do not attempt to service this appliance yourself. Doing so could void the warranty.
6. Keep the cord away from heated surfaces.
7. Never drop or insert any objects into any opening or hose.
8. Do not use outdoors. Do not use aerosol or oxygen spray products on the unit.
9. Always follow the grounding instruction in this manual before plugging in the unit.

## **SAVE THESE INSTRUCTIONS**

# 2 Cautions before installation

## 1. NOTE THE FOLLOWING IMPORTANT POINTS

1. Do not install in a location where water might be splashed on this appliance or in a location exposed to such excessive moisture that condensation forms on the product's surface.
2. To avoid damage to electronic components due to high levels of humidity, provide adequate ventilation by opening a window and/or door when bathing. You may find operating an exhaust ventilating fan during these times of high humidity beneficial.
3. Use a water supply having a water pressure of 0.8kgf/cm<sup>2</sup> to 7.5kgf/cm<sup>2</sup>
4. Connect the product to a pipe carrying potable water. Do not connect to an industrial water line or other water supply that does not carry water of drinking quality.
5. In areas where water freezes in pipes in winter make arrangements to keep the pipes warm.  
The water remaining in the unit may sometimes freeze during storage in winter. In that case, warm the unit in the room before installation.
6. The thermal protector in the water tank may sometimes trip during storage or transportation in warm weather causing non-operation. In that case, cool the unit in the room before installation.
7. The rated power voltage is 120V AC, 60Hz.
8. Do not supply electrical power to the unit until the plumbing installation work has been completed; it could cause malfunction

## 2. WIRING REQUIREMENTS

be used to connect this plug to a 2-pole receptacle as shown in sketch B if a properly grounded outlet is not available. The temporary adapter should be used only until a properly grounded outlet (sketch A) can be installed by a qualified electrician. The green colored rigid ear, lug and the like extending from the adapter must be connected to a permanent ground such as a properly grounded outlet box cover. Whenever the adapter is used, it must be held in place by the screw.

4. If it is necessary to use an extension cord, use only a three wire extension cord that has a three-blade grounding plug, and a three-slot receptacle that will accept the plug on the product. Replace or repair a damaged cord.
5. Remote control power : AAA(1.5V) , 3EA

**CAUTION**  
**RISK OF EXPLOSION TO BATTERY IF REPLACED BY AN INCORRECT TYPE.**  
**DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS**



**BBC INNOVATION**

*205 Berg St., Algonquin, IL 60102*

*Phone: 847\_854\_7292*

*Fax: 847\_854\_1296*

*E-mail: [support@biobidet.com](mailto:support@biobidet.com)*

*[www.biobidet.com](http://www.biobidet.com)*