

Sections

**03** 03 91 00  
Concrete Cleaning

# MICRO-DEGREASER™ 1100

A SAFE, POWERFUL 100% BIODEGRADABLE CLEANER AND DEGREASER WITH NO ACID, SOLVENTS, OR VOC'S. SPECIFICALLY FORMATTED TO CLEAN, LIFT DIRT, OIL, SLUDGE AND GRIME FROM CONCRETE WITHOUT ANY HARMFUL

### Description

Micro-Degreaser 1100 is a safe, powerful non acid-based cleaner and degreaser, specifically formulated to clean, degrease and lift stains from concrete, brick or masonry. In addition, this versatile cleaner is used to clean concrete in preparation to receive a water-based or acid-based stain. This ultra-safe solution is 100% biodegradable and will out perform traditional acid-based cleaners. Micro-Degreaser 1100 will encapsulate and lift petroleum based oil, vegetable and animal fats along with dirt, soils, stains and grimes to the surface for easy dispensing.


### Appearance/color

Clear


### Coverage

Up to 750 sq. ft.

EFFICIENCY OF CONCRETE CLEANERS



Percentage Improvement vs. Control



Sections

**03** 03 91 00  
Concrete Cleaning



## Technical Data Sheet

### TECHNOLOGY // ADVANTAGES

- **Cleans concrete** - and degreases concrete prior to sealing
- **Concentrated** - one gallon makes up to eleven (11) gallons
- **100% biodegradable** - safe, non-acid based cleaner
- **No odor** - no smell, not a skin irritant, non-corrosive
- **Lifts** - dirt, soils, stains and grime
- **Lifts** - petroleum based oil, vegetable oil and animal fats
- **Fast-acting formula** - safely use on interior and exterior applications
- **Eliminates need to use harsh chemicals** - provides a safer work environment.
- **Use prior to staining** - use prior to staining concrete with a water-based or acid-based stain

#### TYPICAL PROPERTIES

**Appearance** - Clear liquid

**Packaging** - 1 gallon concentrate (3.78 L), 55 gallon (208 L) drums

#### Reconstitution:


1. Only mix with water. Mix solution slowly in an open-top plastic container. Stir gently. Ratio varies by desired use: for a light cleaning, ten (10) parts water to one (1) part Micro-Degreaser 1100; for moderate cleaning, four (4) part water to one (1) part Micro-Degreaser 1100 and for heavy cleaning, one (1) part water to one (1) part Micro-Degreaser 1100.

#### Application

1. Always test a small area before application to ensure desired ratio, etch time, coverage rates and to verify application technique.  
2. Apply using a low-pressure pump sprayer. Allow the solution to sit on the substrate for two (2) to ten (10) minutes. If necessary agitate with a stiff bristle nylon brush or broom. Flush thoroughly with clean water. Repeat the process as needed. You do not need to neutralize after using Micro-Degreaser 1100.

#### Clean Up

Clean equipment and tools with hot soapy water. Unused or old material may be disposed of in a waste disposal site in accordance with local, state and federal laws.



## Sections

**03** 03 91 00  
Concrete Cleaning

## APPLICATION

### Precautions/Safety

Avoid contact with skin, eyes and clothing, do not take internally. Use appropriate safety equipment during application and handling. Please refer to the safety data sheet (SDS) for additional precautionary instructions before use.

### Best Performance

- Proper application is the responsibility of the user.
- Make sure the most current versions of product data sheets and SDS are being used.
- For professional use only. Keep out of reach of children.

### Coverage

Micro-Degreaser 1100 is concentrated. 1 gallon can cover up to 750 sq. ft. Variations in texture and porosity of substrate may affect the coverage and performance of the product.

### KreteTek Industries Inc.

66 River Road  
Hudson, NH 03051

[www.Ghostshield.com](http://www.Ghostshield.com)

### Customer Service and Technical Support

1-855-KreteTek (1-855-573-8383)

### Warranty

KreteTek Industries Inc. warrants our products are manufactured to strict quality assurance specifications and that the information supplied by us is accurate to the best of our knowledge. Such information supplied about our products is not a representation or a warranty. It is supplied on the condition that you shall make your own tests to determine the suitability of our product for your particular purpose. Any use or application other than recommended herein is the sole responsibility of the user. Listed physical properties are typical and should not be construed as specifications. No warranty is made, expressed or implied, regarding such other information, the data on which it is based or the results you will obtain from its use. We shall have no liability for incidental or consequential damages, direct or indirect. No representative is authorized to make any representation or warranty or assume any other liability on our behalf with any sale of our products.

Acceptance of delivery of our product means that you have accepted the terms of this warranty whether or not purchase orders or other documents state terms that vary from this warranty. No representative is authorized to make any representation or warranty or assume any other liability on our behalf with any sales of our products. Our products contain chemicals that may cause serious physical injury. Before using, read the Safety Data Sheet and follow the precautions to prevent bodily harm.

Purchaser must determine the suitability of the products for the intended use and assumes all risks and liabilities in connection therewith. This information and all further technical advice are based on KreteTek Industries Inc. present knowledge and experience. However, KreteTek Industries Inc. assumes no liability for providing such information and advice including the extent to which such information and advice may relate to existing third party intellectual property rights, especially patent rights, nor shall any legal relationship be created by or arise from the provision of such information and advice. KreteTek Industries Inc. reserves the right to make any changes according to technological progress or further developments. The Purchaser of the Product(s) must test the product(s) for suitability for the intended application and purpose before proceeding with a full application of the product(s). Performance of the product described herein should be verified by testing and carried out by qualified experts.

### For professional use only.

Last revised 6/18