

LM29 - Image 300503683 Brush & Vine Killer Conc 1Qt - Front v5
 300503683-01/21
 UPC 0 70624 25024 2
 1 Quart
 Size: 4.035" x 6.4917"

Process Cyan	Pantone 108 (as process)
Process Magenta	Pantone 1797 (as process)
Process Yellow	White Opaque Underlayer
Process Black	FPO Swoosh Gradient
Pantone 341 Green	
Pantone 376 Lime Green	
Pantone Reflex Blue	

APPROVED

6.4917"

4.035"

White opaque underlayer (shown as Pink on proof) prints on metallic substrate. Swoosh area (shown on proof and in document as gradient) is not printed to show metallic substrate below.

CONTROLS	<input checked="" type="checkbox"/> NEW <input type="checkbox"/> REVISIONS <input type="checkbox"/> OTHER			approval sign-off: _____ date: _____	
	client: BRAND			colors: <input type="checkbox"/> CMYK <input type="checkbox"/> SPOT COLORS	
	date submitted: ??/??/??	version date: 07/03/18	requested finish: ??/??/??	<input type="checkbox"/> PMS # 000 <input type="checkbox"/> PMS # 000	<input type="checkbox"/> PMS # 000 <input type="checkbox"/> PMS # 000
	file name: IM102 - Image Brush & Vine Killer 1Qt Concentrate			notes: Special notes and instructions will go here. Special notes and instructions will go here. Special notes and instructions will go here.	
	requester: KIMBERLY		version #: 2	designer: BRENT	

This color print is for content and position only. Use Contract Proof for Process-Color matching. Use Ink Drawdowns for Spot-Color matching.

IM102 - Image Brush & Vine Killer 1Qt Concentrate - 12 Page Book v1

300503684-06/18

UPC 0 70624 25024 2

1 Quart

Size: 3.535" x 3.9"

Black

Pantone 341 Green



IMAGE® FROM **Lilly Miller**®
Herbicide

BRUSH & VINE KILLER

*Kills blackberry, kudzu, poison oak,
poison ivy, mesquite, sumac, scotch broom,
horsetail rush, and most other woody plants*

Kills tough brush – roots and all

Provides a complete kill; No regrowth from the roots

**See inside for additional Precautionary Statements,
First Aid, and Complete Directions for Use**

**Revise el interior para obtener declaraciones adicionales de precaución,
primeros auxilios e instrucciones completas de uso**

Image, Lilly Miller with design, Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company.

Distributed by:
AMBRANDS
1000 Parkwood Circle, Suite 700
Atlanta, GA 30339
EPA Reg. No. 802-594-73342
EPA Est. No. 59144-GA-1
www.imageforweeds.com
1-800-265-0761
gardendivision@central.com



0 70624 25024 2
IM102v2 300503684-07/18

PULL HERE TO OPEN PRESS TO RESEAL
TIRE AQUÍ PARA ABRIR PRESIONE PARA VOLVER A CERRAR



3.535"



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin. Avoid contact with eyes, skin or clothing during and after application. When applying this product, wear a long-sleeved shirt, long pants, shoes and socks, and waterproof gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID	
If swallowed:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or on clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Have product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-265-0761 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this

2

product in calm weather when rain is not expected for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor residential use only.

- Controls horsetail rush
- Makes up to 8 gallons of spray
- Easy to apply with a pump-up or hose-end sprayer
- Won't harm the soil – replant in just 1 month

WHAT IS THIS PRODUCT? AND WHAT WILL IT DO?

Brush & Vine Killer kills blackberry vines, plus many kinds of brush and unwanted woody plants. This product can be used in many places around your yard, such as along fences and driveways, under decks, around patios and buildings, or in driveways and parking areas. The area can be planted again just a few weeks after spraying.

This product will also prevent woody plants from sending up sprouts from the roots, once they are cut down.

Use this product to kill these plants:

Alder, Arkansas Rose, Arrowwood, Ash, Aspen, Beech, Birch, Blackberry, Blackgum, Box Elder, California Rose, Cascara, Ceanothus, Cherry, Chinquapin, Choke Cherry, Cottonwood, Douglas Fir, Dogwood, Elderberry, Elm, Hawthorn, Hazel, Honeysuckle, Hornbeam, Horsetail Rush (Field), Kudzu, Locust, Madrone, Maples, Mesquite, Mimosa, Mulberry, Oaks, Persimmon,

3





Pine, Poison Ivy, Poison Oak, Poplar, Raspberry, Salmonberry, Sassafras, Scotch Broom, Sumac, Sweetbay Magnolia, Sweetgum, Sycamore, Tanoak, Thimbleberry, Trumpet Creeper, Tulip Poplar, Vine Maple, Virginia Creeper, Western Hemlock, Wild Grape, Wild Rose, Willow, Winged Elm.

HOW DO I USE THIS PRODUCT?

When to use: Spray brush anytime it is actively growing – in Spring, after leaves are fully open, in Summer, when there is sufficient water, or in the Fall, before the leaves begin to change color.

What to do: Spray this product using a pump sprayer or a hose-end sprayer. Use a spray pattern which gives small droplets without a fine mist. Over-pumping the sprayer will make a fine mist. Spray when the air is calm and there is no wind. Wet the brush completely with the spray. This product works through the leaves and bark; there's no need to wet the soil. After leaves have dropped off (4 - 6 weeks after spraying), cut down the brush and dispose of it. Once the brush is gone, the area may be replanted.

What not to do: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the treated area during application. Do not allow people or pets onto treated areas until sprays have dried. Do not spray when it is windy. Do not allow spray mist to drift onto vegetables, flowers, ornamental shrubs and trees, small fruits, fruit trees, or any other desirable plants. They will be damaged. Do not spray when rain is expected within 24 hours. Do not water the area for 24 hours after spraying. Do not use this product around vegetables, fruits or other plants you eat. Do not use this product when temperatures are above 85 degrees F.

Mixing and Measuring – Shake well before using.

It's a good idea to have a dedicated sprayer just for weed and brush killers, to avoid mix-ups.

Use this amount of Brush & Vine Killer	in this amount of water	to cover this area
1/2 - 1 cup (4 - 8 fl. oz.)	1 gallon	500 sq. ft.
1 - 2 cups (8 - 16 fl. oz.)	2 gallons	1000 sq. ft.
1 1/2 - 3 cups (12 - 24 fl. oz.)	3 gallons	1500 sq. ft.

Use the higher amounts when conditions are especially dry and on mature or hard to kill brush (such as ash, blackgum, chokecherry, elm, maple, oak, pine or winged elm), to prevent resprouting. Coverage will vary somewhat depending on the amount of brush to be sprayed.

WHAT WILL I SEE?

In one to six weeks the leaves will begin to wilt, turn brown and drop off.

STUMP TREATMENT:

This product can also be used to prevent woody plants and trees from sending up sprouts from the roots. Right after the tree or bush has been cut down, apply this product to the stump. Use the product straight from the bottle, do not add water. Use a paint brush or small sprayer to completely cover the freshly cut surface. Do not reuse the paint brush; wrap it in several layers of newspaper and discard it in the trash. Brush & Vine Killer will be absorbed into the roots and reduce the number of sprouts coming up in the lawn and surrounding areas.

STORAGE AND DISPOSAL

Pesticide Storage: Store this product in its original container and keep out of reach of children and domestic animals. **Pesticide Disposal:** *If partly filled* – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. **Container**

Handling: *If empty* – Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.





NOTICE: To the extent consistent with applicable law, Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

To the extent consistent with applicable law, the Seller guarantees this product to the extent of the purchase price, only when used according to label directions.

IN CASE OF EMERGENCY CALL: 1-800-265-0761

Elimina la zarzamora, kudzu, roble venenoso, mezquite, zumaque, retama negra, cola de caballo y la mayoría de plantas leñosas

Elimina los matorrales resistentes, con todo y raíces

Brinda una eliminación completa; las raíces no vuelven a crecer

PRECAUCIONES

PELIGROS PARA LOS HUMANOS Y LOS ANIMALES DOMÉSTICOS

PRECAUCIÓN: Causa irritación moderada de los ojos. Es dañino si se ingiere o es absorbido a través de la piel. Evite el contacto con los ojos, la piel o la ropa durante y después de la aplicación. Cuando aplique este producto, use camisa de mangas largas, pantalones largos, zapatos y medias, así como guantes impermeables. Enjuáguese con agua abundante y jabón después de manipular este producto y antes de comer, beber, mascar chicle, consumir productos de tabaco o ir al baño.

6

PRIMEROS AUXILIOS

Si se ingiere:	Llame de inmediato a un centro de control de envenenamiento o a un médico para recibir consejos de tratamiento. Haga que la persona beba un vaso de agua si puede tragar. No provoque el vómito a menos que el centro de control de envenenamiento o médico le indique hacerlo. No dé nada por la boca a una persona inconsciente.
Si ocurre contacto con la piel o ropa:	Quítese la ropa contaminada. Enjuague la piel inmediatamente con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamiento o a un médico para recibir consejos de tratamiento.
Si ocurre contacto con los ojos:	Mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15 a 20 minutos. Retire los lentes de contacto, si hubiera, después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamiento o a un médico para recibir consejos de tratamiento.

Tenga a mano el envase o la etiqueta del producto cuando llame al centro de control de envenenamiento o doctor, o cuando acuda para recibir tratamiento. También puede llamar al 800-265-0761.

RIESGOS AMBIENTALES

No aplique directamente en el agua. No contamine el agua cuando Para proteger el ambiente, no permita que el pesticida entre ni sea arrastrado hacia desagües para tormentas, zanjas de drenaje, canaletas ni aguas de superficie. Aplique este producto en tiempo de calma, cuando no se pronostique lluvia por las próximas 24 horas para garantizar que el viento o la lluvia no trasladen el pesticida fuera del área tratada. Enjuague el equipo de aplicación sobre el área tratada para evitar que penetre en cuerpos

7





de agua o sistemas de desagüe. Este producto químico tiene propiedades y características asociadas con sustancias químicas detectadas en las aguas subterráneas. El uso de este producto en áreas donde el suelo es permeable, especialmente donde el nivel acuífero o freático no es profundo, puede ocasionar la contaminación de las aguas subterráneas.

INSTRUCCIONES DE USO

Usar este producto de modo inconsistente con las indicaciones de su etiqueta constituye una violación de la ley federal. Para uso residencial en exteriores solamente.

- *Controla la cola de caballo*
- *Sirve para preparar hasta 8 galones de rocío*
- *Fácil de aplicar con una bomba o con rociador de manguera*
- *No dañará la tierra, vuelva a sembrar en tan sólo un mes*

¿QUÉ ES ESTE PRODUCTO? Y ¿QUÉ HACE?

Brush & Vine Killer elimina las enredaderas de zarzamora y muchas clases de matorrales y plantas leñosas no deseadas. Este producto se puede usar en varios lugares alrededor de su jardín, tales como cercas y caminos de acceso, debajo de terrazas de madera, alrededor de patios y edificios o en caminos de acceso y áreas de parqueo. El área se puede volver a sembrar en tan sólo unas pocas semanas después de rociar.

Este producto también evita que las plantas leñosas saquen retoños de las raíces después de que se hayan cortado.

Utilice este producto para eliminar estas plantas:

Aliso, rosa arkansana, caprifoliáceas, fresno, chopo, haya, abedul, zarzamora, tupelo, acer negundo, vauquelinia californica, cáscara sagrada, ceanoto, cerezo, castanopsis, cerezo silvestre, chopo, abeto de Douglas, cornejo, saúco, olmo, espino, avellano, madreselva, cola de caballo (campo), kudzu, langosta, madroña, arces, mezquite, mimosa, morus, robles, caquí, pino, hiedra venenosa, roble venenoso, álamo, frambuesa,

8

salmonberry, sasafrás, retama negra, magnolia virginiana, liquidámbar, sicómoro, tanoak, zarza dedal, trompeta trepadora, tulipano, arce de la vid, hiedra de Virginia, tsuga heterophylla, uva silvestre, rosa silvestre, sauce, olmo con alas.

¿CÓMO UTILIZO ESTE PRODUCTO?

Cuándo utilizar: Rocíar el matorral en cualquier momento en que esté creciendo activamente: en primavera, cuando las hojas están completamente abiertas, en verano, cuando hay suficiente agua o en otoño, antes de que empiecen a cambiar de color las hojas.

Qué hacer: Rocíar este producto usando un rociador de bombeo o un rociador de manguera. Use un patrón de rociado que esparce gotitas pequeñas sin rocío fino. Bombear en exceso el rociador hará que salga un rocío fino. Rocíar cuando el aire está tranquilo y no hay viento. Mojar completamente el matorral con el rocío. Este producto funciona a través de las hojas y la corteza; no es necesario mojar la tierra. Después de que se hayan caído las hojas (4 - 6 semanas después de rociar), corte el matorral y deshágase de él. El área se puede volver a sembrar después de eliminar el matorral.

Lo que no debe hacer: No aplique este producto de manera que entre en contacto con ninguna persona o mascota, ya sea directamente o al ser arrastrado. Evite la entrada de las personas y mascotas al área tratada durante la aplicación. No permita que las personas o mascotas estén presentes en áreas tratadas hasta que el rociado se haya secado. No rocíe cuando haya mucho viento. No permita que el rociado sea arrastrado por el viento hasta los vegetales, flores, arbustos y árboles ornamentales, plantas frutales pequeñas, árboles frutales o cualquier otra planta que desee conservar ya que esto afectará a las plantas. No rocíe cuando se espere lluvia en las próximas 24 horas. No riegue el área durante las primeras 24 horas tras la aplicación del producto. No use este producto cerca de vegetales, frutales u otras plantas comestibles. No use este producto

9





cuando las temperaturas sean mayores de 85°F (29,44°C).

Mezclar y medir – Agite bien antes de usar.

Para evitar confusiones, se recomienda tener un rociador dedicado solamente para herbicidas para malezas y matorrales.

Use esta cantidad de Brush & Vine Killer	en esta cantidad de agua	para cubrir esta área
1/2 - 1 taza (4 - 8 oz. fl.)	1 galón	500 pies cuadrados
1 - 2 tazas (8 - 16 oz. fl.)	2 galones	1000 pies cuadrados
1 1/2 - 3 tazas (12 - 24 oz. fl.)	3 galones	1500 pies cuadrados

Use las cantidades más grandes cuando las condiciones están especialmente secas y en matorrales maduros o difíciles de eliminar (tal como el fresno, tupelo, cerezo silvestre, olmo, arce, roble, pino u olmo con alas) para evitar que vuelvan a retoñar. La cobertura va a variar un poco dependiendo de la cantidad de matorral que se va a rociar.

¿QUÉ NOTARÉ?

Entre una y seis semanas las hojas se empezarán a marchitar, se pondrán café y se caerán.

TRATAMIENTO DE TOCONES:

Este producto también se puede utilizar para evitar que saquen retoños de las raíces las plantas leñosas y los árboles. Después de cortar el árbol o matorral, aplique este producto al tocón. Use el producto directamente desde el envase, no le agregue agua. Use una brocha para pintar o un rociador pequeño para cubrir completamente la superficie recién cortada. No vuelva a usar la brocha para pintar; envuélvala con varias capas de papel periódico y tírela en la basura. Brush & Vine Killer se absorberá en las raíces y reducirá la cantidad de retoños que puedan salir en el césped

10

y en las áreas alrededor.

ALMACENAMIENTO Y ELIMINACION

Almacenamiento Del Pesticida: Guarde este producto en el envase original y manténgalo fuera del alcance de los niños y animales domésticos.

Eliminacion Del Pesticida: *Si está parcialmente lleno* – Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en ningún drenaje interior o exterior. **Manejo Del Envase:** *Si está vacío* – Envase que no se puede rellenar. No vuelva a usar o rellenar este envase. Tirelo a la basura o, si está disponible, ofrézcalo para reciclaje.


NOTIFICACIÓN: Hasta donde sea consistente con la ley que aplica, el vendedor no garantiza expresa ni implícitamente el uso de este producto distinto al indicado en la etiqueta. Hasta donde sea consistente con la ley que aplica, el comprador asume el riesgo del uso y/o manejo de este material cuando tal uso y/o manejo es contrario a las instrucciones de la etiqueta.

En consonancia con la ley correspondiente, el vendedor garantiza este producto hasta por el precio de compra, cuando se usa únicamente de acuerdo con las instrucciones de la etiqueta.

EN CASO DE EMERGENCIA LLAME AL: 1-800-265-0761

11





IM102 - Image Brush & Vine Killer 1Qt Concentrate - Base v1

300503684-06/18

UPC 0 70624 25024 2

1 Quart

Size: 4.035" x 6.4917"

Black

Pantone 341 Green



Covers 4,000 Sq. Ft.

IMAGE Herbicide FROM **Lilly Miller**

BRUSH & VINE KILLER

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin. Avoid contact with eyes, skin or clothing during and after application. When applying this product, wear a long-sleeved shirt, long pants, shoes and socks, and waterproof gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS
 To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not expected for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

See attached booklet for additional Precautionary Statements, First Aid, and Complete Directions for Use

Distributed by: AMBRANDS
 1000 Parkwood Circle, Suite 700, Atlanta, GA 30339
 EPA Reg. No. 802-594-73342
 EPA Est. No. 59144-GA-1
 www.imageforweeds.com
 1-800-265-0761
 gardendivision@central.com

IM102v2 300503684-07/18

6.4917"

4.035"