

CLEAN MIST™
SMART HUMIDIFIER™
TABLETOP &
FLOOR STANDING
WITH REMOTE
CONTROL

Instruction Manual and
Warranty Information

Air
INNOVATIONS®



Contents

Safety Instructions.....	1
Unpacking / Specifications	2
Parts & Contents	3
Filling The Water Tank	4
Operating Instructions.....	5
Weekly Cleaning & Care / Storage	6
Troubleshooting.....	7
Other Great Products	8
Warranty	9



SAFETY INSTRUCTIONS

- Prior to using the appliance, read through the instructions for complete use and keep in a safe place for later reference.
- **WARNING – DO NOT** use outdoors. Only use as intended and described in this manual.
- **DO NOT** expose or immerse the Base in water or other liquids.
- Before using the appliance, extend the cord and inspect for any signs of damage. **DO NOT** use if cord has been damaged.
- Keep cord away from heated surfaces and out of the way, where it cannot be stepped on or tripped over.
- This appliance has a polarized plug (one blade is wider than the other) as a safety feature. If the plug does not fit fully into the outlet, reverse the plug. If it still doesn't fit, contact a qualified electrician. **DO NOT** attempt to defeat this safety feature.
- Always place humidifier on an elevated firm, flat, level surface; where it's not easily knocked over. e.g. on a table, chest, cabinet, etc.
- **DO NOT** place the appliance next to a heating vent, under direct sunlight, high temperature areas, near computers or sensitive electronic equipment.
- **DO NOT** place the appliance directly on wood furniture or other surfaces which could get damaged by water. e.g. waterproof surface or mat.
- **NEVER** use in an environment where explosive gases are present.
- **DO NOT** use any attachments not provided with the unit.
- **NEVER** use the appliance after a malfunction, after it has been dropped or damaged in any other way.
- Only operate when fully assembled.
- Keep out of reach of children. Close supervision is necessary when this appliance is used by or near children, elderly or disabled persons.
- **NEVER** drop or insert any object into any opening.
- **DO NOT** block any air outlets or intakes.
- **NEVER** cover the appliance when it's in operation.
- To unplug turn controls to the "OFF" position, then remove the plug from the outlet. Ensure your hands are dry.
- **ALWAYS** unplug and empty the water tank when not in use for a long period of time.
- **ALWAYS** unplug before removing, filling or emptying the water tank.
- **DO NOT** wash, adjust or move without first unplugging the unit.
- **DO NOT** move appliance with water inside the tank. In this case remove the water tank prior to moving.
- **DO NOT** touch the water or any other part in the base during operation.
- **NEVER** operate **without** water in the tank.
- **DO NOT** use hot water in the tank.
- **ONLY** use water in the tank, never add any additive such as essential oils, eucalyptus, water conditioners, etc... to the water.
- Please hold the water tank by the top handle when carrying full tank of water.
- **DO NOT** attempt to repair or adjust the unit. Servicing must be performed by professional or qualified personnel.
- Discontinue use if unit makes loud noises or has a strange smell.
- Perform regular maintenance of the Ultrasonic Nebulizer.
- **DO NOT** direct the mist against a wall or other home appliance.

Battery Disposal:

Do not dispose batteries in fire. Improper handling/disposal of batteries may cause batteries to explode or leak. Please dispose of batteries responsibly by throwing away batteries in a proper trash receptacle per township ordinance.

No More Dry Air

Thank you for choosing the Air Innovations® – Clean Mist™ Smart Humidifier™ Tabletop & Floor Standing With Remote Control and congratulations on taking this important step in improving the quality of air in your home or office.

The Air Innovations® – Clean Mist™ Smart Humidifier™ uses Ultrasonic® Technology to create humidity instantaneously, while working silently to erase the discomforts of dry air.

Unpacking

1



Remove the Remote, Dual Directional Mist Nozzle, Filter & Filter Cap from the top of the box & remove from their bags.

2



Carefully remove the extension nozzle & humidifier from the box by pulling the base of the unit (Do not take the unit out of the box by pulling the tank).

3



Remove the plastic bag from the humidifier.

*Follow directions to fill and operate the humidifier.

Specifications

Product Model	Power Consumption	Rating Voltage	Tank Capacity	Dimensions	Weight
MH-701B	30W	120V	6.5L / 1.7 Gallon	L8.19" X W8.19" X H18.5"	3.4 Lbs.

Parts & Contents



- | | |
|--|--------------------------|
| 1. Dual Directional Mist Nozzle | 8. Air Outlet |
| 2. Extension Nozzle | 9. Water Sensor |
| 3. Handle | 10. Ultrasonic Nebulizer |
| 4. Tank | 11. Water Reservoir |
| 5. Base | 12. Cleaning Brush |
| 6. Control Panel | 13. Ceramic Filter |
| 7. Remote Control | 14. Tank Cap |
| (requires (1) 3V Lithium Battery included) | 15. Bottom Tank Handle |

Filling The Water Tank

CAUTION: Always unplug the unit before removing the Water Tank. Do not touch the water in the base.

NOTE: Never fill the water tank from the top of the unit. Follow Water Tank filling instructions in #4.



1 Remove Extension Nozzle and Dual Directional Mist Nozzle prior to filling the water tank.



5 Attach Ceramic filter (included) to the Tank Cap by aligning the lock tabs on both and turning the cap counterclockwise to lock. When attached properly the Filter will not fall from the Tank Cap.



2 Lift the handle on top of the Water Tank to remove the Humidifier from the base.



6 Replace the Tank Cap by firmly turning clockwise until tight. Turn the Water Tank upright and check the Tank Cap for leaks. If any water drips, remove the Tank Cap and retighten. **Do not place Water Tank on the Humidifier Base if the cap is leaking.**



3 Make sure the handle is snapped back into place, then turn the Water Tank upside down and remove the Tank Cap by turning it counter clockwise.



7 Lift the handle up and replace on the Humidifier Base, make sure to follow the shape of the Water Tank and the Humidifier Base (as shown to the left) so that the tank sits level and flush to the base. Ensure the tank is firmly seated.



4 Fill the Water Tank with clean, cool tap water. **Do not use extremely cold water, since it may temporarily reduce the mist output. Never fill with hot/warm water or add additives as this could damage the unit and void the warranty.**



8 Attach the Dual Directional Mist Nozzle or Extension Mist Nozzle together to the top of the Humidifier Tank for desired use as pictured.



Operating Instructions

NOTE: Do not operate the humidifier without water in the tank.



ON/OFF – Plug in to a standard (120V AC) electrical outlet. The LED Display will turn on for 2 seconds then turn OFF. Press the ON/OFF button once and the “Operating” indicator will turn on. Mist may not appear immediately; allow up to 15 minutes for the water in the tank to transfer to the base.



Delay Start – The Delay Start Feature allows you to program the unit to turn ON Automatically. Press the “Delay Start” button once; you will see “Delay Start” 01:00H illuminated on the display. This feature works in one hour increments and is programmable up to 24 hours. Simply keep pressing the Delay Start button until you get to your desired delay start time, once you have reached the time the display will flash three times and then will start to countdown until the unit turns ON.



Auto-Off – The Auto-Off feature allows you to program the unit to turn OFF automatically. Press the “Auto-Off” button once; you will see “Auto-Off” 01:00H illuminated on the display. This feature works in one hour increments and is programmable up to 24 hours. Simply keep pressing the Auto-Off button until you get to your desired Auto-Off time, once you have reached the time the display will flash three times and then start to count down until the unit turns OFF. The display will start alternating between the current ambient humidity and the Auto-off Timer. **NOTE:** You can use the Delay Start and Auto-Off functions together on this fully programmable LED Display to program the Humidifier to turn ON and turn OFF at your desired times.



Mist Output – When you turn the unit ON, it will default to the lowest mist setting. Pressing the “Mist” button will increase the output. Press once for Medium, twice for High, three times for Supreme, four times for the Turbo Setting. Pressing the Mist button a fifth time will bring the unit back to Low. **NOTE: Turbo setting is intended for those wanting a more powerful mist and works best while the Extension Nozzle is being used. The Turbo setting will operate for 40 minutes and will then go to the Supreme Mist Setting. User must wait 20 minutes before Turbo setting can be used again.**



Humidistat – By using this feature the humidifier will automatically control the humidity level according to your desired setting. If the set humidity is reached the unit will turn OFF; if the humidity drops below the setting the unit will turn ON automatically. To set this feature press the “Humidistat” button to your desired setting. Settings range from 40%-95% RH (Relative Humidity) in 5% RH increments. A 40%-60% Relative Humidity is recommended. Once you set your desired humidity, the number will blink 3 times and then the display will revert back to the relative humidity. To view the set Humidity level, press the Humidistat button once.



LED Dim – To turn OFF the LED Display, press the “LED DIM” button once. Press the “LED DIM”, or any other button on the control panel to turn the display back ON.



LOW Water – When the Tank is out of water the “waterless” indicator will appear in the display, you will hear 3 beeps and the automatic safety shut-off will turn the Ultrasonic Nebulizer & unit OFF.



Extension Nozzle – To convert this unit from a Tabletop unit to Floor unit simply remove the Dual Directional Mist Nozzle from the top of the Water Tank. Place the unit on your desired floor area and insert the Extension Nozzle into the Top of the Water Tank. Then place the Dual Directional Nozzle on the top of the Extension Nozzle. **NOTE:** Be sure have the unit unplugged and turned off when changing the Nozzles



Remote Control – Be sure to remove the clear pull tab before using the remote.

The functions on the remote control mirror those on the Humidifier. When using the remote control, you can control the Humidifier from your desired location.

Weekly Cleaning & Care

CAUTION: Before cleaning always turn power off and unplug the unit from outlet.


DO NOT use any solvents or aggressive cleaning agents. Keep water away from the Air Outlet. **DO NOT** tamper with the Water Sensor.

About White Dust - Use of high-mineral content water may cause a white mineral residue to accumulate on room surfaces near the humidifier. The mineral residue is commonly called “white dust”. The higher the mineral content (the harder your water is), the greater the potential for white dust. The white dust is not caused by a defect in the humidifier, but is due only to minerals suspended in the water. If you have hard tap water we recommend using only filtered, distilled, cold boiled or bottled water to minimize the white dust residue.


Tank Cleaning - Remove the Mist Nozzle from the top of the water tank then remove the water tank from the unit. Turn the tank upside down, unscrew the tank cap and drain any water from the tank. Wipe the tank with a soft damp cloth then rinse it with warm water inside and out.

Base Cleaning - Gently wipe the base with a soft damp cloth, do not immerse the Base in water. Never scrape the Ultrasonic Nebulizer with a hard or sharp object.

White Dust Cleaning - If mineral deposits “White Dust” are evident around the Ultrasonic Nebulizer and Water Sensor, clean these surfaces with a soft, cloth and a small amount of undiluted white vinegar. If necessary, mix a solution of 50% white vinegar and 50% water and fill the Base with enough solution to cover the Ultrasonic Nebulizer (a). Allow it to soak for an hour and then use the provided brush to gently loosen buildup on the Ultrasonic Nebulizer (b). Rinse out the Base with clean water and wipe clean with a soft cloth.




Ceramic Water Filter Cleaning - Remove the Water Tank from the Humidifier Base. Remove the Tank Cap (c) and rinse Water Filter thoroughly with tap water, then replace on Water Tank (d).



Surface Cleaning - Clean all surfaces of the unit with a clean damp soft cloth.

CAUTION: When emptying the water reservoir on the base, make sure that the water is poured away from the air outlet (e). If water is poured into the outlet it may damage the humidifier.

Replacing The Remote Control Battery - Push the tab to the left of the battery tray towards the right to unlock the tray. (f) While the the tab is pushed, pull out the battery tray. (g) Remove the battery from the tray and replace it with a new 3.5 volt lithium battery (CR2025) with the positive side facing up. (h) Insert the tray back into the bottom of the remote control until it locks in. (i)



1. Follow all cleaning instructions prior to storage.
2. Dry all parts, including the inside of the Water Tank. Never leave water inside the tank for several days.
3. Leave the tank cap partially loosened to prolong the life of the cap.
4. Preferably store in its original box, in a dry place away from high temperatures.
5. Follow all cleaning instructions after long periods of storage.

Storage

Troubleshooting



PROBLEM: Power Light is OFF

POSSIBLE CAUSES

- a. Unit is not plugged in
- b. No power at outlet

POSSIBLE SOLUTIONS

- a. Plug in power cable
- b. Check circuits, fuses, try a different outlet
- c. Press the POWER button to turn the power on.

PROBLEM: Weak or No mist output

POSSIBLE CAUSES

- a. No water in tank
- b. Unit is not leveled
- c. White Dust on Ultrasonic Nebulizer and/or Water Sensor
- d. Blower not operating
- e. Water temperature too low
- f. Ultrasonic Nebulizer not operating

POSSIBLE SOLUTIONS

- a. Fill tank with water and wait 10 – 15 minutes
- b. Place unit on level surface.
- c. Clean Humidifier per instructions.
- d. Ensure water in Base is adequate to immerse the Water Sensor.
- e. Set output to High and wait for 10 – 15 minutes.
- f. See Warranty

PROBLEM: Peculiar Odor

POSSIBLE CAUSES

- a. If new unit
- b. Dirty Water Tank or old water in tank
- c. Minerals in well water or hard water

POSSIBLE SOLUTIONS

- a. Rinse Water Tank and Base and let air dry
- b. Empty old water and clean Water Tank per instructions.
- c. Use filtered, distilled, cold boiled or bottled water

PROBLEM: White Dust on unit or nearby furniture

POSSIBLE CAUSE

- a. Hard water used

POSSIBLE SOLUTION

- a. Use filtered, distilled, cold boiled or bottled water

PROBLEM: Condensation forms around humidifier or windows

POSSIBLE CAUSES

- a. Mist output is set too high for room size
- b. Direction of mist nozzle

POSSIBLE SOLUTIONS

- a. Decrease mist output
- b. Change direction of mist nozzle

PROBLEM: Water is leaking

POSSIBLE CAUSES

- a. Tank cap not properly attached
- b. Water tank not properly attached
- c. Unit is not on level surface

POSSIBLE SOLUTIONS

- a. Follow item #4 on “filling the water tank”
- b. Follow item #6 on “filling the water tank”
- c. Place on level surface

PROBLEM: Remote control does not work

POSSIBLE CAUSES

- a. Battery may be low or needs to be replaced

POSSIBLE SOLUTION

- a. Replace battery



Try These Other Great Products For Your **Life!**



Available at: www.qvc.com & www.forlifeproducts.com



Ultrasonic Humidifiers

Air Purifiers



INTERCHANGEABLE PURSE ORGANIZER



Rejuvenate®

Make it NEW Again!



1 YEAR WARRANTY - MH-701B



Air Innovations® Clean Mist™ Smart Humidifier™ Tabletop & Floor Standing With Remote Control comes with a 1-year manufacturer's warranty. If this unit should become defective within 1-year from the date of purchase, or if you have any questions or comments or regarding replacements for any of our products, please contact us directly at:

Call us toll free at: 877-959-1234
Monday thru Friday 8:30 AM to 5:00 PM EST.
Visit us on the web at: www.GreatInnovations.tv
e-mail us: info@greatinnovations.tv

Or write us:

Great Innovations, Inc.
Att: Quality Assurance Dept.
2301 SW 145th Ave.
Miramar, FL. 33027 USA

Please fill out the warranty card and
mail back to the above address.
Or, register your warranty online today.

Simply go to:
<http://www.greatinnovations.tv/warranty.php>

NAME _____
ADDRESS _____
CITY _____
STATE _____ ZIP _____
TELEPHONE _____
E-MAIL _____
DATE OF PURCHASE _____
PLACE OF PURCHASE _____

Please check here if you would not like to receive any solicitations from our company

THIS UNIT COMES WITH A ONE YEAR WARRANTY SUBJECT TO THE FOLLOWING CONDITIONS:
In the first year, all repairs will be performed free of charge or the unit will be replaced. This warranty is not transferable, it is valid only for the original purchaser. This warranty will be voided if the unit is subjected to unauthorized repair or impact damage. If you have any questions please call toll free: 877-959-1234



Air
INNOVATIONS®



Available In A Variety Of Colors



Air Innovations® ©2013 Great Innovations, Inc. All Rights Reserved. US & International Patents Pending.