



520W CYLINDER FAN 12 INCH VENTILATION BLOWER 5M

MOTOR SPEED: 2800R/MIN

AIR FLOW: 3900M³/H

12" Utility Blower w/ 16 ft PVC Ducting

This 12" / 300 mm utility blower extractor fan is used for intake or exhaust, depending on which end the hose is connected to (intake or outtake). 2295 CFM / 3900 m³/h large air volume, 3300 r/min motor speed, and a 16 ft / 5 m flexible PVC ducting can provide high working efficiency and directional airflow to limited access areas. It is the ideal ventilation fan for factories, basements, shipyards, farms, grain storage, warehouse, kitchen, office, workshops, tobacco, tunnel, automobile manufacturing, and more places requiring ventilation.

- 12 Inch Utility Blower Extractor Fan
- 520W Pure Copper Motor
- 2295 CFM Large Air Flow
- 16 FT Flexible PVC Ducting
- Sturdy & Humanized Design

VEVOR®

Tough Equipment & Tools, Pay Less

VEVOR is a leading brand that specializes in equipment and tools. Along with thousands of motivated employees, VEVOR is dedicated to providing our customers with tough equipment & tools at incredibly low prices. Today, VEVOR has occupied markets of more than 200 countries with 10 million plus global members.

Why Choose VEVOR?

- Premium Tough Quality
- Incredibly Low Prices
- Fast & Secure Delivery
- 30-Day Free Returns
- 24/7 Attentive Service



PURE COPPER MOTOR



Pure Copper Motor

Utility blower fan features 520W pure copper motor with 3300 RPM high speed fit long time ventilation work, low noise 71 dB(A). Impedance-protected motors contain windings that have a higher resistance to heat during a rotor lock.

ALUMINUM ALLOY BLADES



Powerful Blades

Fan Diameter: 12 inch/300 mm. Air Flow: 3900 m³/h. Low noise, less vibration.

HEAVY DUTY STEEL CONSTRUCTION



Heavy Duty Steel Construction

This portable exhaust fan is designed with a high-quality steel shell, which can resist rust, compression, vibration, and deformation. As a result, a slight drop or impact will not affect the internal parts. In addition, two high-density covers prevent small animals from flying into the machine.

FLEXIBLE PVC DUCTING INCLUDED



Flexible PVC Ducting Included

Duct hosing applies 0.012 inch / 0.3 mm thickness vinyl weaved polyester for heat resistance and flame retardancy. D-shaped rings are designed for hanging the PVC flexible duct smoothly. Thick ropes are able to be adjusted to fit the duct's mouth size and ensure a good sealing environment.

PORTABLE HANDLE & RUBBER FEET



Portable Handle & Rubber Feet


The industrial extractor fan is humanized designed with an easy-carry handle that is practical and convenient to use, storage, move, and transport. Rubber feet on base help minimize noise, reduce vibrations, and stand stably for a long time. And the lightweight for a fast and easy installation.

WIDE RANGE OF APPLICATIONS



Wide Range of Applications

This ventilator fume extractor with flexible PVC ducting is designed for ventilation applications in factories, warehouses, kitchens, offices, workshops, laboratories, hotels, wine cellars, sports halls, automobile manufacturing, automobile repair shops, logistics, kilns, tile factories, steel mills, mines, plastic machinery, paper mills, etc.



Specifications

- Color: Orange
- Power: 520W
- Voltage: 110V
- Frequency: 60 Hz
- Material: Steel
- Motor Speed: 3300 RPM
- Air Flow: 2295 CFM / 3900 m³/h
- Fan Diameter: 12 inch / 300 mm
- Duct: Flexible PVC Ducting
- Duct Expands Length: 16 ft / 5 m
- Duct Thickness: 0.012 inch / 0.3 mm
- Duct Diameter: 12 inch / 300 mm
- Axial Fan Bearing Type: Ball Bearing
- Noise: 71 dB(A)
- Static Pressure: 373 pa
- Current: 4.622A
- Fan Dimensions(L x W x H): 15 x 14 x 16 inch / 381 x 356 x 406 mm
- Net Weight: 27.56 lbs / 12.5 kg



Package Content

- 1 x 12" / 300 mm Utility Blower
- 1 x 16 ft / 5 m PVC Ducting
- 1 x 7.9 ft / 2 m Electric Wire Cable
- 1 x User Manual