Safety Data Sheet

SABRE Red Civilian

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910. 1200(g). Standard must be reviewed for specific requirements.

Quick Identifier 2.1.2021

THIS PRODUCT IS EXEMPT FROM THE GLOBAL HARMONIZED STANDARD (GHS) 29CFR §1910.1200(b)(5)

a in the eyes, nose and mouth	n of a person threatening your personal			
a in the eyes, nose and mouth	n of a person threatening your personal			
a in the eyes, nose and mouth	n of a person threatening your personal			
a in the eyes, nose and mouth	n of a person threatening your personal			
a in the eyes, nose and mouth	n of a person threatening your personal			
PEN-14-OC; SRTB-01,-03; SRTBR-01; M-60L-OC; M-120L-OC; M-120FT-OC; FHP-01, BG-M-60L-NH, BG-M-120L-NH-OC, BG-M-120FT-NH-OC; LS-22-US; SST-01-BK-US,-PK-US; SF-01-BK-US,-RD-US,-PR-US; SF-R-01-US, SFZ-01-US, SF-NBCF-01; SRTB-01; SRTBR-01; F15-PROC; F15-BKOC-02,F15-MTOC-02; MD-BK-02, MD-MT-02; F15-LGOC-02; F15-PROC-02				
Emergency Phone:	800-325-9568			
Other Calls:	636-343-0200			
Fax Number:	636-343-1318			
Tel.: +1-800-535-5053				
Tel.: +1-352-323-3500	Fax: +1-352-323-0050			
3	Emergency Phone: Other Calls: Fax Number: Tel.: +1-800-535-5053			

SECTION 2 - HAZARD IDENTIFICATION

Classification of the substance or mixture

GHS Label Elements, including precautionary statements

Hazard Code	Hazard Statement	Hazard Class	Category	Pictogram	Signal Word	
H280	Contains gas under pressure; may explode if heated	Gases Under Pressure	Compresse d Gas		Warning	
H315	Causes skin irritation	Skin corrosion / irritation	2	<u>(1)</u>	Warning	
H319	Causes serious eye irritation	Serious eye damage / eye irritation	2A	(!)	Warning	
H335	May cause respiratory irritation	Specific target organ toxicity. Single exposure; Respiratory tract irritation	3	(Warning	
Precautionary Statement(s)						
P102	Keep out of reach of children					
P210	Keep away from heat / sparks / open flame / hot surfaces - NO SMOKING					
P251	Pressurized container: Do NOT pierce or burn even after use					
P302 + P352	IF ON SKIN: Wash with plenty of soap and water					
D205 + D254 + D229	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and					
P305 + P351 + P338	easy to do. Continue to rinse.					
P337 + P313	IF EYE IRRITATION PERSISTS: Get medical advice / attention					
P410	Protect from sunlight					
P412	Do NOT expose to temperatures exceeding 50°C / 122°F					

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS					
Hazardous Component(s) (chemical & common name(s)	Content(s)	OSHA TWA	ACGIH TLV	Carcinogen (Yes / No)	
Oleoresin Capsicum (OC or Red Pepper) CAS# 8023-77-6	10%	N/A	N/A	No	
Diethylene Glycol Monobutyl Ether CAS# 112-34-5	60%	N/A	10 ppm	No	
Propylene Glycol CAS# 57-55-6	29%	N/A	N/A	No	
HFC-134A CAS #811-97-2	1%	1000 ppm	N/A	No	
*10% @ 1.33% Major Capsaicinoids					

Major Capsaicinoids are determined via A.O.A.C. Method 995.03. ** Other ingredients are trade secrets as defined in Hazard Communications ACT 29 CFR 1910.1200(g) Para 1 (1) end Appendix D to CFR 1910.1200(g).

Page 1 of 4

						Made in the l
SECTION 4 - FIR	ST AID MEA	SURES				
Emergency & First Aid	l Procedures:	Remove victim from contaminated area and remove contaminated clothing. Provide fresh a irrigate with copious amounts of cool water. Obtain medical advice is symptoms persist.				
		1. Inhalation	Remove from contamina difficult, administer oxyg immediate medical atter	ated area immediate. Provien. If the victim is not breation.	ide fresh air. If bathing, administe	reathing is r CPR. Seek
Routes of Entry		2. Eyes	Only exposed subject or EMS should remove subject's contact lenses. cool water for at least 15 minutes, or until relieved. Seek medical attempersists.			
		3. Skin	Flush with cool water fo medical attention if irrita	r at least 15 minutes. Wash tion persists.	n with mild soap	and water. Seek
		4. Ingestion	with water. Ingest milk of immediately. If victim is ensure the victim's airwa	ITING. If victim is conscious or water. Call 800-535-505 convulsing or unconscious ay is open and lay the victin IMEDIATELY transport the	53 or obtain medi s, do not give any n on his/her side	ical advice thing by mouth, with the head
SECTION 5 - FIR	E-FIGHTING	MEASURI	ES			
Flammability Classificat				USE with Electronic Immob	ilization Device	
Flash Point:	> 106° C (228	в° F)		n Temperature: > 228° C (44		
Extinguishing Media:			n Dioxide, Dry Chemical or V			
Special Fire Fighting Pro			or or self-contained breathin			
Jnusual Fire and Explos	sion Hazards:	Smoke would	be irritating to eyes and muc	cous membranes. Containers	may burst in the h	eat of a fire.
SECTION 6 - ACC						
Steps to follow if mate	erial is spilled			al. With large spills, use resp	iratory equipment,	to avoid irritation,
or released:			sorbent materials.			
f inside:		Ventilate area and after absorbent process, wash area with soap and cold water				
lf outside: Waste Disposal Meth	od.	Stay upwind Dispose of in	accordance with current	laws and regulations.		
SECTION 7 - HAN						
			n a cool, dry area. Avoid dir	ect light and heat.		
Precautions to be taken storage:	in nandling &	DO NOT expose to temperatures over 120° F / 50° C.				
			ture or incinerate container.			
Other Precautions:	2001105 00		in a secure place to prevent			
SECTION 8 - EXP	POSURE CO		ND PERSONAL PRO			
Respiratory Protection: Not normally required in well-ventilated areas, however, NIOSH appro may be required when the material is used in confined areas. Avoid o in enclosed areas.						
Ventilation:		Yes				
Protective Gloves:		Suggested (not required)		-	-
Eye Protection:				aining environment is accep	otable.	
Other Protective Clothi	ing/Equipment:	Not required		- '		
Work/Hygienic Praction	ces:	Avoid absorp	otion of product on clothin	g. If absorbed in clothing,	remove and was	h clothes at once
		Do not eat, drink, or smoke while handling product. Provide ventilation if working in confined areas.				
SECTION 9 - PHY						
Appearance & Odor:		in color. Odd		Physical State:	Aerosol	
Boiling Point:	230° C (446'		Pangoni	Specific Gravity (H20 =	~0.95 @ 20° C	
Solubility in Water:	Soluble	• /		Vapor Pressure:	~0.93 @ 20 C	•
•		ID DE ACT	//T//	vapoi riessuie.	100 F31	
SECTION 10 - ST	Unstable	ID KEACTI	Conditions To Avoid	Incompatibility (Materials T	o Avoid)	N/A
Stability	Stable	Х	Conditions 10 Avoid	Incompatibility (Materials To	J AVOIU)	IN/A
Hazardous	May Occur					
Polymerization:	Will Not Occur	Y	Conditions To Avoid	Hazardous Decomposition	Products:	N/A

Hazardous Decomposition Products:

N/A

Conditions To Avoid

Polymerization:

Will Not Occur

Χ

SECTION 11 - TOXICOLOGICAL INFORMATION

Standard Draize Test: Skin, rabbit, 500 mgSeverity:Slightly IrritatingStandard Draize Test: Eye, rabbit, 100 mgSeverity:Mildly IrritatingACUTE INHALATION LC50 (rat):> 100.5 mg/L

SECTION 12 - ECOLOGICAL INFORMATION

This product has not been tested for environmental effects.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Methods: Consult Federal, State, and Local Regulations

Evacuate contents in a safe area, & dispose of container.

SECTION 14 - TRANSPORT INFORMATION

DOT HM-181 INFORMATION

	GROUND	<u>AIR</u>	
Proper Shipping Name:	LTD. QTY.	Aerosols, non-flammable	
Hazard Class or Division:	none	2.2	
Identification Number:	none	UN1950	
Packaging Group:	none	none	
Label(s) Required:	none	2.2 LTD. QTY.	

INTERNATIONAL TRANSPORTATION REGULATIONS

Regulations vary from country to country. Check regulations for your country.

GROUND OCEAN Proper Shipping Name: Aerosols, non-flammable Aerosols, non-flammable LTD. QTY. **Hazard Class or Division:** none 2.2 2.2 UN1950 UN1950 **Identification Number:** none **Packaging Group:** none none none Label(s) Required: 2.2 LTD. QTY. 2.2 LTD. QTY. none

SECTION 15 - REGULATORY INFORMATION

GHS within the EU: The new classification & labelling system according to CLP regulation (EC) No 1272/2008

Health hazard symbol:

Signal Word: WARNING

Exclamation Mark Skin & Eye Irritation, Category 2

H-Codes

H315: Causes skin irritation

H319: Causes serious eye irritation

H229: Pressurized container: may burst if heated

H335: May cause respiratory irritation

P-Codes

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P251: Do not pierce or burn, even after use.

P302+P352: IF ON SKIN: Wash with plenty of water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. continue

insing.

P337+P313: If eye irritation persists get medical advice/attention.

P410: Protect from sunlight.

P412: Do not expose to temperatures exceeding 50 °C/122 °F.

TOXIC SUBSTANCES CONTROL ACT:

This product is in compliance with the U.S. Toxic Substances Control Act (TSCA) inventory requirements.

SARA TITLE III, SECTION 313:	CAS# 112-34-5		
CLEAN AIR ACT (CAA):	Not Listed		
CLEAN WATER ACT (CWA):	Not Listed		
CALIFORNIA PROPOSITION 65:	Not Listed		
MASSACHUSETTS RIGHT TO KNOW:	Not Listed		
PENNSYLVANIA RIGHT TO KNOW:	CAS# 112-34-5	57-55-6	
NEW JERSEY RIGHT TO KNOW:	CAS# 112-34-5	57-55-6	
CANADIAN WORKPLACE HAZARDOUS MATER	Not Listed		

SECTION 16 - OTHER INFORMATION

Format and Preparation Complies with ANSI Z400.1-1993

DISCLAIMER: This brief provides a general overview of the safety data sheet requirements in the Hazard Communication Standard (see 29 CFR 1910.1200(g) and Appendix D of 29 CFR 1910.1200). It does not alter or determine compliance responsibilities in the standard or the Occupational Safety and Health Act of 1970. Since interpretations and enforcement policy may change over time, the reader should consult current OSHA interpretations and decisions by the Occupational Safety and Health Review Commission and the courts for additional guidance on OSHA compliance requirements. Please note that states with OSHA-approved state plans may have additional requirements for chemical safety data sheets, outside of those outlined above. For more information on those standards, please visit: http://www.osha.gov/dcsp/osp/statestandards.html.