

LINE LOGIC GUIDE

LAUNDRY



Your guide to the LG laundry
product assortment as of
March 2024





LINE LOGIC CHARTS

WASHTOWER™

WASHTOWER™

FRONT LOAD

TOP LOAD

COMPACT

ALL-IN-ONE

LG STYLER®

WashTower™ with Center Control™

LG Key Innovations

Benefit	Feature	  	 	  	 
Size & Capacity	Washer / Dryer Capacity (cu. ft.)	5.0 / 7.4	5.0 / 7.4	4.5 / 7.4	4.5 / 7.4
Reliability & Durability	ThinQ Care	•	•	•	•
	Drum Type (Washer & Dryer)	Stainless Steel (Washer & Dryer)	Stainless Steel (Washer & Dryer)	Stainless Steel (Washer & Dryer)	Stainless Steel & Alum Alloy Steel
Performance	AAFA Certified (Washer)	•	•	•	•
	TurboSteam® (Dryer)	•	•	•	
	Washer / Dryer Programs	26 / 25	26 / 25	6 / 6	6 / 6
	TurboWash®360°	•	•	•	
Convenience	ezDispense™	•	•		
	Drum Light (Washer & Dryer)	On / Off	•	On / Off	•
	Door / Rim Style	Large Circle / Chrome Rim	Large Circle / Chrome Rim	Large Circle / Chrome Rim	Large Circle / Shiny Rose Gold Rim
	ThinQ® Smart WiFi Enabled	with AI DD® 2.0 & ThinQ UP	with AI DD® 2.0 & ThinQ UP	with AI DD®	with AI DD®
	AI Fabric Sensors, Smart Learner™ and Smart Pairing™	•	•	•	•
Product Dimensions	Width* x Height x Depth (Inches)	27 x 74 3/8 x 32 5/8	27 x 74 3/8 x 32 5/8	27 x 74 3/8 x 30 3/8	27 x 74 3/8 x 30 3/8
	Depth w/Door Open 90° (Inches)	57 3/8	57 3/8"	55	55
Required Cutout Dimensions	Width x Height x Depth (Inches)	29 x 75 3/8 x 36 5/8	29 x 75 3/8 x 36 5/8	29 x 75 3/8 x 34 3/8	29 x 75 3/8 x 34 3/8
Common Features Across Models on This Page	 Tempered Glass Doors  10 Year Warranty  Direct Drive Motor  TrueBalance™  LoDecibel™ Quiet Operation  NeveRust™ Drum  LoadSense  Tub Clean  AI DD™  Smart Diagnosis™  ENERGY STAR Doors are not reversible				

AAFA = The Asthma and Allergy Foundation of America. *For corner application, allow more width. **With recommended air clearances. See measurement guide or <https://lghaguide.com/> for specific needs. †Nature Green has Matte Black Rim

● W – Essence White ▲ N – Noble Steel ● B – Black Steel ● G – Nature Green ● V – Graphite Steel ○ W – White



LINE LOGIC CHARTS

WASHTOWER™

WASHTOWER™

FRONT LOAD

TOP LOAD

COMPACT

ALL-IN-ONE

LG STYLER®

WashTower™ with Center Control™ and Ventless Heat Pump Dryer

LG Key Innovations

Benefit	Feature	WKHC252H_A	WKHC152HWA
Size & Capacity	Washer / Dryer Capacity (cu. ft.)	4.5 / 7.2	2.4 / 4.2
Reliability & Durability	ThinQ Care	•	•
	Drum Type (Washer & Dryer)	Stainless Steel (Washer & Dryer)	Stainless Steel (Washer & Dryer)
Performance	AAFA Certified (Washer)	•	•
	TurboSteam® (Dryer)		
	Washer / Dryer Programs	6 / 6	6 / 6
	TurboWash®360° (Washer)	•	•
Convenience	Ventless HeatPump™ Dryer	Dual Inverter	Dual Inverter
	ezDispense™		
	Drum Light (Washer & Dryer)	•	•
	Door / Rim Style	Large Circle / Chrome Rim	Large Circle / Matte Black Rim
	ThinQ® Smart WiFi Enabled	with AI DD® & ThinQ UP	with AI DD® & ThinQ UP
	AI Fabric Sensors, Smart Learner™ and Smart Pairing™	•	•
Product Dimensions	Width* x Height x Depth (Inches)	27 x 74 3/8 x 32 3/4	24 x 65 1/4 x 26
	Depth w/Door Open 90° (Inches)	57 1/2	46 1/2"
Required Cutout Dimensions	Width x Height x Depth (Inches)	29 x 75 3/8 x 36 3/8	26 x 66 1/8 x 30

Common Features Across Models on This Page



Doors are
not reversible

AAFA = The Asthma and Allergy Foundation of America. *For corner application, allow more width. **With recommended air clearances. See measurement guide or <https://lghaguide.com/> for specific needs. †Nature Green has Matte Black Rim

○ W – Essence White ▲ N – Noble Steel ● B – Black Steel ● G – Nature Green ● V – Graphite Steel ○ W – White

WASHTOWER™

FRONT LOAD

TOP LOAD

COMPACT

ALL-IN-ONE

LG STYLER®

WashTower™ Accessories

WashTower™ Accessories		Electric Gas	LG STUDIO	WKEX300HBA WKGX301HBA	WKEX200H_A WKGX201H_A	WKE100H_A WKG101H_A	WKHC252H_A	WKHC152HWA
			SWWE50N3 / SWWE50W4 SWWG50N3 / SWWG50W4					
Optional Accessories	Optional Pedestal		Not Applicable	Not Applicable				
	Optional LG SideKick™		Not Applicable	Not Applicable				
	Optional Stacking Kit		Not Required	Not Required				
	Optional Drying Rack		Included	3750EL1001A* TBD				
Installation Accessories	Hot & Cold Water Hoses		Purchase Separately	Purchase Separately				
	Steam Dryer Hoses		Purchase Separately	Purchase Separately	Not Applicable			
	Dryer Cord (Electric Models Only)		Purchase Separately	Purchase Separately				
	Dryer Gas Connector Kit (Gas Models Only)		Purchase Separately	Purchase Separately			Not Applicable	
	LP Conversion Kit		383EEL3002D	383EEL3002D			Not Applicable	
	Side / Bottom Vent Kit		3911EZ9131X* ** (Interchangeable with 383EEL9001B)	3911EZ9131X* ** (Interchangeable with 383EEL9001B)			Not Applicable, No Venting Required	

For details on comparison, see pocket guide <https://lghaguide.com/> *Order through LG Parts & Accessories.
 **For corner application, allow more width. See measurement guide or <https://lghaguide.com/> for specific needs. †Nature Green has Matte Black Rim

○ W – Essence White ▲ N – Noble Steel ● B – Black Steel ● G – Nature Green ● V – Graphite Steel ○ W – White



LINE LOGIC CHARTS

FRONT LOAD LAUNDRY

WASHTOWER™

FRONT LOAD

TOP LOAD

COMPACT

ALL-IN-ONE

LG STYLER®

Front Load Washers

LG Key Innovations

		WM8900HBA	WM6700HBA	WM6500H_A	WM5700HVA	WM5500H_A	WM4200H_A	WM4000H_A	WM3470C_	WM3400CW
				 		 	 	 	 	
										
Benefit	Feature									
Size & Capacity	Washer Capacity (cu. ft.)	5.2	5.0	5.0	4.5	4.5	5.0	4.5	5.0	4.5
	ThinQ Care	•	•	•	•	•	•	•		
	Drum Type	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Reliability & Durability	Tempered Glass Door	•	•	•	•	•	•	•		
	AAFA Certified	•	•	•	•	•	•	•		
	Steam	•	•	•	•	•	•	•		
Performance	Programs / Options	12 / 13	25 / 18	25 / 15	25 / 18	25 / 15	14 / 14	12 / 14	8 / 8	8 / 6
	TurboWash®	•	360	360	360	360	360	360		
	ezDispense™		•		•					
Convenience	Drum Light	•	•	•	•	•				
	Door / Rim Style	Square Tinted / Chrome Rim	Round Tinted / Chrome Rim	Round Tinted / Rose Gold Rim	Round Tinted / STS Rim	Round Tinted / STS Rim	Round Tinted / Chrome Rim	Round Tinted / Rose Gold Rim	Round / White (W) or Silver (B) Rim	Round / White Rim
	ThinQ® Smart WiFi Enabled	with AI DD®	with AI DD® 2.0 & ThinQ UP	with AI DD® & ThinQ UP	with AI DD® 2.0 & ThinQ UP	with AI DD® & ThinQ UP	with AI	with AI DD®		
Product Dimensions	AI Fabric Sensors, Smart Learner™ and Smart Pairing™	•	•	•	•	•	•	•		
	Width (Inches)*	29	27	27	27	27	27	27	27	27
	Height (Inches)	40 3/4	39	39	39	39	39	39	39	39
	Depth (Inches)	33	33 1/8	33 1/8	30 1/4	30 1/4	33 1/4	30 1/4	33 1/8	30 1/4
Common Features Across Models on This Page	Depth w/Door Open 90° (Inches)	57 1/2	57 3/4	57 3/4	55	55	55	55	57 3/4	55
	10 Year Warranty									
	Most Efficient 2024									

AAFA = The Asthma and Allergy Foundation of America. For details on comparison, see pocket guide <https://lghaguide.com/>*For corner application, allow more width. See measurement guide or <https://lghaguide.com/> for specific needs.

● B - Black Steel ■ B - Matte Black ● M - Middle Black ● M - Monochrome Grey ● V - Graphite Steel □ W - Alpine White ○ W - White



LINE LOGIC CHARTS

FRONT LOAD LAUNDRY

WASHTOWER™

FRONT LOAD

TOP LOAD

COMPACT

ALL-IN-ONE

LG STYLER®

Front Load Dryers

Electric
Gas

DLEX8900B
DLGX8901B

DLEX6700B
DLGX6701B

DLEX6500_
DLGX6501_

DLEX5500_
DLGX5501_

DLHC5502_

DLEX4200_
DLGX4201_

DLEX4000_
DLGX4001_

DLE3470_
DLG3471_

DLE3400W
DLG3401W

LG Key Innovations

Benefit	Feature									
Size & Capacity	Dryer Capacity (cu. ft.)	9.0	7.4	7.4	7.4	7.8	7.4	7.4	7.4	7.4
Reliability & Durability	ThinQ Care	•	•	•	•	•	•	•		
	Drum Type	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Alum Alloy Steel	Alum Alloy Steel	Alum Alloy Steel	Alum Alloy Steel
	Tempered Glass Door	•	•	•	•	•	•	•		
Performance	Steam	TurboSteam®	TurboSteam®	TurboSteam®	TurboSteam®		TurboSteam®	TurboSteam®		
	Programs / Options	12 / 12	23 / 12	23 / 12	23 / 12	23 / 11	14 / 12	12 / 12	8 / 7	8 / 7
Convenience	Ventless HeatPump™ Dryer					Dual Inverter				
	Reversible Dryer Door	•	•	•	•		•	•	•	•
	Drum Light	•	•	•	•	•	•	•		
	Door / Rim Style	Square Tinted / Chrome Rim	Round Tinted / Chrome Rim	Round Tinted / Rose Gold Rim	Round Tinted / STS Rim	Round Tinted / STS Rim	Round Tinted / Chrome Rim	Round Tinted / Rose Gold Rim	Round / White (W) or Silver (B) Rim	Round / White Rim
	ThinQ® Smart WiFi Enabled	with AI	with AI & ThinQ UP	with AI & ThinQ UP	with AI & ThinQ UP	with AI & ThinQ UP	with AI	with AI		
Product Dimensions	Width (Inches)*	29	27	27	27	27	27	27	27	27
	Height (Inches)	40 3/4	39	39	39	39	39	39	39	39
	Depth (Inches)	32 1/8	29 3/4	29 3/4	29 3/4	32 1/4	30 1/8	30 1/8	30 1/8	30 1/8
	Depth w/Door Open 90° (Inches)	59	51 3/8	51 3/8	51 3/8	52 3/4	51 3/8	51 3/8	51 3/8	51 3/8
	Wall Gap (Vent) Clearance (Inches)**	5	5	5	5	5	5	5	5	5

Common
Features
Across Models
on This Page



For details on comparison, see pocket guide <https://lghaguide.com/> *For corner application, allow more width.
See measurement guide or <https://lghaguide.com/> for specific needs. **For side or bottom venting, 2" wall gap spacing is allowed.

● B – Black Steel ■ B – Matte Black ● M – Middle Black ● M – Monochrome Grey ● V – Graphite Steel □ W – Alpine White ○ W – White



LINE LOGIC CHARTS

FRONT LOAD LAUNDRY

WASHTOWER™

FRONT LOAD

TOP LOAD

COMPACT

ALL-IN-ONE

LG STYLER®

Front Load Pairs and Accessories

Washer Electric Dryer Gas Dryer		29" Wide Front-Load Laundry	27" Wide Front-Load Laundry								
		WM8900HBA DLEX8900B DLGX8901B	WM6700HBA DLEX6700B DLGX6701B	WM6500H_A DLEX6500_ DLGX6501_	WM5700HVA DLEX5500_ DLGX5501	WM5500H_A DLEX5500_ DLGX5501	WM5500H_A DLHC5502_	WM4200H_A DLEX4200_ DLGX4201_	WM4000H_A DLEX4000_ DLGX4001_	WM3470C_ DLE3470_ DLG3471_	WM3400CW DLE3400W DLG3401W
				 		 	 	 	 	 	
											
Optional Accessories	Optional Pedestal	WDP5B	WDP6B	WDP6_							WDP6W
	Optional ADA Pedestal	—	WDPS2B	WDPS2_							WDPS2W
	Optional LG SideKick™	WD200CB	WD300CB	WD300C_	WD300CW			WD300C_			WD300CW
	Optional Stacking Kit	KSTK2	KSTK4				HSTK1B	KSTK4			
	Optional Drying Rack	MGR62082001*	3750EL1001A*							3750EL1001D*	
Installation Accessories	Hot & Cold Water Hoses	Purchase Separately	Purchase Separately								
	Steam Dryer Hoses	Purchase Separately	Purchase Separately				Not Applicable	Purchase Separately		Not Applicable	
	Dryer Cord (Electric Models Only)	Purchase Separately	Purchase Separately								
	Dryer Gas Connector Kit (Gas Models Only)	Purchase Separately	Purchase Separately				Not Applicable	Purchase Separately			
	LP Conversion Kit	383EEL3002D	383EEL3002D				Not Applicable	383EEL3002D			
	Side / Bottom Vent Kit	383EEL9001L*	3911EZ9131X* (Interchangeable with 383EEL9001B)				Not Applicable	3911EZ9131X* (Interchangeable with 383EEL9001B)			
Required Cutout Dimensions for Pair	Without Pedestals (WxHxD Inches)	61 x 42 x 38	57 x 40 x 36	57 x 40 x 36	57 x 40 x 36	57 x 40 x 36	57 x 40 x 36	57 x 40 x 36	57 x 40 x 36	57 x 40 x 36	57 x 40 x 36
	With Pedestal or LG SideKick™ (WxHxD Inches)	61 x 56 x 38	57 x 54 x 36	57 x 54 x 36	57 x 54 x 36	57 x 54 x 36	57 x 54 x 36	57 x 54 x 36	57 x 54 x 36	57 x 54 x 36	57 x 54 x 36
	With ADA Pedestal (WxHxD Inches)	—	57 x 45 1/8 x 36	57 x 45 1/8 x 36	57 x 45 1/8 x 36	57 x 45 1/8 x 36	57 x 45 1/8 x 36	57 x 45 1/8 x 36	57 x 45 1/8 x 36	57 x 45 1/8 x 36	57 x 45 1/8 x 36
	Stacked (WxHxD Inches)	33 x 82 x 38	31 x 80 x 36	31 x 80 x 36	31 x 80 x 36	31 x 80 x 36	31 x 80 x 36	31 x 80 x 36	31 x 80 x 36	31 x 80 x 36	31 x 80 x 36
	Wall Gap (Vent) Clearance (Inches)**	5	5	5	5	5	5	5	5	5	5

For details on comparison, see pocket guide <https://lghaguide.com/>
 *Order through LG Parts & Accessories **For side or bottom venting, 2" wall gap spacing is allowed.

● B – Black Steel ■ B – Matte Black ● M – Middle Black ● M – Monochrome Grey ● V – Graphite Steel □ W – Alpine White ○ W – White



LINE LOGIC CHARTS

TOP LOAD LAUNDRY

WASHTOWER™

FRONT LOAD

TOP LOAD

COMPACT

ALL-IN-ONE

LG STYLER®

Top Load Washers

LG Key Innovations

Benefit	Feature	WT8600CB	WT8400C_	WT8405C_	WT7150C_	WT7155CW	WT7000CW	WT7005CW	WT6100CW	WT6105C_
			 	 	 					 
										
										
Size & Capacity	Washer Capacity (cu. ft.)	5.5	5.5	5.3	5.0	4.8	4.5	4.3	4.3	4.1
Reliability & Durability	ThinQ Care	•	•	•						
	Drum Type	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Performance	AAFA Certified									
	Steam									
	Programs / Options	28 / 27	8 / 14	8 / 14	8 / 9	8 / 9	8 / 9	8 / 9	8 / 4	8 / 4
	TurboWash3D™	•	•	•						
	TurboDrum™	•	•	•	•	•	•	•		
	6Motion™ Technology	•	•	4-Way® Agitator	•	4-Way® Agitator	•	4-Way® Agitator	•	4-Way® Agitator
Convenience	ezDispense™	•								
	Water Faucet	•								
	EasyUnload™	•	•	•						
	See-Thru Window	•	•	•	•	•	•	•	•	•
	ThinQ® Smart WiFi Enabled	with AI	with AI	with AI						
	Smart Pairing™	•	•	•						
Product Dimensions	Width (Inches)*	27	27	27	27	27	27	27	27	27
	Height (Inches)	43	43	43	44 1/2	44 1/2	44 1/2	44 1/2	44 1/2	44 1/2
	Height with Lid Open (Inches)	57	57	57	57 1/4	57 1/4	57 1/4	57 1/4	57 1/4	57 1/4
	Depth (Inches)	28 3/8	28 3/8	28 3/8	28 3/8	28 3/8	28 3/8	28 3/8	28 3/8	28 3/8

Common Features Across Models on This Page											†Except WT7005CW, WT6100CW & WT6105C_
	10 Year Warranty	Direct Drive Motor	TrueBalance™	LoDecibel™ Quiet Operation	NeveRust™ Drum	LoadSense	StamProof	Tub Clean	Smart Diagnosis™		

AAFA = The Asthma and Allergy Foundation of America. For details on comparison, see pocket guide <https://lghaguide.com/>*For corner application, allow more width. See measurement guide or <https://lghaguide.com/> for specific needs.

● B – Black Steel ■ B – Matte Black ● M – Middle Black ● M – Monochrome Grey ● V – Graphite Steel □ W – Alpine White ○ W – White



LINE LOGIC CHARTS

TOP LOAD LAUNDRY

WASHTOWER™

FRONT LOAD

TOP LOAD

COMPACT

ALL-IN-ONE

LG STYLER®

Top Load Matching Dryers

Electric
GasDLEX8600BE
DLGX8601BEDLE8400_E
DLG8401_EDLE7150_
DLG7151_DLE7000W
DLG7001WDLE6100_
DLG6101_

B

B W

M W

W

M W

NEW
APRIL
2024NEW
APRIL
2024NEW
MONOCHROME
GREY
2/24

LG Key Innovations

Benefit	Feature					
Size & Capacity	Dryer Capacity (cu. ft.)	7.3	7.3	7.3	7.3	7.3
Reliability & Durability	ThinQ Care	•	•			
	Drum Type	Stainless Steel	Stainless Steel	Alum Alloy Steel	Alum Alloy Steel	Alum Alloy Steel
Performance	Steam	TurboSteam®				
	Programs / Options	24 / 20	8 / 13	8 / 7	8 / 7	5 / 3
Convenience	EasyLoad™ Dryer Door	•	•			
	Reversible Dryer Door	•	•	•	•	•
	See-Thru Window	•	•	•		
	ThinQ® Smart WiFi Enabled	with AI	with AI			
	Smart Pairing™	•	•			
Product Dimensions	Width (Inches)*	27	27	27	27	27
	Height (Inches)	42 3/4	42 3/4	44 1/4	44 1/4	44 1/4
	Depth (Inches)	29 1/4	29 1/4	29 1/2	29 1/2	29 1/2
	Depth with Door Open 90° (Inches)	50 1/2	50 1/2	50 1/4	50 1/4	49 3/4
	Wall Gap (Vent) Clearance (Inches)**	6	6	6	6	6

Common Features
Across Models
on This PageSensor
DrySpeed
Dry Cycle

FlowSense™

Smart
Diagnosis™

● B – Black Steel ■ B – Matte Black ● M – Middle Black ◆ M – Monochrome Grey ● V – Graphite Steel □ W – Alpine White ○ W – White

For details on comparison, see pocket guide <https://lghaguide.com/> *For corner application, allow more width.
See measurement guide or <https://lghaguide.com/> for specific needs. **For side or bottom venting, 2" wall gap spacing is allowed.



LINE LOGIC CHARTS

TOP LOAD LAUNDRY

WASHTOWER™

FRONT LOAD

TOP LOAD

COMPACT

ALL-IN-ONE

LG STYLER®

Top Load Pairs and Accessories

Top Load Pairs and Accessories		Washer Electric Dryer Gas Dryer		WT8600CB DLEX8600BE DLGX8601BE	WT8400C_ or WT8405C_ DLE8400_E DLG8401_E	WT7150C_ or WT7155CW DLE7150_ DLG7151_	WT7000CW or WT7005CW DLE7000W DLG7001W	WT6100CW or WT6105C_ DLE6100_ DLG6101_					
													
													
Optional Accessories	Optional Drying Rack	3750EL001C*											
Installation Accessories	Hot & Cold Water Hoses	Purchase Separately											
	Steam Dryer Hoses	Purchase Separately		Not Applicable									
	Dryer Cord (Electric Models Only)	Purchase Separately											
	Dryer Gas Connector Kit (Gas Models Only)	Purchase Separately											
	LP Conversion Kit	383EEL3002D											
	Side / Bottom Vent Kit	3911EZ9131X* (Interchangeable with 383EEL9001B)											
Required Cutout Dimensions for Pair	Width x Height x Depth (Inches)	57 x 45 x 36											



For details on comparison, see pocket guide <https://lghaguide.com/> For details on comparison, see pocket guide <https://lghaguide.com/>
*Order through LG Parts & Accessories

● B – Black Steel ● B – Matte Black ● M – Middle Black ● M – Monochrome Grey ● V – Graphite Steel □ W – Alpine White ○ W – White



LINE LOGIC CHARTS

COMPACT LAUNDRY

WASHTOWER™

FRONT LOAD

TOP LOAD

COMPACT

ALL-IN-ONE

LG STYLER®

Compact Washers & Dryers

LG Key Innovations

Benefit	Feature	
Size & Capacity	Washer Capacity (cu. ft.)	2.4
	ThinQ Care	•
	Drum Type	Stainless Steel
Reliability & Durability	Tempered Glass Door	
	AAFA Certified	•
	Steam	•
Performance	Programs / Options	14 / 9
	TurboWash®	
Convenience	ezDispense™	
	Drum Light	
	Door Style	Round Black Tinted / Silver Rim
	ThinQ® Smart WiFi Enabled	with AI DD®
	AI Fabric Sensors, Smart Learner™ and Smart Pairing™	•
Product Dimensions	Width (Inches)*	24
	Height (Inches)	33 1/2
	Depth (Inches)	22 1/4
	Depth w/Door Open 90° (Inches)	43 1/4

Washer Features	 Direct Drive Motor	 TrueBalance™	 LoDecibel™ Quiet Operation	 NeveRust™ Drum	 Smart Diagnosis™	
-----------------	--	--	--	--	--	---

LG Key Innovations

Benefit	Feature	
Size & Capacity	Dryer Capacity (cu. ft.)	4.2
	ThinQ Care	•
	Drum Type	Stainless Steel
Reliability & Durability	Tempered Glass Door	
	Steam	
	Programs / Options	14 / 12
Convenience	Ventless HeatPump™ Dryer	•
	Reversible Dryer Door	•
	Drum Light	•
	Door Style	Round Black Tinted / Silver Rim
	ThinQ® Smart WiFi Enabled	•
Product Dimensions	Width (Inches)*	24
	Height (Inches)	33 1/2
	Depth (Inches)	26 3/8
	Depth w/Door Open 90° (Inches)	45 1/4
	Wall Gap (Vent) Clearance (Inches)**	2

Dryer Features	 Sensor Dry	 Speed Dry Cycle	 FlowSense™	 Smart Diagnosis™	
----------------	--	---	--	--	---

AAFA = The Asthma and Allergy Foundation of America. For details on comparison, see pocket guide <https://lghaguide.com/> *For corner application, allow more width. See measurement guide or <https://lghaguide.com/> for specific needs. **For side or bottom venting, 2" wall gap spacing is allowed.

● B – Black Steel ■ B – Matte Black ● M – Middle Black ● M – Monochrome Grey ● V – Graphite Steel □ W – Alpine White ○ W – White

WASHTOWER™

FRONT LOAD

TOP LOAD

COMPACT

ALL-IN-ONE

LG STYLER®

Compact Washer & Dryer Pairs and Accessories

		24" Wide Compact Front-Load Laundry
	Washer	
	Electric Dryer	
Optional Accessories	Optional Pedestal	—
	Optional ADA Pedestal	—
	Optional LG SideKick™	—
	Optional Stacking Kit	Included w/Dryer
	Optional Drying Rack	—
Installation Accessories	Hot & Cold Water Hoses	Included
	Steam Dryer Hoses	Not Applicable
	Dryer Cord (Electric Models Only)	Purchase Separately
	Dryer Gas Connector Kit (Gas Models Only)	Not Applicable
	LP Conversion Kit	Not Applicable
	Side / Bottom Vent Kit	Not Applicable
Required Cutout Dimensions for Pair	Without Pedestals (W x H x D Inches)	50 x 34 1/2 x 28 3/8
	With Pedestal or LG SideKick™ (W x H x D Inches)	—
	With ADA Pedestal (W x H x D Inches)	—
	Stacked (W x H x D Inches)	29 x 77 3/4 x 35 1/4
	Wall Gap (Vent) Clearance (Inches)**	2



LINE LOGIC CHARTS

ALL-IN-ONE LAUNDRY

WASHTOWER™

FRONT LOAD

TOP LOAD

COMPACT

ALL-IN-ONE

LG STYLER®

All-in-One Washer / Dryer Combos

LG Key Innovations

		WM6998H_A	WM3555H_A
			
			
Benefit	Feature		
Size & Capacity	Capacity (cu. ft.)	5.0	2.4
	ThinQ Care	•	•
	Drum Type	Stainless Steel	Stainless Steel
Reliability & Durability	Tempered Glass Door	•	•
	2-Hour Complete Wash & Dry**	•	•
	AAFA Certified	•	•
Performance	Steam	•	•
	Programs / Options	30 / 18	14 / 13
	TurboWash®	•	•
	Ventless HeatPump™ Dryer	Inverter	•
Convenience	Ventless Condensing Dryer		•
	ezDispense™	•	
	Drum Light	•	
	Door / Rim Style	Round Tinted / Chrome Rim	Round Tinted / Chrome Rim
	ThinQ® Smart WiFi Enabled	with AI Fabric, Weight & Soil Level Sensors	with AI
Product Dimensions	Width x Height x Depth (Inches)*	27 x 39 x 33 1/8	24 x 33 1/2 x 22 1/4
	Depth with Door Open 90° (Inches)	57 3/4	43 1/4
	Wall Gap (Vent) Clearance (Inches)	Sides: 1, Back: 4	Sides: 1, Back: 4
Required Cutout Dimensions	Without Pedestal (W x H x D Inches)	29 x 40 x 37 1/8	26 x 33 3/4 x 26 1/4
	With Pedestal or LG SideKick™ (W x H x D Inches)	29 x 54 x 37 1/8"	—

Common Features Across Models on This Page



AAFA = The Asthma and Allergy Foundation of America *Order through LG Parts & Accessories **Based on independent testing in Wash+Dry cycle with Dryer on Energy Saver mode, 10 lb. load (October 2023). For details on comparison, see pocket guide <https://lghaguide.com/> *For corner application, allow more width. See measurement guide or <https://lghaguide.com/> for specific needs.

● B – Black Steel ■ B – Matte Black ● M – Middle Black ● M – Monochrome Grey ● V – Graphite Steel □ W – Alpine White ○ W – White



LINE LOGIC CHARTS

ALL-IN-ONE LAUNDRY

WASHTOWER™

FRONT LOAD


TOP LOAD

COMPACT

ALL-IN-ONE

LG STYLER®

All-in-One Washer / Dryer Combo Accessories

		WM6998H_A	WM3555H_A
		 	 
		   	
Optional Accessories	Optional Pedestal	WDP6_	—
	Optional ADA Pedestal	WDPS2_	
	Optional LG SideKick™	WD300C_	—
	Optional Drying Rack	—	
Installation Accessories	Hot & Cold Water Hoses	Purchase Separately	Included
	Steam Dryer Hoses	Not Applicable	
	Dryer Cord (Electric Models Only)	Included	
	Dryer Gas Connector Kit (Gas Models Only)	Not Applicable	
	LP Conversion Kit	Not Applicable	
	Side / Bottom Vent Kit	Not Applicable	



AAFA = The Asthma and Allergy Foundation of America *Order through LG Parts & Accessories. For details on comparison, see pocket guide <https://lghaguide.com/>
*For corner application, allow more width. See measurement guide or <https://lghaguide.com/> for specific needs.

● B – Black Steel ■ B – Matte Black ● M – Middle Black ◆ M – Monochrome Grey ● V – Graphite Steel □ W – Alpine White ○ W – White



LINE LOGIC CHARTS

LG STYLER®

WASHTOWER™

FRONT LOAD

TOP LOAD

COMPACT

ALL-IN-ONE

LG STYLER®

LG Styler® Steam Closet

LG Key Innovations

Benefit	Feature	  	 	 	 
Size & Capacity	Capacity	5 Hangers + 1 Pant (14.3 lb.)	5 hangers + 1 pant (14.3 lb.)	3 Hangers + 1 Pant (11.5 lb.)	3 Hangers (11.4 lb.)
Reliability & Durability	ThinQ Care	•	•	•	
	Heat-Pump System (Inverter)	•	•	•	•
Performance	AAFA Certified	•	•	•	•
	TrueSteam® Technology	•	•	•	•
	Gentle Dry for Fine Fabrics	•	•	•	•
Convenience	Touch Control Hidden Display	•	•	•	•
	Plug and Go	•	•	•	•
	Reversible Door	•	•	•	•
	Portable Water Fill Container (No Hose Needed)	•	•	•	•
	Interior Lights	3 LED	3 LED	3 LED	1 LED
	ThinQ® Smart WiFi Enabled	•	•	•	•
Product Dimensions	Width x Height x Depth (Inches)*	23 5/8 x 77 1/4 x 23 3/4	23 5/8 x 77 1/4 x 23 3/4	17 1/2 x 72 3/4 x 23	17 1/2 x 72 3/4 x 23
	Depth with Door Open 90° (Inches)	39 3/4	39 3/4	39 3/8	39 3/8
Required Cutout Dimensions	Width x Height x Depth (Inches)	24 1/4 x 78 1/8 x 26 3/8	24 1/4 x 78 1/8 x 26 3/8	19 1/2 x 79 3/4 x 25	19 1/2 x 79 3/4 x 25
Common Features Across Models on This Page					

AAFA = The Asthma and Allergy Foundation of America . For details on comparison, see pocket guide <https://lghaguide.com/>
 *For corner application, allow more width. See measurement guide or <https://lghaguide.com/> for specific needs.

★ M – Black Tinted Mirror ☆ W – Cream White ○ W – White ▲ C – Metallic Charcoal

