

SDS Report No.: GZ1005052388/CHEM Date: MAY 26, 2010 Page 1 of 1

Client's Name : BETTERPOWER BATTERY CO.,LTD

Client's Address : No.11 AND 26 BLDG, DALANG TONGFU VILLAGE

INDUSTRY ZONE, LONGHUA TOWN, BAOAN DNDISTRLET,

SHENZHEN GUANGDONG.P.R CHINA

SGS Ref No. : GZ12520895EC
Product Name : Ni-Mh Battery

End Uses : Household & Industrial power

Composition/Ingredient : Nickel hydroxide(33%); Potassium hydroxide(15%); Cobalt

hydroxide(7%); Fe(44.7615%); C(0.054%); Si(0.009%);

Mn(0.135%); P(0.018%); S(0.0225).

Job Receiving Date : MAY 17, 2010

Preparation Period : MAY 17, 2010 TO MAY 26, 2010

Service Requested

Safety Data Sheet for the Product

SUMMARY

The contents and format of this SDS are in accordance with REGULATION (EC) No. 1907/2006, EU Commission Directive 1999/45/EC, 67/548/EEC.

Signed for and on behalf of SGS-CSTC Ltd.

Allen Xie

Approved Signatory

Juen

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.

him. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon relicts in a Client's instructions, if any. The Company's sole responsibility is to its Client and this document is unascation from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or typically or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is the transaction of the company in this test report refer only to the sample(s) tested. This document cannot be reproduced except in full, without prior approval of the Company.

133Kaziu Road Sointech Part Guangstou Exercic & Technology Development District, Guangstou Exercic & Technology Development District, Guangstou Exercic & 166-20) 82155555 f (86-20) 82075125 www.cn.sgs.com 中国・广州・経済技术开发区科学城科珠路198号 郎錦: 510863 l (86-20) 82155555 f (86-20) 82075125 e sgs.china@sgs.com

Printing date 26.05.2010 Revision: 21.05.2010

I Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: Ni-Mh Battery

· Registration number: Not available

· Application of the substance / the preparation: Household & Industrial power

· Manufacturer/Supplier:

COMPANY NAME: BETTERPOWER BATTERY CO.,LTD

ADDRESS: No.11 AND 26 BLDG, DALANG TONGFU VILLAGE INDUSTRY ZONE, LONGHUA TOWN,

BAOAN DNDISTRLET, SHENZHEN GUANGDONG.P.R CHINA

Tel:+86-755-28078690 *Fax:*+86-755-28078588

· Further information obtainable from: BETTERPOWER BATTERY CO.,LTD

· Information in case of emergency:

Liu Heping

Tel:+86-755-28078690

· Email: Bpi-qa01@163.com

· Reference Number: GZ12520895EC; GZ1005052388/CHEM.

2 Hazards identification

- · Hazard description: A sealed Ni-Mh Battery is not hazardous in normal use on principle.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of 1272/2008/EC, EU Commission Directive 1999/45/EC, 67/548/EEC, and extended by company and literature data.

3 Composition/information on ingredients

- · Chemical characterization
- · Description:

The substance listed below with nonhazardous additions.

For the wording of listed risk phrases refer to section 16.

· Dangerous component	s:		
CAS: 12054-48-7 EINECS: 235-008-5 EU number: 028-008-0	nickel dihydroxide Carc. Cat. 3; X Xn, X Xi, Y N; R 20/22-40-43-50/53 0-X		33,0%
CAS: 1310-58-3 EINECS: 215-181-3 EU number: 019-002-0	potassium hydroxide ☐ C, X Xn; R 22-35		15,0%
CAS: 21041-93-0 EINECS: 244-166-4	Cobaltous hydroxide		7,0%
CAS: 7439-96-5 EINECS: 231-105-1	manganese		0,135%
CAS: 7723-14-0 EINECS: 231-768-7 EU number: 015-002-0	phosphorus ▶ F; R 11-16-52/53		0,018%
· Non-dangerous compo	nents:		
CAS: 7439-89-6 ir EINECS: 231-096-4	on		44,7615%
CAS: 7440-44-0 cc EINECS: 231-153-3	urbon	R 10	0,054%
		(Co	ntd. on page

Printing date 26.05.2010 Revision: 21.05.2010

Trade name: Ni-Mh Battery

		(Co	ontd. of page 1)	
CAS: 7704-34-9	sulphur, precipitated, sublimed or colloidal		0,0225%	
EINECS: 231-722-6				
CAS: 7440-21-3	silicon		0,009%	
EINECS: 231-130-8				

· Remark:

Manganese(CAS No. :7439-96-5)

Synonym:Mn;

Phosphorus(CAS No.:7723-14-0)

Synonym:P;

Iron(CAS No.:7439-89-6)

Synonym:Fe;

Carbon(CAS No. :7440-44-0)

Synonym:C;

Silicone(CAS No.:7440-21-3)

Synonym:Si;

Sulphur, precipitated, sublimed or colloidal (CAS No.:7704-34-9)

Synonym:S.

4 First aid measures

· General information:

In case of electrolyte solution spill (battery leakage) precautions must be taken to avoid any contact of human tissues. If it accidentally happens following must be done:

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

5 Fire-fighting measures

- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.
- · Measures for environmental protection:

Do not allow product to reach sewage system or any water sourse.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Measures for cleaning/collecting:

 $Absorb\ with\ liquid-binding\ material\ (sand,\ diatomite,\ acid\ binders,\ universal\ binders,\ sawdust).$

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 3)

Printing date 26.05.2010 Revision: 21.05.2010

Trade name: Ni-Mh Battery

(Contd. of page 2)

· Additional information: See Section 7 for information on safe handling.

7 Handling and storage

- · Handling
- · Information for safe handling:

The sealed Ni-Mh battery when sleeved are safe in case of spilling.

Non-sleeved battery may generate short-circuits, causing release of alkaline electrolyte mist or liquid. Electrolyte reacts with zinc, aluminium, tin and other active materials releasing flammable hydrogen gas.

- · Information about fire and explosion protection: No special measures required.
- · Storage
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

12054-48-7 nickel dihydroxide

REL (USA) 0.015 mg/m^3

as Ni

1310-58-3 potassium hydroxide

REL (USA) C2 mg/m³

TLV (USA) Short-term value: C 2 mg/m³

- · DNELs: Not available
- · **PNECs:** Not available
- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures:

Under normal condition of use and handling no special protection is required for sealed Ni-Mh batteries.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/

the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

Printing date 26.05.2010 Revision: 21.05.2010

Trade name: Ni-Mh Battery

(Contd. of page 3)

General Information	
Form:	Solid
rorm: Colour:	Sona Silver-grey
Odour:	Odourless
	Outouriess
Change in condition	Not available
Melting point/Melting range: Boiling point/Boiling range:	Not available Not available
0.	
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not available
Ignition temperature:	Not available
Decomposition temperature:	Not available
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not available
Upper:	Not available
Oxidizing properties	Not available
Vapour pressure:	Not available
Density:	Not available
Relative density	Not available
Vapour density	Not available
Evaporation rate	Not available
Solubility in / Miscibility with	
water:	Not available
pH-value:	Not available
Segregation coefficient (n-octanol/w	ater): Not available.

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Materials to be avoided:
- · Dangerous reactions: No dangerous reactions known.
- · Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity
- · LD/LC50 values relevant for classification:

1310-58-3 potassium hydroxide

Oral LD50 273 mg/kg (rat)

7439-89-6 iron

Oral LD50 30 mg/kg (rat)

(Contd. on page 5)

Printing date 26.05.2010 Revision: 21.05.2010

Trade name: Ni-Mh Battery

(Contd. of page 4)

7440-21-3 silicon

Oral LD50 3160 mg/kg (rat)

7439-96-5 manganese

Oral LD50 9000 mg/kg (rat)

- · Primary irritant effect
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Additional toxicological information:

The product shows the following dangers if electrolyte leakage occurs according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Toxicokinetics, metabolism and distribution: Not available
- · Acute effects (acute toxicity, irritation and corrosivity): Not available
- · Repeated dose toxicity: Not available

12 Ecological information

- · Information about elimination (persistence and degradability): Not available
- · Behaviour in environmental systems
- · Mobility and bioaccumulation potential: Not available
- · Ecotoxical effects
- · Aquatic toxicity: Not available
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

 $Do \ not \ allow \ product \ to \ reach \ ground \ water, \ water \ course \ or \ sewage \ system, \ even \ in \ small \ quantities.$

Must not reach sewage water or drainage ditch undiluted or unneutralized.

 $Danger\ to\ drinking\ water\ if\ even\ extremely\ small\ quantities\ leak\ into\ the\ ground.$

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

· PBT assessments: Not available

13 Disposal considerations

- · Product
- · Recommendation: Never incinerate Ni-Mh batteries.
- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Danger code (Kemler):
- · UN-Number:
- · Packaging group: -
- · Hazard label:
- Description of goods:
- · Limited quantities (LQ): -

(Contd. on page 6)

Printing date 26.05.2010 Revision: 21.05.2010

Trade name: Ni-Mh Battery

(Contd. of page 5) · Transport category: · Tunnel restriction code: -· Maritime transport IMDG · IMDG Class: · UN Number: · Label: · Packaging group: · EMS Number: · Marine pollutant: Yes · Segregation groups · Proper shipping name: -· Air transport ICAO-TI and IATA-DGR · ICAO/IATA Class: · UN/ID Number: · Label: · Packaging group: · Proper shipping name: -

· Environmental hazards: Product contains environmentally hazardous substances: nickel dihydroxide

Regulatory information	
Sara	
Section 335(extremely hazadous substances):	
7723-14-0 phosphorus	
Section 313(specific toxic chemical listings):	
12054-48-7 nickel dihydroxide	
7439-96-5 manganese	
7723-14-0 phosphorus	
TSCA(Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65	
Chemical known to cause cancer:	
12054-48-7 nickel dihydroxide	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity foe males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Cancerogenity categories	
EPA(Environmental Protection Agency)	
7439-96-5 manganese	
7723-14-0 phosphorus	
IARC(International Agency for Research on Cancer)	
12054-48-7 nickel dihydroxide	
NTP(National toxicology Program)	
12054-48-7 nickel dihydroxide	

Printing date 26.05.2010 Revision: 21.05.2010

Trade name: Ni-Mh Battery

(Contd. of page 6)

· TLV(Threshold Limit Value established by ACGIH)

12054-48-7 nickel dihydroxide

A1

· NIOSH-Ca(National Institution for Occupational Safety & Health)

12054-48-7 nickel dihydroxide

· OSHA-Ca(Occupational Safety & Health Administration)

None of the ingredients is listed.

· Labelling according to EU guidelines:

The substance is not subject to classification according to Directive 67/548, 1999/45/EC and 1272/2008/EC. The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials

Observe the general safety regulations when handling chemicals.

16 Other information

· Relevant R-phrases

The product shows the following dangers classification:

- 11 Highly flammable.
- 16 Explosive when mixed with oxidising substances.
- 20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
- 20/22 Harmful by inhalation and if swallowed.
- 22 Harmful if swallowed.
- 35 Causes severe burns.

36/37/38 Irritating to eyes, respiratory system and skin.

- 40 Limited evidence of a carcinogenic effect.
- 43 May cause sensitization by skin contact.
- Danger of serious damage to health by prolonged exposure.
- 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The contents and format of this MSDS/SDS are in according with REGULATION(EC) No. 1907/2006, EU Commission Directive 1999/45/EC, 67/548/EEC.

DISCLAIMER OF LIABILITY

The information in this MSDS/SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in anyway connected with the handling, storage, use or disposal of the product. This MSDS/SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS/SDS information may not be applicable.

End of document