

Metal Garden Fence

Instructions/Assembly

1. Preparation

- Check the package to ensure all fence panels, connecting rings, and any additional accessories are included.
- Prepare a pair of work gloves to protect your hands during installation.

2. Site Preparation

- Inspect the area where you plan to install the fence. Clear away any debris, rocks, or large roots from the installation path. Ensure the soil is loose enough for easy insertion of the fence posts.

3. Installation

Panel Insertion

- Put on your work gloves. Take a single fence panel and hold it vertically. Align the bottom of the panel's stakes with the desired installation location.
- Gently push the panel stakes into the soil. Apply firm and even pressure to insert the stakes as deeply as possible (usually around 3 - 6 inches,

depending on soil conditions) to ensure stability. Repeat this step for each individual panel you plan to install.

Panel Connection

- After inserting the panels, take the provided connecting rings. Place a connecting ring through the holes on the side edges of two adjacent panels.
- Use your hands or a pair of pliers (if needed) to tighten the connecting ring, ensuring the two panels are firmly interlocked. Continue this process to connect all the panels together until you've formed the desired length of the fence.

Shaping the Fence

- If you want to create curves or angles with the fence, gently bend the connected panels while ensuring the stakes remain firmly in the soil. The flexibility of the fence allows you to shape it to fit the contours of your garden, patio, or yard.

4. Final Checks

- Walk along the installed fence and check for any loose connections or panels that may not be firmly inserted into the soil. Tighten any loose connecting rings and re - insert panels as necessary.

- Remove any packaging materials or small debris around the newly installed fence to keep the area clean and tidy.

5. Maintenance Tips

- Periodically inspect the fence for signs of rust or damage, especially after extreme weather conditions.
- If you notice any rust spots, use a wire brush to remove the rust and then apply a matching touch - up paint to protect the metal.