


SAFE FOR SEEDING



Turf Builder®

TRIPLE ACTION

BUILT FOR SEEDING



PREVENTS
PREVIENE

PREVENTS CRABGRASS & DANDELIONS FOR UP TO 6 WEEKS

JUMP STARTS SEED
ACTIVA LAS SEMILLAS

JUMP STARTS GRASS DEVELOPMENT SO IT ESTABLISHES QUICKER & THICKER

FEEDS
FERTILIZA

FEEDS & STRENGTHENS NEW GRASS AGAINST HEAT & DROUGHT

COVERS 4,000 SQ FT

NET WT/PESO NETO
17.2 LBS (7.8 kg)

ACTIVE INGREDIENT:		
Mesotrione†	0.08%	CAS# 104206-82-8
OTHER INGREDIENTS:	99.92%	
TOTAL	100.00%	

KEEP OUT OF REACH OF CHILDREN
CAUTION SEE BACK FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCIÓN CONSULTE EL REVERSO PARA CONOCER LOS AVISOS DE PRECAUCIÓN ADICIONALES.

21-22-4

SCOTT'S® IS THERE FOR YOUR LAWN CARE NEEDS.

Founded in 1868, we are proud of our long history and celebrate the lawn by offering best-in-class products.

We start with the fundamental truth; the lawn is alive. Our scientists embrace this truth by developing technologies that benefit the lawn and fit your lawn care needs. If you need to feed your lawn – we are here. If you have issues with pesky weeds – we've got your back.

So if you're a die-hard lawn warrior or a novice learning how to care for your lawn – let us help.

DIRECTIONS FOR USE | MODO DE EMPLEO

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This package applies 4.3 lbs of product per 1,000 sq. ft. Se considere una violación a la ley federal usar este producto con otras fines que los indicados en la etiqueta. Con este paquete se aplican 1.95 kg de producto por cada 93 m².

1 | PREP | PREPARE

KNOW YOUR LAWN SIZE
TENNIS COURT
= 2,800 SQ FT

x 1.5 ~

4,000 SQ FT BAG
COVERS ~ 1.5 TENNIS COURTS

Use Scott's® MyLawn App to Calculate Your Lawn Size

FILL & SET SPREADER



RESTRICTIONS

- Do not apply this product in a way that will contact any person, or pet either directly or through drift. Keep people and pets out of the area during application. Do not enter or allow people or pets to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry. Do not use this product on flowers, shrubs, trees, fruit or vegetable plants. Cans, day lilies and irises are especially susceptible to injury. Do not apply another pesticide within seven days of an application of this product as turf injury may occur. Do not apply to St. Augustinegrass, bentgrass, bermudagrass, zoysiagrass, dichondra, kikuyagrass, bahiagrass or lippia. This product applies 0.15 pounds of Mesotrione per acre per application. The maximum application rate of Mesotrione per treatment site per year is 0.45 pounds.

WHAT DOES SCOTT'S® TURF BUILDER® TRIPLE ACTION BUILT FOR SEEDING DO?

Scott's® Turf Builder® Triple Action Built for Seeding can be used anytime you're planting new grass, whether it's starting a new lawn or reseeding an existing one.

Prevents some of the most bothersome weeds like dandelion and crabgrass without harming new grass.

DANDELION | CRABGRASS | CLOVER | GROUND IVY | CHICKWEED | HENBIT | NUTSEDGE

For a list of weeds that Scott's® Turf Builder® Triple Action Built for Seeding targets, visit: scotts.com

NEW WEEDS WILL SPROUT WHITE OR TURN WHITE AND QUICKLY DIE. THIS PRODUCT WILL NOT KILL EXISTING WEEDS.

This product may cause temporary whitening of grass foliage. Symptoms typically appear 5 to 7 days after application and may last up to 14 days. Discoloration is most common on ryegrass.

SCOTT'S® TURF BUILDER® TRIPLE ACTION BUILT FOR SEEDING WORKS ON:

KENTUCKY BLUEGRASS | TALL FESCUE | PERENNIAL RYEGRASS | CENTIPEDEGRASS | FINE FESCUE (CREEPING RED, CHEWINGS, HARD)

FOR THE ULTIMATE SCOTT'S® LAWN USE WITH



SCOTT'S® TURF BUILDER® GRASS SEED AND SCOTT'S® TURF BUILDER® LAWN SOIL

2 | APPLY | APLIQUE

WALK AT A STEADY PACE



BROADCAST ROTARY SPREADER/WIZZ
Line up each pass approximately 9" from wheel track. Alinee cada pasada a aproximadamente 15 cm de la huella dejada por la rueda.



DROP SPREADER
Align arrow with previous wheel track. Alinee la flecha con la huella dejada previamente por la rueda.

Apply to a dry lawn, then lightly water to activate. Aplique el producto sobre el césped seco y luego riegue ligeramente para activarlo.

Apply on a calm day when temperatures are consistently between 60°F and 90°F. Aplíquelo en un día tranquilo, cuando la temperatura permanezca entre los 16 y los 32 °C.

Apply before watering newly planted grass for the first time. Aplíquelo antes de regar por primera vez el césped recién sembrado.

Apply to newly seeded, overseeded, or newly planted Kentucky bluegrass, tall fescue, perennial ryegrass, centipede grass, as well as fine fescues (creeping red, chewings and hard). Aplíquelo a los céspedes sueltos de Kentucky, festuca alta, raigrás perenne y ciempog, así como a festucas rubras

(rojo, comunita y brevilpa) recién sembrados, sobesembrados o plantados.

Avoid application to adjacent flower beds when using a broadcast spreader. Evite aplicarlo a los macizos de flores adyacentes cuando utilice un esparcidor por viento.

New weeds will sprout white or turn white and quickly die. This product will not kill existing weeds. Los malezas nuevas brotarán o se tornarán blancas y morirán pronto. Este producto no eliminará las malezas existentes.

This product may cause temporary whitening of grass foliage. Symptoms typically appear 5 to 7 days after application and may last up to 14 days. Discoloration is most common on ryegrass. Este producto puede causar un blanqueamiento temporal del follaje del césped. Los síntomas generalmente aparecen de 5 a 7 días después de la aplicación y pueden durar hasta 14 días. La decoloración es más común en el raigrás.

RESTRICCIONES

- No aplique este producto de forma que entre en contacto con otras personas o mascotas, ya sea directamente o al ser arrastrado por el viento. Durante la aplicación, mantenga alejadas del área a las personas y las mascotas.
- No deje que las personas o las mascotas ingresen a las áreas de tratamiento (excepto los encargados del césped) hasta que se haya completado el riego y la superficie esté seca. No utilice este producto en flores, arbustos, árboles, o plantas frías o de tortugas. Las achiras, las liras de día y los iris son especialmente susceptibles a las lesiones. No aplique otro pesticida antes de siete días después de la aplicación de este producto, pues puede dañar el césped. No lo aplique en céspedes San Agustín, agrostis, Bermuda, zoysia, dicronda u oreja de ratón, kikuyo, o lippia o cenillo. Con este producto se aplican 68.04 gramos de mesotriona por acre, por aplicación. La tasa máxima de aplicación de la mesotriona por lugar de tratamiento, por año, es de 204.12 gramos.



Scott's No-Quibble Guarantee®

If for any reason you, the consumer, are not satisfied after using this product, you are entitled to your money back. Simply send us original proof of purchase and we will promptly mail you a refund.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. Have this product container or label with you when calling a poison control center or doctor, or going for treatment. Call 1-877-465-5101.

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk or street, back onto the treated area of the lawn will help to prevent run off to water bodies or drainage systems.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store in a cool, dry place. Reseal bag by folding top down and securing.
PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or other recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Scott's® Turf Builder® Triple Action Built for Seeding 21-22-4 F643

GUARANTEED ANALYSIS

Total Nitrogen (N)	21%
4.0% Ammoniacal Nitrogen	
9.1% Iron Nitrogen	
6.8% Other Water Soluble Nitrogen**	
0.9% Water Insoluble Nitrogen*	
Available Phosphate (P ₂ O ₅)	22%
Soluble Potash (K ₂ O)	4%
Sulfur (S)	1%
1% Combined Sulfur (S)	
Iron (Fe)	0.5%
0.5% Water Soluble Iron (Fe)	

Derived from Methylene Ureas, Urea, Potassium Sulfate, Ammonium Phosphate and Ferric Sulfate.

*Contains 3.5% slowly available Nitrogen from Methylene Ureas.

BA Bag, No. 538-517

PA Bag No. 538-518; 19.99-21.99; 21.99-24.99; 24.99-27.99; 27.99-30.99; 30.99-33.99; 33.99-36.99; 36.99-39.99; 39.99-42.99; 42.99-45.99; 45.99-48.99; 48.99-51.99; 51.99-54.99; 54.99-57.99; 57.99-60.99; 60.99-63.99; 63.99-66.99; 66.99-69.99; 69.99-72.99; 72.99-75.99; 75.99-78.99; 78.99-81.99; 81.99-84.99; 84.99-87.99; 87.99-90.99; 90.99-93.99; 93.99-96.99; 96.99-99.99.

U.S. Patent Nos. 8,114,426; 8,283,259; 8,658,073; 8,554,574; 10,098,348

QUESTIONS / INFORMACION

PREGUNTAS/INFORMACION

Solid and Guaranteed By:

The Scott's Company

14111 Scottslawn Rd.

Marysville, OH 43041

1-800-543-TURF (8873)

Information regarding the contents and levels of

metals in this product is available on the internet at

<http://www.scotts.com/metals.html>

La información relacionada con los contenidos y

los niveles de metales de este producto está

disponible en Internet en

<http://www.scotts.com/metals.html>

AVISOS DE PRECAUCIÓN

Riesgos para los seres humanos y los animales

PRECAUCIÓN: Causa irritación moderada en los ojos. Evite el contacto con los ojos, la piel o la ropa. Lávese con abundante agua y jabón después de manipular el producto y antes de comer, beber, masticar chicle, consumir tabaco o usar el toilet.

PRIMEROS AUXILIOS

SI ENTRA EN LOS OJOS: Mantenga el ojo abierto y enjuague con agua fresca y con cuidado por 15 a 20 minutos. Si hubiera lentes de contacto, quítelos después de lavarse con agua los primeros 5 minutos y luego continúe enjuagando el ojo. Llame inmediatamente al centro de envenenamiento o al médico para obtener recomendaciones de tratamiento. Tenga el envase o la etiqueta del producto con usted cuando llame a un centro de control de envenenamiento o al médico, o acudir a recibir tratamiento. Llame al 1-877-465-5101.

RIESGOS AMBIENTALES: Para proteger el medio ambiente, no permita que el pesticida penetre o se escurra en drenajes pluviales, zanjas de drenaje, cunetas o agua superficiales. La aplicación de este producto en un clima tranquilo, cuando no haya un pronóstico de lluvia para los próximos 24 horas, asegurará que el viento o la lluvia no soplen o laven el pesticida fuera del área de tratamiento. Barrer el producto que caiga sobre la entrada de automóviles, la acera o la calle hacia el área tratada del césped para evitar que se escurra a cuerpos de agua o sistemas de drenaje.

ALMACENAMIENTO Y ELIMINACIÓN

ALMACENAMIENTO DEL PESTICIDA: Guardar en un lugar fresco y seco. Cierre la bolsa abriendo cuidadosamente la parte superior y asegurándola.

ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE: Este envase no se puede relleno. No vuelva a usar ni a llenar este envase. Si está vacío: Tirelo a la basura o, si está disponible, úntelo para reciclar. Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo desecharlo. Nunca elimine el producto no utilizado en drenajes internos o externos.

NOTICE: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

AVISO: En la medida contemplada por las leyes aplicables, el comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se siguen las instrucciones.

PRODOTTO IN USA. PAZ 6-2001-23001-8

SCOTT'S® TURF BUILDER® TRIPLE ACTION BUILT FOR SEEDING
4M 23001-8

FPO

0 32247 23001 8

BUILT FOR SEEDING

TRIPLE ACTION

Turf Builder





FPO
0 32247 23001 8

PROOF OF PURCHASE
UPC 0-32247-23001-8

23001-3
A3

FPO
0 32247 23001 8

PROOF OF PURCHASE
UPC 0-32247-23001-8

23001-3
A3