# 12V max CXT™ LITHIUM-ION BRUSHLESS CORDLESS TOP HANDLE JIG SAW KIT (2.0Ah)







- Makita-built brushless motor and 3 orbital settings plus straight cutting deliver faster and more accurate cuts in a variety of materials
- Soft start suppresses start-up reaction for better accuracy
- No-load speed reduction feature automatically reduces SPM for more accurate cutting starts
- The BL™ Brushless Motor eliminates carbon brushes, enabling the BL™ Motor to run cooler and more efficiently for longer life
- Large 2-finger variable speed trigger for added convenience with lock-on button

# SPECIFICATIONS Length of Stroke 9-3/8" Max. Cutting Capacity at 90° (aluminum) 13/16" Max. Cutting Capacity at 90° (steel) 3-1/2" Max. Cutting Capacity at 90° (mild steel) 3/8" Strokes Per Minute (variable speed) 800 - 3,000 SPM Blade Shank "T" Tang Battery 12V max CXT™ Lithium-lon Overall Length 7/8" Net Weight (with battery) 4.1 lbs. UPC Code (VJ06R1J) 088381-848930 UPC Code (VJ06Z) 088381-848879

# STANDARD EQUIPMENT

- (2) 12V max CXT<sup>™</sup> Lithium-Ion 2.0Ah Battery (BL1021B)
- 12V max CXT<sup>™</sup> Lithium-Ion Charger (DC10WD)
- Jig Saw Blade
- Tool Case (821549-5)



# PRODUCT HIGHLIGHTS



#### **PERFORMANCE**

BL™ motor is electronically controlled to optimize battery energy use for up to 50% longer run time



#### **CONVENIENCE**

"Tool-less" blade change system allows for faster blade installation and removal



## **SPEED**

Variable 5-speed control dial (800-3,000 SPM) enables user to match the speed to the application



## **COMFORT**

Weighs only 4.1 lbs. with battery for reduced operator fatigue

# **RELATED ACCESSORIES**

- 1. 12V max CXT<sup>™</sup> Lithium-Ion 4.0Ah Battery (BL1041B)
- 2. 12V max CXT<sup>™</sup> Lithium-Ion Rapid Optimum Charger (DC10SB)
- 3. Rip Fence/Circular Guide (192732-4)
- 4. Anti-Splintering Insert (415524-7)
- **5.** Jig Saw Blade, T Shank, HSS, 3-1/2" x 12TPI, 5/pk (792471-2)

