

SHOWER DOOR

SLIDING MOD STYLE BATHTUB TRACK 60"





AL6063

NYLON

NYLON

PVC

2

MATERIAL: Anodized Aluminum Extrusions (Track) and Zinc Die Cast (Mounting Brackets).

Bronze Finish and Matte Black are Powder Coated.

INSTALLATION: Detailed Instructions, Templates and Hardware Included for Easy Installation.

UNIQUE FEATURE: Constructed of Corrosion Resistant Anodized Alumninum.

60" Track Assembly Kit

Fits 60" Shower Doors with an Opening min/max of 50 1/8" - 58 1/2" (127cm-149cm),

13 | Collar Bracket Template

Retention Plate

16 Tile Wall Anchors
17 Trim Cap

15

14 Damper Drilling Template

with a Height of 59 1/4" (150cm).

NOTE: Height of 63" (160cm) Required for installation

Compatible with all 1/4" (6mm) Delta Shower Glass

WARRANTY: 5 Year Limited Warranty.



TECHNICAL DATA SLIDING BATHUB Shower Door 60" GLASS PANEL Ø 5/16" THRU(2) 27**"** 686mm Ø9/16" THRU(2) •10-1/16**"**► 255mm - 20-1/16" 510mm

MATERIALS: 1/4" (6mm) Tempered Glass Panel.

INSTALLATION: Detailed Instructions and Hardware Included for Easy Installation.

UNIQUE FEATURE: Traditional: Fits Doors with an Opening min/max of 50 1/8" - 59 3/8" (127cm-151cm), with a Height of 58 1/8" (148cm)

Contemporary: Fits Doors with an Opening min/max of 50 1/8" - 58 1/2" (127cm-149cm), with a Height of 58 3/4" (149cm) **Mod:** Fits Doors with an Opening min/max of 50 1/8" - 58 1/2" (127cm-149cm), with a Height of 59" (150cm)

WARRANTY: 5 Year Limited Warranty.




TECHNICAL DATA

Shower Door

EVERLY™ HANDLE





MATERIALS: Zinc Posts for all

Aluminum Bar: Brushed Nickel, Oil Rubbed Bronze and Matte Black. Stainless Steel Bar: Polished Chrome.

INSTALLATION: Detailed Instructions and Hardware Included for Easy Installation.

UNIQUE FEATURE: Coordinates with Delta® Faucets and Bath Hardware.

Compatible with All Delta® Sliding Bathtub or Shower Doors.

WARRANTY: 5 Year Limited Warranty.

