

REPAIR SHEET

BRAND

RYOBI

DESCRIPTION


**18 Volt
String Trimmer/Edger**

MODEL NO.

P20023VNM

MFG. NO.

318083001




TTI OUTDOOR POWER EQUIPMENT, INC.

P.O. Box 1288, Anderson, SC 29622 ■ 1-800-525-2579 ■ www.ryobitools.com

1-20-22 (Rev:03)

The model number and manufacturing location will be found on a label attached to the product. Always mention this information in all communications regarding this product and when ordering parts.



PARTS LIST

KEY NO.	PART NO.	DESCRIPTION	QTY.
1	525491002	Trigger	1
2	525492005	Trigger Lock-Out Button	1
3	679002002	Trigger Spring	1
4	679083001	Lock-Out Button Spring	1
5	760279001	Switch	1
6	205759001	Wire and Contact Plate Assembly	1
7	660206055	Screw (M3.5 x 14 mm, Pan Hd.)	11
8	531889001	Lower Tube Bushing	1
9	660922002	Screw (M4 x 7 mm, T20 Torx Pan Hd.)	1
10	205760001	Shaft Coupler Assembly (Inc. Key Nos. 31 & 35-36)	1
11	205761001	Motor Housing Assmbely (Inc. Key No. 29)	1
12	660208055	Screw (M4 x 12 mm, Pan Hd.)	12
13	679030001	Pivot Button Spring	1
14	522999005	Pivot Button	1
15	570115001	Rubber Plate	2
16	522994006	Spool Cover	1
17	205762001	Guard Assembly (Inc. Key No. 37)	1
18	790009004	Closed End Connector	2
19	513211001	Cord Clip	1
20	205763001	Rear Handle Assembly (Inc. Key No. 31)	1
21	310917007	Spool w/Line	1

KEY NO.	PART NO.	DESCRIPTION	QTY.
22	308991006	Front Handle Assembly (Inc. Key Nos. 23-24)	1
23	660643009	Screw (1/4-20 x 1.606 in.)	1
24	518949001	Wing Nut	1
25	311155001	Spool Base and Slider Assembly	1
26	531888002	Edger Button	1
27	679935007	Edger Button Spring	1
28	205764001	Telescoping Shaft Assembly (Inc. Key Nos. 38-40)	1
29	941263184	Logo Label	1
30	639154001	Spool Base Balance Plate	1
31	940705492	Logo Label	3
32	662052001	Screw (M5x 15 mm, T25 Torx Pan Hd.)	2
33	544857001	Motor Mounting Plate	1
34	742199004	Motor	1
35	941263181	Pull to Edge Label	1
36	941097136	Data Label	1
37	941263137	Autofeed Label	1
38	941263138	QR Label	1
39	940657185	Icon Warning Label	1
40	941013005	Warning Label (FR/SP)	1
	Not Shown:		
	998000707	Operator's Manual	

