

DIRECTIONS FOR USE

OdoBan® Ready-to-Use - Trigger & 360° Spray

EPA Reg. No. 66243-1

Active Ingredients:

Alkyl (C14 50%, C12 40%, C16 10%)

dimethyl benzyl ammonium chloride . . . 0.30%

Other Ingredients 99.70%



OdoBan® Ready-to-Use (RTU) eliminates unpleasant odors on upholstery, carpets, bedding, showers, walls and floors while leaving a fresh scent. OdoBan® RTU eliminates odors caused by bacteria, mildew and nonfresh foods on hard nonporous surfaces. Use OdoBan® RTU in kitchens, bathrooms and other household areas.

Directions For Use: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DEODORIZER DIRECTIONS

AIR FRESHENER: Apply a light spray into the air or onto a/c filters.

FABRIC REFRESHER: Apply a light spray onto surfaces such as upholstery, drapes, bedding and carpets. Will not harm most washable surfaces. Test a small area on surfaces first.

PET ODORS (CARPET & UPHOLSTERY): Saturate precleaned area with enough OdoBan® RTU to remain damp for at least 10 minutes. Blot with a clean cloth. Repeat if necessary. Allow to dry. (Test a hidden area for colorfastness.)

AUTOMOBILE/RV: Spray liberally onto seats, carpet, headliners and ashtrays or into trunk and all vents to eliminate odors from tobacco, beverage spills & musty carpet.

HARD SURFACES: Apply directly to odor source. Use in diaper or garbage pails, sick rooms, closets, basements or anywhere there are odors.

SANITIZER DIRECTIONS

OdoBan® RTU kills 99.99% of germs †such as Streptococcus pyogenes (Strep), Escherichia coli O157:H7 (E. coli) (pathogenic strain), Listeria monocytogenes, Staphylococcus aureus (Staph), Klebsiella pneumoniae on hard, nonporous, nonfood contact surfaces in 60 seconds.

GENERAL CLEANING/SANITIZING: Remove heavy soil, and then thoroughly clean surfaces. To sanitize nonfood contact surfaces, apply solution, thoroughly wetting surfaces as recommended and required, with a cloth, sponge or sprayer. Let stand 60 seconds, then wipe.

DISINFECTION DIRECTIONS

OdoBan® RTU kills common germs ‡such as Escherichia coli (E. coli), Staphylococcus aureus (Staph), Salmonella choleraesuis (Salmonella), Streptococcus pyogenes (Strep), Listeria monocytogenes, Aspergillus niger, Methicillin Resistant Staphylococcus aureus (MRSA), *Influenza A/Hong Kong (Influenza) and *Herpes Simplex Type 2 on precleaned environmental surfaces. An effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower areas and exercise facilities.

DISINFECTION/VIRUCIDAL* DIRECTIONS: Preclean prior to disinfection. Trigger spray 6-8 inches from hard nonporous surface. Clean with brush, sponge or cloth. Do not breathe spray. Treated surfaces must remain wet for 10 minutes for disinfection against bacteria and fungi or 60 seconds for disinfection against viruses*. Wipe clean with a cloth or tissue.

MOLD AND MILDEW CONTROL: To control mold and mildew on hard, nonporous surfaces, wash visible soil from the surface. Then apply with mop, sponge, cloth or trigger spray so as to wet all surfaces thoroughly. Let air dry. Repeat application every 7 days to control reoccurrence of growth.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals. CAUTION— Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

STORAGE AND DISPOSAL: Store in areas inaccessible to small children. Do not reuse or refill this container. Offer for recycling, if available.