Shower Door NO TOP TRACK PIVOTING SHOWER GLASS PANELS 27"-30" 30"-33" 33"-36" \$\text{\$\frac{3}{3}\text{\$\frac{1}{3}\t

MATERIALS: 1/4" (6mm) Tempered Glass Panel.

INSTALLATION: Detailed Instructions and Hardware Included for Easy Installation.

UNIQUE FEATURE: Spot Guard Easy Clean Coating.

Fits Doors with Openings of 27"-30"(68cm-76cm), 30"-33"(76cm-83cm) or 33"-36"(83cm-91cm),

with a Height of 64" 3/4 (164cm)

WARRANTY: 5 Year Limited Warranty.



TECHNICAL DATA NO TOP TRACK PIVOTING Shower Door SHOWER 27" - 36" DESCRIPTION QTY MATERIAL Frame AL6463 2 Bottom Track 1 AL6463 3 Strike Wall Jamb 1 AL6463 T5 Strike Jamb AL6463_T5 4 1 Hinge Body 2 AL6463_T5 5 Pivot Hinge Clamp 2 AL6463_T5 PVC Vinyl Clamp Seal 8 Door Bumper Pivot Doors 1 PVC

Top Mounting Plate

Bottom Mounting Plate

MATERIALS: Anodized Aluminum Excursions (Track) and Mounting Plates. Bronze Finish is Powder Coated.

INSTALLATION: Detailed Instructions and Hardware Included for Easy Installation. Single Track for 27" to 36" Openings.

9

10

UNIQUE FEATURE: Door Can be Hinged to Open Left or Right.

Constructed of Corrosion Resistant Anodized Alumninum.


 $Fits \ Doors \ with \ Openings \ of \ 27"-30" (68cm-76cm), \ 30"-33" (76cm-83cm) \ or \ 33"-36" (83cm-91cm), \ with \ a \ Height \ of \ 64-3/4" \ (164cm).$

AL6463

AL6463

WARRANTY: 5 Year Limited Warranty.





MATERIALS: Zinc Die Cast.

INSTALLATION: Detailed Instructions and Hardware Included for Easy Installation.

UNIQUE FEATURE: Coordinates with Delta® Faucets and Bath Hardware.

Compatible with All Delta® Pivoting Doors.

WARRANTY: 5 Year Limited Warranty.

