

Fungus Gnat Control Nematodes

For control of Fungus Gnats (*Bradysia* spp.), in greenhouses, potted plants & lawn and garden areas. Contains infective juveniles of *Steinernema feltiae* nematodes on a sponge.

Net contents: 2 x 5 million nematodes

Store at 41°F (5°C) DO NOT FREEZE

GENERAL INFORMATION

Fungus Gnat Control is a formulation of the beneficial nematode *Steinernema feltiae* that aggressively seeks out, enters, and controls the larva of target insect pests often found in greenhouses, indoor plants and garden areas. Fungus Gnat Control Nematodes are compatible with other biological control programs as well as many other chemical control products.

DIRECTIONS FOR USE

Read and follow all label instructions thoroughly before applying Fungus Gnat Control.

For optimum results:

- Treat entire greenhouse or garden area as soon as possible. Soil or media temperature should be between 46° – 86° F (8° – 30° C). The soil or media must be moist prior to, during, and after application.
- Use entire sponge during application. ***Use nematodes immediately after they have been mixed.*** Use cool water for mixing and keep tank away from heat sources and out of direct sunlight. Agitate nematodes constantly during application.

APPLICATION DIRECTIONS

Watering Can: Will treat approximately twenty 10" pots OR apply at the rate of 5 million / 250 ft². Re-apply second treatment in 7-10 days.

1. Open zip loc bag and carefully remove sponge
2. Use 1 zip loc package per treatment.
3. Add approximately 2 gallons (7 litres) of water into watering can then squeeze sponge in water and leave in mixture.
4. Stir the mixture to ensure the nematodes are well mixed.
5. Apply 8-10 oz. of solution to each potted plant (Covers 250 ft² per treatment for outdoor use).
6. Apply an equal amount of water to the same area to make sure the nematodes are watered in.

Greenhouse: Apply Fungus Gnat Control at the recommended rate and treat the entire house or plant inventory as soon as insect pests appear.

Large capacity sprayers, overhead irrigation and sprinkler systems

1. Remove all in-line and nozzle filters (1mm, 50 mesh or less).
2. Partly fill the sprayer tank with cool, clean water. Begin and maintain agitation until spraying is completed.
3. Create a pre-mix stock solution by filling a clean bucket with cool water, add the recommended dosage of Fungus Gnat Control and allow product to hydrate and disperse for at least 5 minutes.
4. Transfer pre-mix stock solution into sprayer tank, begin and maintain agitation.
5. Add the required volume of additional water to the sprayer. Use at least three (3) gallons (11.4 liters) of water per 100 sq ft (6 m²) of treated area.
6. Irrigate immediately to wash nematodes off plant and onto soil media surface. Do not over irrigate to cause runoff from the tops of the pots/liners.

For hand-held backpack sprayers

1. Make a concentrated Stock solution by filling a clean bucket with two (2) gallons (7.5 liters) cool water, add one sponge of Fungus Gnat Control, and allow product to hydrate and disperse for at least 5 minutes.
2. Apply the **Final Volume of Spray Solution** (3 gals or 11.4 liters) to 100 sq ft of moist soil or media. Use all of the Final Volume of Spray Solution within one hour of mixing, and agitate while spraying to prevent nematode settlement at bottom of sprayer tank.
3. Repeat step 2 with the remaining **Stock Solution**.
4. Irrigate immediately to wash nematodes off plant and onto soil media surface. Do not over irrigate to cause runoff from the tops of the pots/liners.

APPLICATION DIRECTIONS

1. Removed all fine filters (1 mm, 50 or less)
2. Partly fill the sprayer tank with cool, clean water. Start the agitator and keep running until spraying is completed.
3. Create a pre-mix stock solution by filling a clean bucket with at least 3 gal (11.4 liters) of cool water, add one (1) tray of Fungus Gnat Control and allow product to hydrate and disperse for at least 5 minutes.
4. After Fungus Gnat Control has fully hydrated, stir contents or pre-mix solution thoroughly to ensure all product is dispersed.
5. Transfer pre-mix solution into the sprayer tank, begin and maintain agitation.
6. Fill sprayer tank to the required final spray volume.
7. Add a wetting agent/surfactant to the mixture.
8. Apply dose to the whole crop at the appropriate treatment rate.

Store and Disposal

Upon receipt, remove outer packaging and use immediately or store in a refrigerator (41 F, 5 C)

Do not Freeze

Ensure good air circulation around each tray. Use contents at one time/

Product and packaging waste resulting from the use of this product, unused or expired product may be disposed of on site or at any approved waste disposal facility in accordance with federal and local regulations.

WARRANTY DISCLAIMER

The Environmental Factor Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose stated on the label when used in strict accordance with the directions. Environmental Factor Inc. DISCLAIMS ALL OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

LIMITATION OF LIABILITY

No one is authorized to change or supplement, whether verbally or in writing, the statements contained on the label. Environmental Factor and the seller are not liable for personal injury or property damage or loss, including crop damage or lack of performance, due to circumstances beyond their control, like a product user's failure to comply with the directions. Buyer and user assume all risks for these events.

The Environmental Factor Inc.
85 Chambers Dr. Unit 8 Ajax, ON L1Z 1E2
CANADA

T. 905-686-9909 F. 905-696-0357 Email: sales@environmentalfactor.com
www.environmentalfactor.com