

Conforms to Hazard Communication Standard 29 CFR 1910.1200

Section 1 - IDENTIFICATION

Product Identifier: Spectracide® Weed & Grass Killer Concentrate₂

Other Means of Identification:

Product Code HG-16390HG; HG-26390; HG-36009; HG-36390HD; HG-45777; HG-56009; HG-56201; HG-66001; HG-66001DG; HG-66390; HG-66451; HG-86001; HG-86009; HG-95777; HG-96009; HG-96243; HG-96352; HG-96390; HG-96390W; HG-96451; HG-96489; HG-96529HD; HG-96620; HG-96804; HG-96853

Formula Number 21-1447

EPA Reg. Number 9688-265-8845

Recommended Use: Herbicide

Recommended Restrictions: Use in accordance with label directions

Manufacturer/Importer/Supplier/Distributor Information:

Company Name Spectrum Group, Division of United Industries Corporation

Address PO Box 142642, St. Louis, MO 63114-0642

Telephone Number 1-800-917-5438

Emergency Telephone Number:

CHEMTREC (800)424-9300

Medical (866)823-2749

Section 2 - HAZARD(S) IDENTIFICATION

Classification of Substance or Mixture:

Physical Hazard(s) Not classified as a physical hazard

Health Hazard(s) Skin Irritant - Category 2

Eye Irritant - Category 2B

Specific Target Organ Toxicity (Repeated Exposure) - Category 2

Label Elements:

Hazard Pictogram(s)



Signal Word

WARNING

Hazard Statements:

Causes skin irritation

Causes eye irritation

May cause damage to organs through prolonged or repeated exposure

Precautionary Statements:

Wash hands thoroughly after handling. Wear protective gloves.

Wash hands thoroughly after handling.

Do not breathe mist, vapors, or spray.

If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice. Take off contaminated clothing and wash it before reuse.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention if you feel unwell.

Dispose of contents in accordance with all local, state/provincial and federal regulations. For more information see product label.

Hazard(s) not Otherwise Classified (HNOC): No additional information available
Supplemental Information: None

Section 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Synonyms	CAS Number	%
Diquat dibromide	n/a	85-00-7	2.30
Fluazifop-p-butyl	n/a	79241-46-6	1.15
Dicamba, Dimethylamine salt	n/a	2300-66-5	0.77

In accordance with paragraph (d) of 1910.1200, the exact percentage (concentration) has been withheld as a trade secret. Other components are below reportable levels.

Section 4 - FIRST-AID MEASURES

Inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
Skin Contact:	In case of contact, wash skin with plenty of water for 15 minutes. If skin irritation or redness develops, seek medical attention.
Eye Contact:	In case of contact, flush eyes with plenty of water for 15 minutes. Remove contact lenses, if worn. If irritation persists, get medical attention.
Ingestion:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention.
Most Important Symptoms/Effects, Acute and Delayed:	Symptoms of exposure may include, irritation of eyes and nose, cough and/or shortness of breath.
Indication of Immediate Medical Attention & Special Treatment Needed:	Get medical advice/attention if you feel unwell.

Section 5 - FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Dry chemical, CO ₂ , water spray or regular foam.
Unsuitable Extinguishing Media:	None Known
Specific Hazards Arising from the Chemical:	Products of combustion may include, and are not limited to: oxides of carbon.
Special Protective Equipment and Precautions for Firefighters:	Keep upwind of fire. Inhalation of material may be harmful. Contact may cause burns to skin and eyes. Inhalation of Asbestos dust may have a damaging effect on the lungs. Fire may produce irritating, corrosive and/or toxic gases. Some liquids produce vapors that may cause dizziness or suffocation. Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

In Case of Large Fire: Water spray, fog or regular foam. Do not scatter spilled material with high-pressure water streams. Move containers from fire area if you can do it without risk. Dike fire-control water for later disposal.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Methods and Materials for Containment and Cleaning Up: Do not touch or walk through spilled material. Stop leak if you can do it without risk. **Small Liquid Spill:** Pick up with sand or other non-combustible absorbent material and place into containers for later disposal. **Large Liquid Spill:** Dike far ahead of liquid spill for later disposal. Cover powder spill with plastic sheet or tarp to minimize spreading. Prevent entry into waterways, sewers, basements or confined areas.

Environmental Precautions: Report spills as required by local and national regulations. Prevent entry into storm sewers and waterways.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling: Avoid breathing mist. Avoid contact with skin and eyes. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

Conditions for Safe Storage, Including any Incompatibilities: Keep out of reach of children. Keep container tightly closed. (See section 10).

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters:

Chemical Name	Exposure Limits					
	OSHA PEL		ACGIH TLV		Supplier OEL	
	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Diquat Dibromide	-	-	-	TWA 0.5	-	TWA 0.5, 0.08 respirable
Fluazifop-p-butyl	-	-	STEL 1000	-	-	TWA 0.5

Appropriate Engineering Controls: General ventilation should be adequate for all normal use.

Individual Protective Measures, Such as Personal Protective Equipment:

Eye/face protection: Avoid eye contact.
Skin and body protection: Wear protective gloves. Avoid skin contact.
Respiratory protection: None required under normal use conditions.
General hygiene considerations: Do not eat, drink or smoke where material is handled, processed or stored. Wash hands after handling.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.):	Hazy, light amber to dark brown liquid
Odor:	Sweet and fruity
Odor Threshold:	No data available
pH:	4.0-8.5
Melting / Freezing Point:	No data available
Initial boiling point and range:	No data available
Flashpoint:	No data available
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	No data available
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	1.014-1.026
Solubility(ies):	Soluble in water
Partition coefficient (n-octanol/water):	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available

Section 10 - STABILITY AND REACTIVITY

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical stability:	Stable under normal storage conditions.
Possibility of hazardous reactions:	No dangerous reaction known under conditions of normal use.
Conditions to avoid:	Heat. Incompatible materials.
Incompatible materials:	None known.
Hazardous decomposition products:	May include, and are not limited to oxides of carbon.

Section 11 - TOXICOLOGICAL INFORMATION

Information on the likely routes of exposure: Inhalation, Ingestion and/or skin or eye contact

Symptoms related to the physical, chemical and toxicological characteristics:

Inhalation:	May cause respiratory tract irritation.
Ingestion:	May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
Skin contact:	Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Eye contact:	Causes eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Acute Toxicity Values:

Calculated overall Chemical Acute Toxicity Values (ATE)		
LD50 (Oral)	LD50 (Dermal)	LC50 (inhalation)
>2000 mg/kg	>5000 mg/kg	>2 mg/l

Eye Contact:

This product is an eye irritant.

Skin Contact:

This product is a skin irritant.

Sensitization:

Based on available data, the classification criteria are not met.

**Chronic Effects-
Carcinogenicity:**

Ingredient	Chemical Listed as a Carcinogen or Potential Carcinogen (NTP, IARC, OSHA)
None of the ingredients present in this product at or above 0.1% are listed as potential carcinogens on the NTP, IARC or OSHA lists.	

Reproductive Toxicity:

Based on available data, the classification criteria are not met.

Germ Cell Mutagenicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

May cause damage to kidneys and eyes through prolonged or repeated exposure

Aspiration hazard:

Based on available data, the classification criteria are not met.

Comment:

All information was generated using the GHS classification criteria for mixtures and test data where available.

Section 12 - ECOLOGICAL INFORMATION

Ecotoxicity:

Per GHS, this product is classified as a category 2 aquatic acute toxicant and a category 2 aquatic chronic toxicant.

Persistence and degradability:

No data available

Bioaccumulative potential:

No data available

Mobility in soil:

No data available

Other adverse effects:

No data available

Section 13 - DISPOSAL CONSIDERATIONS

Dispose of in accordance with all local, state,/provincial and federal regulations. For more information see product label.

Section 14 - TRANSPORTATION INFORMATION

DOT: Not Regulated

IATA:

UN Number:

UN3082

Proper Shipping Name:

Environmentally hazardous substance, liquid, n.o.s.

Technical Name:

Fluazifop-p-butyl & Diquat Dibromide

Hazard Class:

9

Packing Group: III
Limited Quantity: ≤5L
Marine Pollutant: Yes

IMDG: UN Number: UN3082
Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.
Technical Name: Fluazifop-p-butyl & Diquat Dibromide
Hazard Class: 9
Packing Group: III
Limited Quantity: ≤5L
Marine Pollutant: Yes

Section 15 - REGULATORY INFORMATION

US EPA Label Information:

EPA Pesticide Registration Number 9688-265-8845

Federal Insecticide, Fungicide, Rodenticide Act Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subjected to certain labeling requirements under the federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

WARNING: KEEP OUT OF REACH OF CHILDREN.

Hazards to Humans and Domestic Animals

CAUTION: Causes skin irritation. Causes moderate eye irritation. Do not get on skin or clothing. Avoid contact with eyes. Wear chemical-resistant gloves made out of any waterproof material. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Wear chemical-resistant gloves made out of any waterproof material.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove clothing and personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID: If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-917-5438 for emergency medical treatment advice.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

STORAGE AND DISPOSAL: Pesticide Storage: Store this product only in its original container in a secure storage area away from sources of heat or open flame. Protect product from freezing. **Pesticide Disposal and Container Handling:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EPA TSCA Inventory: All of the components of this product are either on the Toxic Substances Control Act (TSCA) Inventory List or exempt.

CERCLA Section 103: Spills of this product over the RQ (reportable quantity) must be reported to the National Response Center.

Chemical Name &	Chemical RQ	Concentration in	Product RQ
Diquat dibromide 85-00-7	1,000	2.30	43,478

SARA Hazard Category See OSHA hazards listed in section 2.

(311/312):

SARA 313: Section 313 of title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does contain chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	CAS #	Threshold Value %
Dicamba, Dimethylamine salt	2300-66-5	1.0

Disclaimer: Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Section 16 - OTHER INFORMATION

Issue date: December 11, 2018
Revision date: June 29, 2020
Version number: 1.4



Kills Weeds *AND* Grass

**MONEY BACK
GUARANTEE**

Spectracide®

WEED & GRASS KILLER

— C O N C E N T R A T E —₂

Herbicide concentrado para maleza y pasto₂

**Rainproof In
15 Minutes**

**Visible Results
As Fast As 3 Hours**



Kills The Root

**For Best Results,
Apply When Temperature Is Above 60°F**



Active Ingredients:

Diquat dibromide..... 2.30%

Fluazifop-p-butyl..... 1.15%

Dicamba, Dimethylamine salt..... 0.77%

Other Ingredients..... 95.78%

Total..... 100.00%

Contains 0.195 lb diquat dibromide per US gallon

Contains 0.097 lb fluazifop-p-butyl per US gallon

Contains 0.054 lb dicamba acid equivalent per US gallon

KEEP OUT OF REACH OF CHILDREN

WARNING See back booklet for additional precautionary statements.

*For terms of guarantee, see back panel.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

AVISO Consulte el folleto en la parte posterior para conocer las declaraciones preventivas adicionales. 17-17240

Net Contents 32 fl oz (1 qt / 946 mL)

INSTRUCCIONES PARA LA MEZCLA

Paso 1: Use un rociador limpio. Mida y mezcle cuidadosamente la cantidad de producto y de agua como se indica. Los utensilios para alimentos como cucharitas y tazas de medir no se deben usar con alimentos después de utilizarlos con pesticidas.

Paso 2: Rocíe como se indica. Es importante que la cobertura sea completa. Enjuague el rociador con agua limpia después de cada uso.

CANTIDAD A USAR:

Para el control de malezas: 5 onzas líquidas (10 cdas. soperas) por galón de agua trata 300 pies cuadrados, lo cual es equivalente a 0.008 lb dibromuro de diquat, 0.004 lb fluzafop-p-butilo y 0.002 lb ácido de dicamba.

5 onzas líquidas de producto aplicado por cada 300 pies cuadrados es igual a aplicar 16.65 onzas líquidas de producto por cada 1,000 pies cuadrados (equivalente a 0.027 lb dibromuro de diquat, 0.013 lb fluzafop-p-butilo, 0.007 lb ácido de dicamba por cada 1,000 pies cuadrados).

Para infestaciones grandes o malezas difíciles de matar: 7 onzas líquidas (14 cdas. soperas) por galón de agua trata 300 pies cuadrados, lo cual es equivalente a 0.011 lb dibromuro de diquat, 0.005 lb fluzafop-p-butilo y 0.003 lb ácido de dicamba.

7 onzas líquidas de producto aplicado por cada 300 pies cuadrados es igual a 23.31 onzas líquidas de producto por cada 1,000 pies cuadrados (equivalente a 0.037 lb dibromuro de diquat, 0.017 lb fluzafop-p-butilo, 0.010 lb ácido de dicamba por cada 1,000 pies cuadrados).

1 cda. sopera = 3 cucharaditas 1 onza líquida = 2 cdas. soperas

PARA USO INICIAL: Quite la lengüeta de seguridad en la parte superior de la tapa de la taza de medir.

PASO 1: Antes de usar, agite bien el contenido de la botella, estando en posición de bloqueo. Si la botella no se cierra correctamente, pueden ocurrir derrames o salpicaduras.

PASO 2: Determine la cantidad de producto para medir, de acuerdo con las Instrucciones para la mezcla. Gire el selector en el sentido de las manecillas del reloj hasta desbloquear. La taza de medir está en posición desbloqueada cuando el indicador del selector está alineado con la marca de la boquilla en el lado de la taza de medir y se oye un clic.

PASO 3: Con la botella colocada sobre una superficie plana, coloque ambas manos en los lados de la botella y apriete la botella para llenar la taza de medir. Deje de apretar cuando el nivel de líquido llegue a la línea de medida designada.

PASO 4: En caso de que se llene demasiado, puede drenar el exceso de líquido de vuelta a la botella. Para hacerlo, gire el selector en el sentido de las manecillas del reloj de la posición desbloqueada hasta que el indicador del selector esté alineado con la marca de drenaje en el lado de la taza. El líquido drenará lentamente de vuelta a la botella. Para acelerar el proceso de drenaje, apriete suavemente la botella para eliminar el aire.

PASO 5: Vierta el líquido en un rociador de tanque limpio. La taza de medir está en posición desbloqueada cuando el indicador del selector está alineado con la marca de la boquilla en el lado de la taza de medir y se oye un clic. El líquido solo se puede verter cuando la taza de medir está en posición desbloqueada.

PASO 6: Para cerrar la tapa, gire el selector en sentido contrario a las manecillas del reloj hasta que el indicador del selector esté alineado con la primera muesca a la izquierda de la boquilla. La botella estará cerrada cuando la tapa esté alineada con la parte superior de la botella. Antes de volver a usar, asegúrese de que la tapa esté en la posición cerrada para evitar derrames o salpicaduras. Siga los pasos del 1 al 6 al usar la próxima vez.

ALMACENAMIENTO Y ELIMINACIÓN

NO contamine el agua ni los alimentos para personas y animales por medio del almacenamiento o la eliminación.

Almacenamiento del pesticida: Guarde este producto solo en su envase original en un lugar de almacenamiento seguro lejos de fuentes de calor o del fuego. No permita que el producto se congele.

Eliminación del pesticida y manipulación del envase: Envase no rellenable. **NO** vuelva a usar ni a rellenar este envase, excepto como se indica en el modo de empleo. **Si está vacío:** Tirelo en la basura u ofrézcalo para reciclar, si existe esa opción. **Si está parcialmente vacío:** Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

ACCUMESURE™



Twist > Squeeze > Pour

WHEN TO USE

60°F

*For best results, apply above 60°F.
Works faster at higher temperatures.*

WHERE TO USE



*On Patios, Walkways & Driveways; Around Flowers, Shrubs & Trees;
Along Fences & Foundations; & In Large Areas*

AMOUNT TO USE

For Weed Control

**5 fl oz (10 Tbsp) per
gallon of water**

For Heavy Infestation or Hard-to-Kill Weeds

**7 fl oz (14 Tbsp) per
gallon of water**

KILLS WEEDS & GRASS



Rainproof in 15 Minutes



**Visible Results as
Fast as 3 Hours**



**Plant New Flowers, Trees & Shrubs in
Treated Area After Just 1 Day**



**Triple-Powered Weed & Grass Killing Formula –
Diquat, Fluzafop-p-butyl, Dicamba**

*See inside booklet for complete Directions for Use,
First Aid & Precautionary Statements*

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

***GUARANTEED RESULTS OR YOUR MONEY BACK**

If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

QUESTIONS & COMMENTS: Call 1-800-917-5438 or visit our

website at www.spectracide.com

Distributed by Spectrum Group, Division of United Industries Corporation

PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-265-8945

EPA Est. Nos. 9688-MO-1(U), 58996-MO-1(AE), 89964-GA-1(E)

Circled letter is first letter of lot number.

17-18066 © 2020 UIC

PROOF OF PURCHASE

FPO UPC

071121 96804 3



**READ ENTIRE LABEL BEFORE USE.
ALTO. LEA TODA LA ETIQUETA ANTES DE USAR.**

First Aid

If on Skin or Clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a Poison Control Center or doctor for treatment advice.
If in Eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.
Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-917-5438 for emergency medical treatment advice.	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: Causes skin irritation. Causes moderate eye irritation. Do not get on skin or clothing. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE):

When handling concentrate wear:

Coveralls worn over short-sleeved shirt and short pants

Socks

Chemical-resistant footwear

Waterproof or chemical-resistant gloves

Protective eyewear

When mixing and loading, wear a chemical-resistant apron

USER SAFETY RECOMMENDATIONS

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This pesticide is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

DIRECTIONS FOR USE

STOP. Read Entire Label Before Use.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



DO NOT allow people or pets to enter the treated area until sprays have dried.

APPLICATION RESTRICTIONS

DO NOT apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. **DO NOT** mow, cut or otherwise disturb treated vegetation for at least seven days following application. **DO NOT** use on or around edible feed or food crops. **DO NOT** make more than two applications per year to any given area. **DO NOT** use for **spot weed treatment in lawns, since Spectracide® Weed & Grass Killer Concentrate₂ kills all green plants, including lawn grasses.**

The single max use rate is 23.31 fl oz of product per 1,000 sq ft (equivalent to 0.037 lb diquat dibromide, 0.017 lb fluzafop-p-butyl 0.010 lb dicamba acid equivalent per 1,000 sq ft). The maximum yearly use rate is 46.62 fl oz of product per 1,000 sq ft (a total of 0.148 lb diquat dibromide, 0.068 lb fluzafop-p-butyl, and 0.040 lb dicamba acid equivalent per 1,000 sq ft). The maximum number of applications per year is two. The minimum reapplication interval is three months.

WHERE TO USE

WEED CONTROL: Use along fences, paths, patios, sidewalks, curbs and driveways, and around ornamental trees, shrubs, flower beds and plantings around buildings. Use for trimming and edging landscapes.

SPOT TREATMENTS: Spray directly on actively growing weeds in and around flower beds, ornamental trees, shrubs, fences, driveways and walkways.

LANDSCAPES: For use in preparing areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted **one day** after treatment.

FOR LAWN RENOVATION/REPLACEMENT:

1. Determine size of area to be treated — measure length and width in feet, then multiply to determine coverage area in square feet (length x width).
2. Use this product to remove the old lawn and existing weeds and grasses.
3. For best results, apply in spring or fall, when daytime temperatures are at least 60°F.
4. If the lawn is dry, water lawn every other day for a week before applying this product.
5. **DO NOT** mow for seven days before or after treatment.
6. Use 7 fl oz (14 Tbsp) per gallon of water for each 300 sq ft of area to be treated, which is equivalent to 0.011 lb diquat dibromide, 0.005 lb fluzafop-p-butyl and 0.003 lb dicamba acid equivalent per 300 sq ft and is the maximum single use rate. **DO NOT** apply more than twice a year and **DO NOT** apply within three months of the previous application. 7 fl oz of product per 300 sq ft is the same as 23.31 fl oz of product per 1,000 sq ft (equivalent to 0.037 lb diquat dibromide, 0.017 lb fluzafop-p-butyl and 0.010 lb dicamba acid equivalent per 1,000 sq ft.)

WHEN TO APPLY

- For best results, apply during warm, sunny weather (above 60°F) when weeds are actively growing. Rainfall or watering 15 minutes after application will not wash away effectiveness.
- To avoid drift to desirable plants, apply when the air is calm.

WHEN TO REPLANT

- All ornamental flowers, trees and shrubs may be planted **one day** after application.

TIPS FOR REPLANTING

- Wait seven days after last application to rake, till or replant with seed or sod.
- Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and soil amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.
- Keep area moist for two weeks to establish new lawn, then water as needed.

HOW TO APPLY*

- Completely wet the foliage of the target vegetation. Do not overspray.
- A single application controls most weeds.
- Most treated weeds usually show initial symptoms within 24 hours and complete kill in one to two weeks.
- **Protect desirable plants with a piece of plastic or cardboard.**
- **If desirable plants are accidentally sprayed, wash plants with water immediately.**

‡ Visual symptoms and time to complete kill will depend on weed and grass type, temperature and application rate.

MIXING INSTRUCTIONS

Step 1: Use a clean sprayer. Carefully measure and mix the amount of product and water as directed. Food utensils, such as teaspoons and measuring cups, must not be used for food purposes after use with pesticides.

Step 2: Spray as directed. Thorough coverage is important. Flush sprayer with clean water after each use.

AMOUNT TO USE:

For weed control: 5 fl oz (10 Tbsp) per gallon of water treats 300 sq ft, which is equivalent to 0.008 lb diquat dibromide, 0.004 lb fluzafop-p-butyl and 0.002 lb dicamba acid equivalent.

5 fl oz of product applied per 300 sq ft is the same as applying 16.65 fl oz of product per 1,000 sq ft (equivalent to 0.027 lb diquat dibromide, 0.013 lb fluzafop-p-butyl, 0.007 lb dicamba acid equivalent per 1,000 sq ft).

For heavy infestations or hard-to-kill weeds: 7 fl oz (14 Tbsp) per gallon of water treats 300 sq ft, which is equivalent to 0.011 lb diquat dibromide, 0.005 lb fluzafop-p-butyl and 0.003 lb dicamba acid equivalent.

7 fl oz of product applied per 300 sq ft is the same as applying 23.31 fl oz of product per 1,000 sq ft (equivalent to 0.037 lb diquat dibromide, 0.017 lb fluzafop-p-butyl, 0.010 lb dicamba acid equivalent per 1,000 sq ft).

1 Tbsp = 3 tsp 1 fl oz = 2 Tbsp



Remove Tab



Step 1:



Step 2:



Step 3:



Step 4:



Step 5:



Step 6:

FOR INITIAL USE: Remove the safety tab at the top of the measuring cup's lid.

STEP 1: Before using, shake the contents of the bottle well, while in the closed position. Failure to properly close bottle may result in leakage or splashing.

STEP 2: Determine the amount of product to measure as indicated in the Mixing Instructions. Turn the dial clockwise to the open position. The measuring cup is in the open position when dial indicator lines up with the pour spout marking on the side of the measuring cup and you hear a click.

STEP 3: With the bottle placed on a flat surface, place both hands on the sides of the bottle and squeeze the bottle to fill the measuring cup. Stop squeezing when the fluid level reaches the designated measurement line.

STEP 4: In case of over measurement, excess fluid can be drained back into the bottle. To drain, turn the dial clockwise from the open position until the dial indicator lines up with the drain marking on side of cup. Fluid will drain back slowly. To speed up the draining process, gently squeeze the bottle to purge out the air.

STEP 5: Pour the fluid into a clean tank sprayer. The measuring cup is in the open position when dial indicator lines up with the pour spout marking on the side of the measuring cup and you hear a click. Fluid can only be poured when the measuring cup is in the open position.

STEP 6: Turn the dial counterclockwise until the dial indicator lines up with the first notch left of the pour spout to close the lid. The bottle will be closed when the lid is flush with the top of the bottle. Before next use, be sure that the cap is in the closed position to avoid leakage or splashing. Follow steps 1 through 6 upon next use.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store this product only in its original container in a secure storage area away from sources of heat or open flame. Protect product from freezing.

Pesticide Disposal and Container Handling: Nonrefillable container. **DO NOT** reuse or refill this container, except as described in the directions for use. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Primeros auxilios	
Si entra en contacto con la piel o la ropa:	• Quítese la ropa contaminada. • Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
Si entra en contacto con los ojos:	• Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. • Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar al 1-800-917-5438 para obtener información acerca del tratamiento médico de urgencia.	

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

AVISO. Causa irritación de la piel. Causa irritación moderada a los ojos. No deje que entre en contacto con la piel ni la ropa. Evite el contacto con los ojos o la ropa. Lávese muy bien con agua y jabón después de manipularlo y antes de comer, beber, masticar chicle, usar tabaco o usar el baño. Quítese la ropa contaminada y lávela antes de volverla a usar.

Equipo de protección personal (EPP):

Al manipular el producto concentrado, use:

Overoles sobre camisa de manga corta y pantalones cortos

Calcetines

Zapatos resistentes a productos químicos

Guantas impermeables o resistentes a productos químicos

Protección para los ojos

Al mezclar y transportar, use un delantal resistente a productos químicos

RECOMENDACIONES DE SEGURIDAD PARA EL USUARIO

Los usuarios deben quitarse la ropa o el equipo de protección personal inmediatamente si el pesticida pasa a través del mismo. Luego deben lavarse muy bien y ponerse ropa limpia.

Los usuarios se deben quitar el equipo de protección personal inmediatamente después de manipular este producto. Lave la parte exterior de los guantes antes de quitárselos. Lávese muy bien y póngase ropa limpia tan pronto como sea posible.

Riesgos para el medio ambiente

Este pesticida es tóxico para los invertebrados acuáticos. Para proteger el medio ambiente, no permita que el pesticida entre o se escorra por drenajes pluviales, zonas de drenaje, cunetas ni aguas superficiales. Aplicar este producto cuando no haya viento y no se anticipa lluvia en las siguientes 24 horas ayudará a asegurar que el viento ni la lluvia arrastren o quiten el pesticida de la zona de tratamiento. Enjuagar el equipo de aplicación encima de la zona tratada ayudará a evitar el escurrimiento a masas de agua o sistemas de drenaje.

MODO DE EMPLEO

ALTO. Lea toda la etiqueta antes de usar.

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.



NO permita que las personas ni las mascotas entren en la zona tratada hasta que los rocíos se hayan secado.

RESTRICCIONES DE APLICACIÓN

NO aplique este producto de modo que entre en contacto con personas ni mascotas, ya sea directamente o por arrastre. Mantenga a las personas y mascotas fuera de la zona durante la aplicación. **NO** pade, corte, ni altere de ninguna otra manera la vegetación durante por lo menos siete días después de la aplicación. **NO** lo use en cultivos de alimentos o forrajes ni en sus alrededores. **NO** haga más de dos aplicaciones por año a cualquier zona. **NO** lo use para el tratamiento localizado de malezas en céspedes, ya que el Herbicida concentrado para maleza y pasto, de Spectracide® mata todas las plantas verdes, incluyendo los céspedes.

La proporción de uso máxima por aplicación es de 23.31 onzas líquidas de producto por cada 1,000 pies cuadrados (equivalente a 0.037 lb dibromuro de diquat, 0.017 lb fluzafop-p-butilo y 0.010 lb ácido de dicamba por cada 1,000 pies cuadrados). La proporción de uso máxima por año es de 46.62 onzas líquidas de producto por cada 1,000 pies cuadrados (equivalente a un total de 0.148 lb dibromuro de diquat, 0.068 lb fluzafop-p-butilo y 0.040 lb ácido de dicamba por cada 1,000 pies cuadrados). La cantidad máxima de aplicaciones es dos por año. El intervalo mínimo para repetir la aplicación es de tres meses.

DÓNDE USAR

CONTROL DE MALEZAS: Úselo a lo largo de cercas, senderos, patios, aceras, rebordes de aceras y caminos de entrada de automóviles, alrededor de árboles ornamentales, arbustos, lechos de flores y plantaciones alrededor de edificios. Úselo para el recorte y bordado de jardines.

TRATAMIENTOS LOCALIZADOS: Rocíe directamente las malezas que se encuentren en la etapa de crecimiento activo en y alrededor de lechos de flores, árboles ornamentales, arbustos, cercas, caminos de entrada de automóviles y senderos.

JARDINERÍA ORNAMENTAL: Para usar en la preparación de superficies para cultivar plantas ornamentales, árboles, arbustos, paisajes con plantas del desierto, jardines de piedras, lechos de flores o plantaciones similares. Las zonas tratadas se pueden replantar **un día después** del tratamiento.

PARA RENOVACIÓN O REPOSICIÓN DEL CÉSPED:

1. Determine el tamaño del área que se va a tratar; mida el largo y el ancho en pies y después multiplíquelo para determinar el área de cobertura en pies cuadrados (largo por ancho).
2. Use este producto para eliminar el césped anterior y las malezas y pastos actuales.
3. Para obtener mejores resultados, aplique durante la primavera o el otoño, cuando las temperaturas diurnas sean de 60°F por lo menos.
4. Si el césped está seco, riéguelo un día y otro no durante una semana antes de aplicar este producto.
5. **NO** corte el césped durante los siete días anteriores ni posteriores al tratamiento.
6. Use 7 onzas líquidas (14 cda. sopapas) por galón de agua para cada 300 pies cuadrados de área de tratamiento, lo cual es equivalente a 0.011 lb dibromuro de diquat, 0.005 lb fluzafop-p-butilo y 0.003 lb ácido de dicamba por cada 300 pies cuadrados y es la proporción de uso máxima para una sola aplicación. **NO** aplique más de dos veces al año y **NO** aplique antes de pasar tres meses de la aplicación anterior.

7 onzas líquidas de producto por cada 300 pies cuadrados es igual a 23.31 onzas líquidas de producto por cada 1,000 pies cuadrados (equivalente a 0.037 lb dibromuro de diquat, 0.017 lb fluzafop-p-butilo y 0.010 lb ácido de dicamba por cada 1,000 pies cuadrados).

CUÁNDO APLICAR

- Para obtener mejores resultados, aplique el producto cuando el clima esté cálido y soleado (temperaturas superiores a 60°F), cuando las malezas se encuentren en la etapa de crecimiento activo. La lluvia o el riego después de los 15 minutos de la aplicación no reduce la eficacia.
- Aplique cuando no haya viento para evitar el arrastre hacia plantas deseadas.

CUÁNDO REPLANTAR

- Todos los árboles, flores y arbustos ornamentales se pueden plantar **un día después** de la aplicación.

CONSEJOS PARA REPLANTAR

- Espere que transcurran siete días de la última aplicación para rastrear, cultivar o replantar con semillas o panes de césped.
- Rastrear y retire la paja o los residuos sueltos.
- Si es necesario, mezcle el fertilizante inicial y los acondicionadores para la tierra. Nivele la tierra.
- Aplique las semillas de acuerdo a las instrucciones del envase, o coloque panes de césped. Las semillas de césped deben mantener un buen contacto con la tierra para germinar y crecer.
- Mantenga la zona húmeda durante dos semanas para que el césped nuevo se establezca; después riegue cuando sea necesario.

CÓMO APLICAR[‡]

- Cubra completamente el follaje de la vegetación que tiene como objetivo. No rocíe en exceso.
- Una sola aplicación controla la mayoría de las malezas.
- En general, la mayoría de las malezas tratadas muestran los primeros síntomas en el plazo de 24 horas y la eliminación completa tiene lugar en una a dos semanas.
- **Proteja las plantas deseadas con un trozo de plástico o cartón.**
- **Si las plantas deseadas se rocían accidentalmente, lávelas inmediatamente con agua.**

[‡] Las señales visuales y el tiempo para la eliminación total dependerán del tipo de maleza y pasto, la temperatura y la dosis de aplicación.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store this product only in its original container in a secure storage area away from sources of heat or open flame. Protect product from freezing.

Pesticide Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container, except as described in the directions for use. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

First Aid

If on Skin or Clothing: • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a Poison Control Center or doctor for treatment advice. **If in Eyes:** • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-917-5438 for emergency medical treatment advice.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING. Causes skin irritation. Causes moderate eye irritation. Do not get on skin or clothing. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE):

When handling concentrate wear:

Coveralls worn over short-sleeved shirt and short pants

Socks

Chemical-resistant footwear

Waterproof or chemical-resistant gloves

Protective eyewear

When mixing and loading, wear a chemical-resistant apron

USER SAFETY RECOMMENDATIONS

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This pesticide is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions & Comments? Call 1-800-917-5438 or visit our website at www.spectracide.com

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

¿Preguntas o comentarios? Llame al 1-800-917-5438.

Distributed by Spectrum Group, Division of United Industries Corporation
PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-265-8845

EPA Est. Nos. 9688-MO-1(U), 58996-MO-1(AE), 89964-GA-1(E)

Circled letter is first letter of lot number. 17-18066 © 2020 UIC