




DUSK

Metal Platform Bed Frame

TWIN / FULL / QUEEN



Up to 2 hour approximately
assembly time



two person assembly

INTRODUCTION

Thank you for purchasing our products. Please read the instructions carefully before installation and keep it in a safe place for future reference. If you need any assistance or support, please feel free to contact our customer support team.

PRECAUTIONS


1. There are many components and accessories in the package. Each component and accessory is labeled with a letter or a number, check carefully before using any of them. Keep them away from children to prevent accidents.
2. Please install the product on a clean and soft underlay (such as carpet or cardboard) to avoid scratching or damaging the surface of the product.
3. The main components of the product are relatively heavy. Please pay attention to safety during installation.
4. The product is not stable during installation. Please do not move it randomly before it is completely installed.
5. If you have any questions during installation, please contact the customer service in time.

***PLEASE BE SURE TO FOLLOW THE INSTALLATION STEPS IN THE MANUAL TO AVOID UNNECESSARY LOSSES CAUSED BY IMPROPER INSTALLATION.**

***IF YOU NEED FURTHER ASSISTANCE, PLEASE CONTACT THE CUSTOMER SERVICE ONLINE.**

Parts

Before you begin building your bed frame, please take a moment to read through the instructions and make sure that you have all the relevant parts listed on the parts check list.






Parts Check List

No.	Parts List.	Qty
A	Headboard panel	1 pc
B	Leg for headboard	2 pcs
C	Footboard panel	1 pc
D-R	Side rail-Right (without metal bracket)	1 pc
D-L	Side rail-Left (without metal bracket)	1 pc
D1-R	Side rail-Right (with metal bracket)	1 pc
D1-L	Side rail-Left (with metal bracket)	1 pc
E	Center rail	2 pcs
F	Rail support	4 pcs
G	Slat set	2 pcs
H	Leg support for side rail	2 pcs
I	Leg for footboard	2 pcs
J	Center leg	6 pcs

Fittings

Please check you have all the fittings listed below with your product



 (M) 5/16" x 25mm Bolt 12 pcs	 (N) 5/16" x 40mm Bolt 6 pcs	 (O) 5/16" x 35mm Bolt 8 pcs	 (P) 1/4" x 35mm Bolt 12 pcs	 (V) M 5 Allen Key 1 pc
---	--	--	---	---

NB there are additional spare Fittings included within the Fitting pack

Step 1: Install the leg (part B) to the Headboard panel (part A) by using the Allen bolt (N) with lock washer, flat washer and Allen key (V). The head of the bed height can be adjusted according to your preference.


(N)  6 pcs

(V)  1 pc




NB Before tightening the bolts, please ensure the bed frame is square.

Step 2: Install the leg (part I) to the Footboard panel (part C) by using the Allen bolt (M) with lock washer, flat washer and Allen key (V).



Step 3: Insert set of the bolts (M) with lock washer, flat washer into the fixed nuts on the headboard by manually. **NOTE:** Do not fully tighten the bolts, leave at least 10mm visible so that you can hanger hook on the bolts.




NB Before tightening the bolts, please ensure the bed frame is square.

Step 4: Install the leg support (part H) to the side rail (part D-R/L ; D1-R/L) by using the Allen bolt (O) with lock washer, flat washer and Allen key (V).

(O)  8 pcs


(V)  1 pc



Step 5: Install the rail support (part F) to the side rail by using the Allen bolt (P) and Allen key (V). **NOTE:** Bolt at the connection point between two rail support DO NOT OVER TIGHTEN.

(P)  4 pcs


(V)  1 pc



Step 6: Pull the two rail support towards each side to align and assemble the holes on both sides. Then tighten all the bolts at the connection point between two rail support.

(P)  8 pcs



(V)  1 pc



Step 7: Raise the side rail up, bring the side rail and align the hook on the side rail to the bolts. Once the side rail is set, tighten all bolts by using a Allen key (V). After assembly, re-tighten all bolts for a snug fit. **DO NOT OVER TIGHTEN.** Install the side rail to the footboard by using the Allen bolt (M) with lock washer, flat washer and Allen key (V)


(M)  4 pcs

(V)  1 pc




NB Before tightening the bolts, please ensure the bed frame is square.


Step 8: Install the center rail (part E) to the slat set (part G) and tighten by the center legs (part J).



Step 9: Install the slat set to the bed.



ASSEMBLE COMPLETE.



Care and Maintenance

Here are some good tips to keep your new bed frame in tip-top condition.

Cleaning

To clean your new bed frame, we advise using a damp cloth if the fabric is dusty or a low suction vacuum. Do not use abrasive chemicals or bleach as this may damage the product.

Checking and Moving

Periodically, we recommend you check that the screws and fixtures haven't become loose over time. To move your bed frame, we recommend lifting it where possible, as dragging or pushing it could cause damage to the legs or flooring.