

# Polyblend® Grout Renew

## 1 Product Name

Polyblend® Grout Renew

## 2 Manufacturer

Custom Building Products  
 Technical Services  
 10400 Pioneer Boulevard, Unit 3  
 Santa Fe Springs, CA 90670  
 Customer Support: 800-272-8786  
 Technical Services: 800-282-8786  
 Fax: 800- 200-7765  
 Email: [contactus@cbpmail.net](mailto:contactus@cbpmail.net)  
[custombuildingproducts.com](http://custombuildingproducts.com)

## 3 Product Description

Polyblend® Grout Renew is a waterborne acrylic stain and sealer for renewing or changing the color of cement grout joints. Formulated with fade-resistant pigments, Grout Renew seals the grout against stains while it colors. Available in all 40 Polyblend® Plus colors to complement any tile or stone installation.

### Key Features

- Makes grout joints look like new
- Stain and fade resistant

### Uses

- Use to restore or change grout color of cement grout joints
- Interior or exterior use

### Composition of Product

Epoxy modified acrylic latex, fine fillers and colored pigments

### Benefits of Product in the Installation

- Renew or change the color of grout
- Seals against stains
- Available in all 40 Polyblend Grout colors

### Limitations to the Product

- Not recommended for use underwater.
- Do not use solvent-based cleaners on recolored grout joints. We recommend [TileLab® Grout & Tile Cleaner](#) or a [Aqua Mix® AquaShield Cleaner & Resealer](#).
- Unglazed tile will require sealing prior to coloring to ensure Grout Renew isn't absorbed into the tile. We recommend [TileLab® SurfaceGard® Sealer](#).
- Do not apply when ambient temperature is below 50°F (10°C) or above 80°F (27°C).

### Packaging

1/2 pt (237 ml) bottle

## 4 Instructions

### General Surface Prep

**USE CHEMICAL-RESISTANT GLOVES, such as nitrile, when handling product.**



Existing grout joints should be clean and free of all sealers and contaminants which might inhibit bonding and absorption of colorant. Prepare existing joints by cleaning with [TileLab® Sulfamic Acid Cleaner](#) or [Aqua Mix® Cement Grout Haze Remover](#) according to directions on the container. Grout must be cured and dry prior to application. Test a small inconspicuous area prior to application. Carefully apply to the grout joint and allow to dry 30-60 minutes. Allow to dry 24 hours to see if desired results are obtained.

### Application of Product

Shake well before using. If more than one bottle of the same color is being used, mix all bottles together in a separate container. Apply to dry grout joints. Test in an inconspicuous area before proceeding with full installation. Apply small bead of Grout Renew directly to center of joint. Work back and forth with a soft-bristled toothbrush to assure a thin, even application. Do not allow it to bead or puddle. Carefully apply to the grout joint and allow to dry 30-60 minutes. Work small areas at a time.

### Drying Time

Ready for light traffic in 2 to 4 hours, normal traffic in 24 hours. Do not expose to water for 72 hours. Avoid scrubbing joints.

### Cleaning of equipment

Clean tools and hands with water before material dries.

### Storage

Store and use in temperatures between 50°F - 80°F (10°C - 27°C) to protect from freezing.

### Health Precautions

Do not take internally. Harmful if swallowed. If ingested, ingest liquids. Do not induce vomiting. Avoid contact with eyes and prolonged contact with skin. In case of eye contact, flush eyes with water for 15 minutes and call a physician immediately. Keep out of reach of children.



# CUSTOM®

# Polyblend® Grout Renew

## 5 Availability & Cost

Location	Item Code	Size	Color	Package
USA	GCL09HPT	1/2 Pint (237 ml)	#9 Natural Gray	Bottle
USA	GCL10HPT	1/2 Pint (237 ml)	#10 Antique White	Bottle
USA	GCL11HPT	1/2 Pint (237 ml)	#11 Snow White	Bottle
USA	GCL19HPT	1/2 Pint (237 ml)	#19 Pewter	Bottle
USA	GCL52HPT	1/2 Pint (237 ml)	#52 Tobacco Brown	Bottle
USA	GCL59HPT	1/2 Pint (237 ml)	#59 Saddle Brown	Bottle
USA	GCL60HPT	1/2 Pint (237 ml)	#60 Charcoal	Bottle
USA	GCL95HPT	1/2 Pint (237 ml)	#95 Sable Brown	Bottle
USA	GCL105HPT	1/2 Pint (237 ml)	#105 Earth	Bottle
USA	GCL115HPT	1/2 Pint (237 ml)	#115 Platinum	Bottle
USA	GCL122HPT	1/2 Pint (237 ml)	#122 Linen	Bottle
USA	GCL135HPT	1/2 Pint (237 ml)	#135 Mushroom	Bottle
USA	GCL145HPT	1/2 Pint (237 ml)	#145 Light Smoke	Bottle
USA	GCL156HPT	1/2 Pint (237 ml)	#156 Fawn	Bottle
USA	GCL165HPT	1/2 Pint (237 ml)	#165 Delorean Gray	Bottle
USA	GCL172HPT	1/2 Pint (237 ml)	#172 Urban Putty	Bottle
USA	GCL183HPT	1/2 Pint (237 ml)	#183 Chateau	Bottle
USA	GCL185HPT	1/2 Pint (237 ml)	#185 New Taupe	Bottle
USA	GCL186HPT	1/2 Pint (237 ml)	#186 Khaki	Bottle
USA	GCL333HPT	1/2 Pint (237 ml)	#333 Alabaster	Bottle
USA	GCL335HPT	1/2 Pint (237 ml)	#335 Winter Gray	Bottle
USA	GCL370HPT	1/2 Pint (237 ml)	#370 Dove Gray	Bottle
USA	GCL380HPT	1/2 Pint (237 ml)	#380 Haystack	Bottle
USA	GCL381HPT	1/2 Pint (237 ml)	#381	Bottle



# CUSTOM®

Published Date: 7/17/2020			Bright White	
USA	GCL382HPT	1/2 Pint (237 ml)	#382 Bone	Bottle
USA	GCL386HPT	1/2 Pint (237 ml)	#386 Oyster Gray	Bottle
USA	GCL401HPT	1/2 Pint (237 ml)	#540 Truffle	Bottle
USA	GCL541HPT	1/2 Pint (237 ml)	#541 Walnut	Bottle
USA	GCL542HPT	1/2 Pint (237 ml)	#542 Graystone	Bottle
USA	GCL543HPT	1/2 Pint (237 ml)	#543 Driftwood	Bottle
USA	GCL544HPT	1/2 Pint (237 ml)	#544 Rolling Fog	Bottle
USA	GCL545HPT	1/2 Pint (237 ml)	#545 Bleached Wood	Bottle
USA	GCL546HPT	1/2 Pint (237 ml)	#546 Cape Gray	Bottle
USA	GCL640HPT	1/2 Pint (237 ml)	#640 Arctic White	Bottle
USA	GCL641HPT	1/2 Pint (237 ml)	#641 Cool White	Bottle
USA	GCL642HPT	1/2 Pint (237 ml)	#642 Ash	Bottle
USA	GCL643HPT	1/2 Pint (237 ml)	#643 Warm Gray	Bottle
USA	GCL644HPT	1/2 Pint (237 ml)	#644 Shadow	Bottle
USA	GCL645HPT	1/2 Pint (237 ml)	#645 Steel Blue	Bottle
USA	GCL646HPT	1/2 Pint (237 ml)	#646 Coffee Bean	Bottle
USA	GCL670HPT	1/2 Pint (237 ml)	#647 Brown Velvet	Bottle

## Polyblend® Grout Renew / TDS-176

## Polyblend® Grout Renew

Location	Item Code	Size	Color	Package
Canada	CGCL09HPT	1/2 Pint (237 ml)	#9 Natural Gray	Bottle
Canada	CGCL10HPT	1/2 Pint (237 ml)	#10 Antique White	Bottle
Canada	CGCL11HPT	1/2 Pint (237 ml)	#11 Snow White	Bottle
Canada	CGCL19HPT	1/2 Pint (237 ml)	#19 Pewter	Bottle
Canada	CGCL52HPT	1/2 Pint (237 ml)	#52 Tobacco Brown	Bottle
Canada	CGCL59HPT	1/2 Pint (237 ml)	#59 Saddle Brown	Bottle
Canada	CGCL60HPT	1/2 Pint (237 ml)	#60 Charcoal	Bottle
Canada	CGCL95HPT	1/2 Pint (237 ml)	#95 Sable Brown	Bottle
Canada	CGCL105HPT	1/2 Pint (237 ml)	#105 Earth	Bottle

The following colors are discontinued as of March 2015: #92 Admiral Blue, #96 Quarry Red Clay, #99 Burnt Clay, #127 Antique Linen, #168 Slate Gray, #190 Bay Leaf, #301 Arctic Ice, #305 Onyx Green, #311 Moss, #312 Bonsai, #365 Canvas, #384 Camel, #390 Rose Beige

### 6 Product Warranty

Obtain the applicable **LIMITED PRODUCT WARRANTY** at [www.custombuildingproducts.com/product-warranty](http://www.custombuildingproducts.com/product-warranty) or send a written request to Custom Building Products, Inc., Five Concourse Parkway, Atlanta, GA 30328, USA. Manufactured under the authority of Custom Building Products, Inc. © 2017 Quikrete International, Inc.

### 7 Product Maintenance

Clean with a neutral cleaner such as [Aquamix AquaKleen](#) or [TileLab Grout & Tile Cleaner](#).

### 8 Technical Services Information

For technical assistance, contact Customer Service at 1-800-282-8786 or visit [www.custombuildingproducts.com](http://www.custombuildingproducts.com)

### 9 Filing System

Additional product information is available from the manufacturer upon request.



Canada	CGCL115HPT	1/2 Pint (237 ml)	#115 Platinum	Bottle
Canada	CGCL122HPT	1/2 Pint (237 ml)	#122 Linen	Bottle
Canada	CGCL135HPT	1/2 Pint (237 ml)	#135 Mushroom	Bottle
Canada	CGCL145HPT	1/2 Pint (237 ml)	#145 Light Smoke	Bottle
Canada	CGCL165HPT	1/2 Pint (237 ml)	#165 Delorean Gray	Bottle
Canada	CGCL172HPT	1/2 Pint (237 ml)	#172 Urban Putty	Bottle
Canada	CGCL180HPT	1/2 Pint (237 ml)	#180 Sandstone	Bottle
Canada	CGCL183HPT	1/2 Pint (237 ml)	#183 Chateau	Bottle
Canada	CGCL185HPT	1/2 Pint (237 ml)	#185 New Taupe	Bottle
Canada	CGCL186HPT	1/2 Pint (237 ml)	#186 Khaki	Bottle
Canada	CGCL333HPT	1/2 Pint (237 ml)	#333 Alabaster	Bottle
Canada	CGCL335HPT	1/2 Pint (237 ml)	#335 Winter Gray	Bottle
Canada	CGCL370HPT	1/2 Pint (237 ml)	#370 Dove Gray	Bottle
Canada	CGCL380HPT	1/2 Pint (237 ml)	#380 Haystack	Bottle
Canada	CGCL381HPT	1/2 Pint (237 ml)	#381 Bright White	Bottle
Canada	CGCL382HPT	1/2 Pint (237 ml)	#382 Bone	Bottle
Canada	CGCL386HPT	1/2 Pint (237 ml)	#386 Oyster Gray	Bottle
Canada	CGCL401HPT	1/2 Pint (237 ml)	#540 Truffle	Bottle
Canada	CGCL541HPT	1/2 Pint (237 ml)	#541 Walnut	Bottle
Canada	CGCL542HPT	1/2 Pint (237 ml)	#542 Graystone	Bottle
Canada	CGCL543HPT	1/2 Pint (237 ml)	#543 Driftwood	Bottle
Canada	CGCL544HPT	1/2 Pint (237 ml)	#544 Rolling Fog	Bottle
Canada	CGCL545HPT	1/2 Pint (237 ml)	#545 Bleached Wood	Bottle
Canada	CGCL546HPT	1/2 Pint (237 ml)	#546 Cape Gray	Bottle
Canada	CGCL547HPT	1/2 Pint (237 ml)	#547 Ice Blue	Bottle
Canada	GCL640HPT	1/2 Pint (237 ml)	#640 Arctic White	Bottle
Canada	GCL641HPT	1/2 Pint (237 ml)	#641 Cool White	Bottle
Canada	GCL642HPT	1/2 Pint (237 ml)	#642 Ash	Bottle
Canada	GCL643HPT	1/2 Pint (237 ml)	#643 Warm Gray	Bottle
Canada	GCL644HPT	1/2 Pint (237 ml)	#644 Shadow	Bottle
Canada	GCL645HPT	1/2 Pint (237 ml)	#645 Steel Blue	Bottle

Published Date: 7/17/2020


**CUSTOM®**

Canada	GCL646HPT	1/2 Pint (237 ml)	#646 Coffee Bean	Bottle
Canada	GCL670HPT	1/2 Pint (237 ml)	#647 Brown Velvet	Bottle

## Polyblend® Grout Renew

---

### 10 Coverage

SQUARE FOOT COVERAGE PER 1/2 PINT (SQUARE METER PER 237 mL)

Size	Min Coverage	Max Coverage
8 oz (237 mL) Bottle	50 ft <sup>2</sup> (4.6 M <sup>2</sup> )	300 ft <sup>2</sup> (28 M <sup>2</sup> )

# POLYBLEND® GROUT RENEW

## 1. Nombre del Producto

Polyblend® Grout Renew

## 2. Fabricante

Custom Building Products

13001 Seal Beach Blvd.

Seal Beach, CA 90740-2757

Atención al Cliente: 800-272-8786

Asistencia Técnica: 800-282-8786

Fax: 800-200-7765

Correo Electrónico: [contactus@cbpmail.net](mailto:contactus@cbpmail.net)

[custombuildingproducts.com](http://custombuildingproducts.com)

## 3. Descripción del Producto

Polyblend® Grout Renew es un sellador y tinte de uretano, acrílico y a base de agua, diseñado para renovar o cambiar el color de juntas de boquilla de cemento. Formulado con pigmentos resistentes a la decoloración, Grout Renew da color a la boquilla y la sella para protegerla de las manchas. Disponible en los 48 colores de Polyblend para complementar cualquier instalación de azulejos, baldosas o piedras.

### USOS

- Use para restaurar o cambiar el color de la boquilla de juntas de boquilla de cemento.
- Para uso en interiores o exteriores.

### LIMITACIONES

- No recomendado para usar bajo el agua.
- No use limpiadores a base de solvente sobre juntas de boquilla que se han vuelto a colorear. Recomendamos el uso del limpiador TileLab® Grout & Tile Cleaner o StoneSpecific® Cleaner & Resealer.
- Los azulejos o baldosas sin vidriar deberán sellarse antes de colorear la boquilla para asegurarse de que Grout Renew no sea absorbida por la superficie del revestimiento. Recomendamos usar el sellador SurfaceGard® Stone, Grout & Tile Sealer de TileLab.
- No aplique el producto cuando la temperatura sea inferior a 50°F (10°C) o superior a 80°F (27°C).

### EMPAQUE

- Botella de 1/2 pinta (237 ml)

## 4. Datos Técnicos

No disponible.

## 5. Instalación

### TRABAJO DE PREPARACIÓN

Preparación de la Superficie

Las juntas de boquilla existentes deben estar limpias y libres de todos los selladores y contaminantes que puedan inhibir la adhesión y absorción del colorante. Prepare las juntas existentes limpiándolas con Sulfamic



Acid Cleaner o Grout Haze Remover de TileLab siguiendo las instrucciones que figuran en el envase de dichos productos. La boquilla debe estar curada y seca antes de realizar la aplicación. Pruebe en un área pequeña y oculta antes de aplicar el producto a toda la superficie. Deje secar durante 24 horas para ver si se obtienen los resultados deseados.

### MÉTODOS

#### Aplicación

Agite bien antes de usar. Si utiliza más de una botella del mismo color, mezcle todas las botellas juntas en un recipiente separado. Aplique sobre juntas de boquilla secas. Aplique una pequeña gota de Grout Renew directamente en el centro de la junta. Pase un cepillo de dientes de cerdas suaves de un extremo al otro de la junta, para asegurar una aplicación delgada y pareja. No permita que el material se acumule en un punto o se encharque. No permita que Grout Renew se seque sobre la superficie del azulejo o baldosa, limpie a medida que vaya trabajando. Trabaje en áreas pequeñas de a una por vez.

#### Tiempo de Secado

El área estará lista para permitir el tránsito liviano en 2 a 4 horas, y el tránsito normal en 24 horas. No exponga al agua por 72 horas. Evite fregar las juntas.

#### Cobertura

COBERTURA EN PIES CUADRADOS POR CADA 1/2 PINTA (METRO CUADRADO POR CADA 237 L)		
TAMAÑO DEL AZULEJO/BALDOSA	TAMAÑO DE LA JUNTA	COBERTURA
4" x 4" (10 x 10 cm)	1/4" (6 mm)	80 pies <sup>2</sup> (7.4 M <sup>2</sup> )



**Limpieza**

Limpie sus manos y las herramientas con agua antes de que se seque el material.

**SEGURIDAD**

No ingiera. Nocivo si se ingiere. En caso de ingerirse, dele de beber líquidos a la persona afectada. No induzca el vómito. Evite el contacto con los ojos y el contacto prolongado con la piel. Si entra en contacto con los ojos, enjuáguelos con agua durante 15 minutos y consulte a un médico de inmediato. Mantenga fuera del alcance de los niños.

**6. Disponibilidad y Costo**

Comuníquese con el fabricante o visite [custombuildingproducts.com](http://custombuildingproducts.com) para obtener información acerca del costo y la disponibilidad del producto.

CÓDIGO DE PRODUCTO	TAMAÑO	COLOR	ENVASE
EE.UU.			
GCLXXXHPT	1/2 pinta (237 ml)	Disponible en los 48 colores de Polyblend.	Botella
Canadá			
CGCLXXXHPT	1/2 pinta (237 ml)	Disponible en los 48 colores de Polyblend.	Botella

**7. Garantía Limitada del Producto**

Custom Building Products garantiza al comprador original que el producto estará libre de defectos, tanto en material como en mano de obra, bajo condiciones de uso normal y apropiado, por un período de un año a partir de la fecha de la compra original. De acuerdo con esta garantía, la responsabilidad de Custom se limitará únicamente al reemplazo del producto. Algunos estados, países o territorios no permiten la exclusión o limitación de daños incidentales o consecuentes, de modo que la limitación o exclusión mencionada podría no aplicarse en su caso particular. Esta garantía no cubrirá ningún producto que haya sido modificado de alguna manera o que no haya sido utilizado siguiendo las instrucciones impresas de Custom. Custom no extiende ninguna otra garantía, ni expresa ni implícita. Esta garantía le otorga derechos legales específicos y, a su vez, usted puede tener otros derechos que varían de un estado a otro o de un país/territorio a otro.

Para consultar los detalles y la información completa de la garantía, visite [custombuildingproducts.com](http://custombuildingproducts.com).

**8. Mantenimiento**

El producto correctamente instalado no requiere mantenimiento especial.

**9. Servicios Técnicos**

Para obtener asistencia técnica, comuníquese con Custom Building Products o visite [custombuildingproducts.com](http://custombuildingproducts.com).

**10. Sistema de Archivo**

Se puede obtener información adicional sobre el producto solicitándola directamente al fabricante.

