



MATERIAL SAFETY DATA SHEET

MSDS DATE: Feb-2011

NFPA HMIS
Fire – 1 Health - 0
Health – 0 Flammability - 1
Reactivity – 0 Reactivity - 0
Specific Hazard – None
Personal Protection Index – E

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Extruded PVC Thermoplastic
SYNONYMS: Polyvinyl Chloride
PRODUCT CODES:

MANUFACTURER: ACP, LLC
DIVISION: Commercial
ADDRESS: 555 Bell Street, Neenah, WI 54956

EMERGENCY PHONE: 800-434-3750
CHEMTREC PHONE:
OTHER CALLS:
FAX PHONE: 800-434-3751

CHEMICAL NAME: Polyvinyl Chloride
CHEMICAL FAMILY: Polymer of Chlorinated Hydrocarbon

CHEMICAL FORMULA: Proprietary

PRODUCT USE: Ceiling Panels
PREPARED BY: ACP, LLC

SECTION 1 NOTES:

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT: All ingredients are bound-up in the manufacturing process and are not expected to create any hazard in handling or use. Finished goods (e.g. extruded ceiling grid components) are inert.

<u>CAS NO.</u>	<u>9002-86-2</u>	<u>% WT</u>	<u>% VOL</u>	<u>SARA 313 REPORTABLE</u>
		<u>ppm</u>	<u>mg/m3</u>	
OSHA PEL-TWA:				
OSHA PEL STEL :				
OSHA PEL CEILING:			5 mg/M3 (respirable dust)	
ACGIH TLV-TWA:				
ACGIH TLV STEL:				
ACGIH TLV CEILING:				

SECTION 2 NOTES:

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: During a fire emergency, avoid inhalation, eye and skin contact.

ROUTES OF ENTRY: Inhalation, Eye, Skin Contact

POTENTIAL HEALTH EFFECTS
EYES: Dust may cause eye irritation
SKIN: May cause skin irritation



MATERIAL SAFETY DATA SHEET

MSDS DATE: Feb-2011

INGESTION: unlikely
INHALATION: May cause discomfort in nose and throat

ACUTE HEALTH HAZARDS: Not applicable

CHRONIC HEALTH HAZARDS: Not applicable

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

Available toxicological information and the physical/chemical properties of the material suggest that there is no evidence that this product aggravates an existing medical condition.

Carcinogenicity: NTP: No IARC: No OSHA: No

SECTION 3 NOTES:

SECTION 4: FIRST AID MEASURES

EYES: Immediately flush eyes with water for at least 15 minutes. Do not rub the eyes. If irritation develops, consult a physician.

SKIN: Wash affected skin areas with soap and water. If irritation develops, get medical attention immediately

INGESTION: unlikely

INHALATION: Remove subject to fresh air. If symptoms develop, seek immediate medical attention.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: Treat symptomatically and supportively.

SECTION 4 NOTES:

Never give anything by mouth to an unconscious person.

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR, UPPER: Not applicable

(% BY VOLUME) Not applicable **LOWER:** Not applicable

FLASH POINT: Not applicable

EXTINGUISHING MEDIA: Dry chemical, foam water, or carbon dioxide

SPECIAL FIRE FIGHTING PROCEDURES: In the event of a fire, wear NIOSH approved, positive pressure, self-contained breathing apparatus (SCBA) and full protective clothing. Evacuate all personnel from danger area. Use dry chemical, foam, water or carbon dioxide to extinguish fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS: This product is nonflammable and nonexplosive under normal conditions of use. It will not continue to burn after ignition without an external fire source. When forced to burn, the major gaseous products of the combustion of PVC are carbon monoxide, carbon dioxide, and hydrogen chloride.

SECTION 5 NOTES:

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

Response to Spills: Not applicable

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Use with care. Wear gloves if necessary when cutting or fabricating. Store in a cool dry, well-ventilated area away from sources of extreme heat or fire.

OTHER PRECAUTIONS: Use any methods that keep dust to a minimum. General storage procedures are acceptable



MATERIAL SAFETY DATA SHEET

MSDS DATE: Feb-2011

SECTION 7 NOTES:

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Not applicable

VENTILATION: Not applicable

RESPIRATORY PROTECTION: Use NIOSH/MAHA approved dust respirators as needed.

EYE PROTECTION: Wear safety glasses during cutting or fabricating process.

SKIN PROTECTION: Wear gloves and long sleeved clothing when cutting or fabricating.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Not applicable

WORK HYGIENIC PRACTICES: Do not eat, drink, or smoke in work area. Wash hands thoroughly after handling, especially before eating, drinking, smoking, chewing, or using restroom facility.

EXPOSURE GUIDELINES:

No. Components OSHA-PEL ACGIH-TLV.

1 PVC 5 mg/M3 (as respirable dust) 10 mg/M3 (as nuisance dust)

SECTION 8 NOTES:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Solid extruded ceiling grid components

ODOR: Insignificant

PHYSICAL STATE: Solid Sheet

pH AS SUPPLIED: Not applicable

pH (Other): Not applicable

BOILING POINT: Not applicable

MELTING POINT: Not established

FREEZING POINT: Not applicable

VAPOR PRESSURE (mmHg): Not applicable (air = 1)

VAPOR DENSITY (AIR = 1): Not applicable

SPECIFIC GRAVITY (H₂O = 1): 0.4 - 2.0 (water = 1)

EVAPORATION RATE: None (Butyl Acetate = 1)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

SOLUBILITY IN WATER: None

PERCENT SOLIDS BY WEIGHT: 100

PERCENT VOLATILE: Not applicable

VOLATILE ORGANIC COMPOUNDS (VOC): Not applicable

SECTION 9 NOTES:

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable under normal storage conditions

CONDITIONS TO AVOID (STABILITY): None known.

INCOMPATIBILITY (MATERIAL TO AVOID): None known.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Hydrogen chloride, benzene, carbon monoxide, carbon dioxide, aromatic and aliphatic hydrocarbons, and other gases could be released in fire.

HAZARDOUS POLYMERIZATION: Hazardous polymerization not expected

CONDITIONS TO AVOID (POLYMERIZATION): None known



MATERIAL SAFETY DATA SHEET

MSDS DATE: Feb-2011

SECTION 10 NOTES:

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: The information provided below can be subject to misinterpretation. Therefore, it is essential that the following information be interpreted by individuals trained in its evaluation.

Chemical Toxicity Data
PVC orl-rat TDLo: 210 g/kg/30W-C:ETA

SECTION 11 NOTES:

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: No data is available on the adverse effects of this product on the environment. Neither COD nor BOD data are available.

SECTION 12 NOTES:

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Disposal should conform to federal, state, and local regulations. If hazardous according to 40 CFR part 261.31 or 32, or possesses characteristics of 40 CFR 261 Subpart C, dispose in a facility meeting the requirements of 40 CFR 264 or 265. If non-hazardous, dispose in a facility meeting the requirements of 40 CFR 257. Before attempting cleanup, refer to hazard information and personal protection information in other sections of this MSDS. If waste is determined to be hazardous, use licensed hazardous waste transporter and disposal facility.

RCRA HAZARD CLASS:

RCRA Status of Unused Material: If discarded in unaltered form, should be tested in accordance to 40CFR 261 Subpart C and disposed as specified above.

SECTION 13 NOTES:

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME: Not listed
HAZARD CLASS: Not Regulated (also, Canada via rail and truck.)
ID NUMBER: Not applicable
PACKING GROUP: Not applicable
LABEL STATEMENT: Not applicable

WATER TRANSPORTATION

PROPER SHIPPING NAME: Not listed
HAZARD CLASS: Not Regulated
ID NUMBER: Not applicable
PACKING GROUP: Not applicable
LABEL STATEMENTS: Not applicable

AIR TRANSPORTATION

PROPER SHIPPING NAME: Not listed
HAZARD CLASS: Not Regulated
ID NUMBER: Not applicable
PACKING GROUP: Not applicable
LABEL STATEMENTS: Not applicable

OTHER AGENCIES: Not applicable

SECTION 14 NOTES:

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): PVC is listed on TSCA Inventory (40 CFR710)

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): Not listed

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): PVC

Section 302* - None Section 313** - None Section 311/312*** - None

*Reportable quantity of extremely hazardous substance, Sec. 302

*Threshold planning quantity, extremely hazardous substance, Sec. 302

**Toxic chemical. Sec. 313

**Category as required by Sec 313 (40CFR372.65C). Must be used on Toxic Release Inventory form.

***Hazard category for SARA Sec.311/312 reporting H1=acute health hazard, H2=chronic health hazard, P3=fire hazard, P4=sudden release of pressure hazard, P5=reactive hazard

311/312 HAZARD CATEGORIES: Not applicable.

313 REPORTABLE INGREDIENTS: This product does not contain any substance subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372

STATE REGULATIONS:

CA PROPOSITION 65: This product does not contain any substance listed in the State of California Safe Drinking Water and Toxic Enforcement Act of 1986, as updated (February 23, 2001).

PENN. RIGHT-TO-KNOW: All required components are identified.

N.J. RIGHT-TO-KNOW: All required components are identified.

MASS. RIGHT-TO-KNOW: All required components are identified.

INTERNATIONAL REGULATIONS:

United Kingdom Occupational Exposure Standards: TWAs total inhalable dust 10 mg/M3 TWA;

Respirable dust 5mg/M3; Germany MAK Value: fine dusts 5 mg/M3 MAK

SECTION 15 NOTES:

SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

PREPARATION INFORMATION: This MSDS document was prepared by ACP, LLC, using standard references and information provided and directed by ACP, LLC.

DISCLAIMER: This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of ACP, LLC. ACP, LLC assumes no liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards, which exist. ACP, LLC assumes no legal responsibility for loss, damage or expense arising out of, or in any way connected with, the handling, storage, use or disposal of this product.