





**GROUND CLEAR.**

# **POISON IVY**

**& TOUGH BRUSH KILLER,**



**1 HR**  
SEE RESULTS  
IN

**STARTS WORKING IMMEDIATELY**  
**USE ON: POISON IVY, WILD BLACKBERRY, POISON OAK**

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See back booklet for additional precautionary statements.

**MANTENER FUERA DEL ALCANCE DE LOS NIÑOS**

**PRECAUCIÓN**

Consulte el folleto en el panel posterior para conocer los avisos de precaución adicionales.

**ACTIVE INGREDIENTS:**

Triclopyr, triethylamine salt ..... 0.70%  
Pelargonic Acid and related fatty acids ... 2.00%

**OTHER INGREDIENTS:** ..... 97.30%  
Total ..... 100.00%

**THIS PRODUCT CONTAINS:**

0.043 lb of triclopyr acid equivalent per gallon or 0.502%  
0.1669 lb of pelargonic acid and related fatty acids per gallon

**NET CONTENTS/CONTENIDO NETO 24 FL OZ (709mL)**



LB16766



**GROUND CLEAR**  
**POISON IVY**  
 & TOUGH BRUSH KILLER.

- ⊗ ELIMINATES BRUSH AND OTHER TOUGH WEEDS
- ⚡ KILLS BY CONTACT
- ⊕ PRECISE CONTROL FOR MAXIMUM ACCURACY

Peel Here. →  
 Open Resealable Label for Directions and Restrictions.

**READY-TO-USE**

**WHERE TO USE:**

- Kills poison ivy and poison oak around homes, cabins, buildings, fences and trails.
- IMPORTANT:** Do not use on or around edible feed or food crops or areas where grazing is allowed.

**HOW TO USE:**

- Spray weed to thoroughly wet foliage, stems and trunk.
- Do not spray plants or grasses you like - they may die too.

**WHEN TO USE:**

- Apply when weeds are leafed out or actively growing. For best results, apply to mature leaves.

**WHAT IT DOES:**

- Controls over 60 types of tough weeds and brush including:

Poison Ivy



Poison Oak



Kudzu



Wild Blackberry



Do not enter or allow people or pets to enter treated areas until spray has dried.



The ORTHO® Guarantee: If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.



Questions or Comments Preguntas o comentarios  
 Call 1-800-225-2883 or visit ortho.com

FPO

0 71549 04761 0  
 0505

©2022 The ORTHO Group.  
 World rights reserved.  
 Sold by The ORTHO Group  
 P.O. Box 190, Marysville,  
 OH 43040

EPA Reg. No. 239-2773  
 EPA Est. No. 239-1A-3



LB16767

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### USE RESTRICTIONS

- **IMPORTANT:** Do not use on or around edible feed or food crops or areas where grazing is allowed.
- Allow 28 days between applications.
- Do not enter or allow people or pets to enter treated areas until spray has dried.
- The maximum single application rate for this product is 0.425 fl oz per square foot (6.2 lb triclopyr acid equivalent and 24.2 lb pelargonic acid per acre per application).

### WHERE TO APPLY

- Apply the product to kill poison ivy, poison oak, and other tough brush species.
- Use in non-garden areas around homes, cabins, buildings, fences, and trails. For residential use only.
- Do not apply the product to plants or grasses you like – they may die too. This product is not recommended for weed control in lawns.

### WHEN TO APPLY

- Apply when weeds are leafed out or actively growing.
- For best results, apply to mature leaves.
- Apply when air is calm to prevent drift to desirable vegetation.
- Rain or watering 2 hours after application will not reduce effectiveness.
- Weeds will begin to turn brown within 1 hour. Wilting or other symptoms up to and including complete root kill will occur in 2 to 6 weeks.
- Hard to kill weeds (such as Poison Oak, Poison Ivy, Blackberries, and Honeysuckle) may require retreatment if regrowth occurs.

## WEEDS CONTROLLED

Arkansas Rose	Creeping Woodsorrel	Maple*	SweetGum*
Big Leaf Maple*	Curly Dock	Mesquite*	Tansy Ragwort
Bindweed	Dandelion	Mimosa*	Trailing Blackberry
(Wild Morningglory)	Elderberry*	Narrow Leaf Willow*	Trumpet Creeper
Black Cottonwood*	Elm*	Narrowleaf Plantain	Virginia Creeper
Black Willow*	English Daisy	Oak*	White Clover
Blackberries	Evergreen Blackberry	Oxalis	Wild Blackberry
Box Elder	Field Horsetail Rush	Persimmon*	Wild Garlic
Broadleaf Plantain	Florida Pusley	Poison Ivy	Wild Grape
Buckhorn Plantain	Giant Ragweed	Poison Oak	Wild Rose
Buttercup	Ground Ivy	Purslane	Willow*
California Rose	Himalayan Blackberry	Ragweeds	
Canada Thistle	Honeysuckle	Raspberry	*small volunteer
Carpetweed	Horsetail Rush	Red Alder*	plants or "suckers"
Chickweed	Knotweed	Sassafras*	only or small trees.
Choke Cherry*	Kudzu	Scouler Willow*	
Common Ragweed	Mackenzie Willow	Spurge	

## HOW TO USE

### SPRAY

1. Turn sprayer nozzle to desired spray.
2. Squeeze trigger repeatedly to spray.
3. Spray weeds to thoroughly wet foliage, stems and trunk.
4. Do not spray plants or grasses you like – they may die too. This product is not recommended for weed control in lawns.
5. When spot treating weeds around desirable plants shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

### FINISH

1. Turn sprayer nozzle to "OFF".

## STORAGE & DISPOSAL

<b>PESTICIDE STORAGE:</b>	Store product in original container in a safe place. Protect from freezing.
<b>PESTICIDE DISPOSAL AND CONTAINER HANDLING</b>	Non-refillable container. Do not reuse or refill this container. <b>If empty:</b> Place in trash or offer for recycling if available. <b>If partly filled:</b> Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Avoid contact with eyes or clothing. Wear goggles. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear long-sleeved shirt and long pants, socks and shoes.

### FIRST AID

<b>IF IN EYES</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
-------------------	---

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-465-5161 for emergency medical treatment information.

### ENVIRONMENTAL HAZARDS

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

**GROUNDWATER ADVISORY:** This chemical has properties and characteristics associated with chemicals detected in groundwater. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

**SURFACE WATER ADVISORY:** This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having high potential for reaching surface water via runoff for several weeks after application.

**NON-TARGET ORGANISM ADVISORY:** This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

**NOTICE:** To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

## MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto con fines distintos de los indicados en la etiqueta.

### RESTRICCIONES DE USO:

- **IMPORTANTE:** No lo use en o alrededor de cultivos de alimentos o forrajes comestibles o áreas donde se permite el pastoreo.
- Deje pasar 28 días entre aplicaciones.
- No ingrese ni permita que ninguna persona o mascota ingrese al área tratada hasta que se haya secado el rociado.
- La proporción máxima de aplicación individual para este producto es de 0.425 onzas líquidas (12.5 ml) por pie cuadrado (0.09 m<sup>2</sup>) (6.2 lb (2.8 kg) de tridopir ea por acre y 24.2 lb (10.9 kg) de ácido pelargónico por acre, por aplicación).

### DÓNDE APLICAR

- Aplique el producto para matar la hiedra venenosa, el roble venenoso y otras especies de matorrales resistentes.
- Úselo en áreas que no sean jardines, alrededor de casas, cabañas, edificios, cercas y senderos. Solo para uso residencial.
- No aplique el producto a las plantas o el césped que le agraden, pues los podría eliminar. Este producto no se recomienda para el control de malezas en céspedes.

### CUÁNDO APLICAR

- Aplique cuando las malezas estén llenas de hojas o estén creciendo activamente.
- Para obtener los mejores resultados, aplíquelo a las hojas maduras.
- Aplique cuando el aire esté tranquilo para prevenir que se esparza a vegetación que no desee eliminar.
- La lluvia o el riego 2 horas después de la aplicación no reducirán la eficacia.
- Las malezas comenzarán a ponerse marrones en una 1 hora. El marchitamiento u otros síntomas hasta e incluyendo la muerte completa de las raíces ocurrirán en 2 a 6 semanas.
- Las malezas difíciles de matar (como el roble venenoso, la hiedra venenosa, las moras y la madrelelva) pueden necesitar otra aplicación si vuelven a crecer.

## MALEZAS QUE CONTROLA

Rosa arkansana	Vinagrillo	Arce*	Liquidámbar*
Arce de hoja grande*	Aceda de culebra	Mezquite*	Hierba de Santiago
Correhuela (Campanillas silvestres)	Diente de león	Mimosa*	Zarza de California
Chopo negro*	Saúco*	Sauce de coyote*	Trompeta trepadora
Sauce negro*	Olmo*	Llantén menor	Hiedra de Virginia
Moras	Margarita inglesa	Roble*	Trébol blanco
Arce de caja	Mora de Castilla	Vinagrillo o acederilla	Zarzamora silvestre
Lantén	Cola de caballo	Caqui o pérsimo*	Ajo silvestre
Lantén de hoja angosta	Verdolaga del caballo	Hiedra venenosa	Uva silvestre
Botón de oro	Ambrosia gigante	Roble venenoso	Rosa silvestre
Rosa californica	Hiedra terrestre	Lengua de gato	Sauce*
Cardo de Canadá	Zarza himalayana	Ambrosia	
Maleza de alfombra	Madreselva	Frambuesa	*pequeñas plantas voluntarias o "retoños" solamente o árboles pequeños.
Hierba pajarrera	Cola de caballo gigante	Aliso rojo*	
Cerezo silvestre*	Maleza enlazada	Sasafrás*	
Artemisa	Kudzu	Sauce de fuego*	
	Sauce de Mackenzie	Euforbio	

## CÓMO USARLO

### ROCÍAR

1. Gire la boquilla del pulverizador al tipo de rocío deseado.
2. Apriete el gatillo repetidamente para rociar.
3. Rocíe las malezas para mojar completamente el follaje, los tallos y el tronco.
4. No rocíe las plantas o el césped que le agraden, pues los podría eliminar. Este producto no se recomienda para el control de malezas en céspedes.
5. Cuando trate las malezas alrededor de las plantas que no desea eliminar, proteja las plantas de la deriva con una hoja de cartón o plástico. Si se rocían accidentalmente plantas que no desea eliminar, enjuague inmediatamente con agua.

### TERMINAR

1. Gire la boquilla del pulverizador a "OFF" (cerrado).

## ALMACENAMIENTO Y ELIMINACIÓN

<b>ALMACENAMIENTO DEL PESTICIDA:</b>	Almacene el producto en el envase original en un lugar seguro. Protéjalo de la congelación.
<b>ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE</b>	Envase no rellenable. No vuelva a usar ni a llenar este envase. <b>Si está vacío:</b> Tirelo a la basura u ofrézcalo para reciclaje, si está disponible. <b>Si está parcialmente lleno:</b> Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en ningún drenaje interno o externo.

## AVISOS DE PRECAUCIÓN

### RIESGOS PARA LOS SERES HUMANOS Y LOS ANIMALES DOMÉSTICOS

**PRECAUCIÓN:** Evite el contacto con los ojos o la ropa. Use anteojos protectores. Lávese con abundante agua y jabón después de manipular el producto y antes de comer, beber, mascar chicle, consumir tabaco o usar el inodoro. Use camisa de manga larga y pantalones largos, calcetines y zapatos.



### PRIMEROS AUXILIOS

<b>SI ENTRA EN LOS OJOS</b>	<ul style="list-style-type: none"><li>• Mantenga el ojo abierto y enjuáguelo lentamente y con cuidado con agua por 15 a 20 minutos.</li><li>• Si tuviera lentes de contacto, quítelos después de transcurridos los primeros 5 minutos y continúe enjuagando el ojo.</li><li>• Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.</li></ul>
-----------------------------	--

Tenga el envase o la etiqueta del producto con usted cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento. También puede contactar al 1-877-465-5161 para información sobre el tratamiento médico de emergencia.

### RIESGOS MEDIOAMBIENTALES


Este producto es tóxico para las plantas. La deriva y la escorrentía pueden ser peligrosas para las plantas en aguas adyacentes a las áreas tratadas. Para proteger el medio ambiente, no permita que el pesticida penetre o se escurra en drenajes pluviales, cunetas de desagüe, canaletas o aguas superficiales. La aplicación de este producto en un clima tranquilo, cuando no haya un pronóstico de lluvia para las próximas 24 horas, ayudará a asegurar que ni el viento ni la lluvia arrastren o laven el pesticida fuera del área de tratamiento.

**ADVERTENCIA SOBRE LAS AGUAS SUBTERRÁNEAS:** Este producto químico tiene propiedades y características que se asocian con sustancias químicas detectadas en las aguas subterráneas. Este producto químico puede acarrear la contaminación de las aguas subterráneas si se usa en áreas donde la tierra es permeable, en particular donde el manto freático está cerca de la superficie.

**ADVERTENCIA SOBRE LAS AGUAS SUPERFICIALES:** Este producto puede afectar la calidad de las aguas superficiales debido a la escorrentía del agua de lluvia. Esto es especialmente cierto para suelos con mal drenaje y suelos con aguas subterráneas poco profundas. Este producto está clasificado como de alto potencial para llegar a las aguas superficiales a través de la escorrentía durante varias semanas después de la aplicación.

**ADVERTENCIA SOBRE LOS ORGANISMOS QUE NO SE PRETENDE AFECTAR:** Este producto es tóxico para las plantas y puede afectar de manera adversa las fuentes de alimento y el hábitat de organismos que no se pretende afectar, como los polinizadores, en las áreas adyacentes al sitio tratado. Proteja las fuentes de alimento y el hábitat de estos organismos siguiendo las instrucciones de la etiqueta dirigidas a reducir al mínimo la dispersión del rocío.

**ADVERTENCIA:** En la medida contemplada por las leyes aplicables, el comprador asume todos los riesgos derivados del uso, el almacenamiento o el manejo de este producto si no se siguen las instrucciones.



## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Avoid contact with eyes or clothing. Wear goggles. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear long-sleeved shirt and long pants, socks and shoes.

## FIRST AID

<b>IF IN EYES</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-465-5161 for emergency medical treatment information.	


## ENVIRONMENTAL HAZARDS

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

**GROUNDWATER ADVISORY:** This chemical has properties and characteristics associated with chemicals detected in groundwater. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

**SURFACE WATER ADVISORY:** This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having high potential for reaching surface water via runoff for several weeks after application.

**NON-TARGET ORGANISM ADVISORY:** This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

	If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.
---	---

	<b>Questions or Comments</b> <i>Preguntas o comentarios</i>	
1-800-225-2883	or visit <a href="http://ortho.com">ortho.com</a>	

©2022 The ORTHO Group.  
World rights reserved.  
Sold by **The ORTHO Group**  
P.O. Box 190, Marysville, OH 43040

EPA Reg. No. 239-2773  
EPA Est. No. 239-A-3      LB16767