



SPECIFICATION GUIDE

TRADITIONAL SEMI-CUSTOM KITCHEN AND BATH CABINETRY

For use with 20/20 catalogs: HOME_DEC, HOME_DC2

hdckitchens.com



Semi-Custom Kitchen & Bath Cabinetry

Limited Lifetime Warranty

Home Decorators Collection (warrantor) warrants to the original consumer purchaser, that all products manufactured or supplied by warrantor will be free from defects in material and workmanship. This warranty is for your lifetime as long as you own the cabinetry, on product used for Residential Purposes only and is not transferable to subsequent owners. Proof of Purchase is required.

This warranty does not cover damage resulting from normal wear, accident, misuse or lack of reasonable and necessary maintenance and service; nor does it warranty the improper installation or unauthorized repair, alteration, or modification or defects in the product when the product is installed. This warranty is limited to the repair or replacement of the defective part at the sole discretion of warrantor. Warranty is limited to Home Decorators Collection branded products excluding all electrical components: Excluded items may carry separate warranties as provided directly by the manufacturer of these products.

It is our option to provide repair parts or replace with functionally equivalent product. Return of product may be required for replacements. Such repair parts or replacement shall be at warrantor's expense, but customer shall bear all other expenses, including, but not limited to, cost of removal, transportation, re-installation, communication and any special service required by customer such as, overtime labor, etc.

Natural woods and finishes vary in color, grain pattern and exhibit color changes over time. Cabinets may darken or lighten with age due to exposure to certain environmental conditions including but not limited to sunlight, moisture, household cleaners, smoke, etc. Painted cabinets may show cracking at seams. These variations are considered the natural characteristics of the material and finishes and are not covered under this warranty.

In the event of a warranted product performance issue, submit request including proof of purchase documentation, specific description of warranty issue (include photos) in writing to:

Warranty Department 210 Century Boulevard Bartow, FL 33830

Due to nature of materials and finishes Home Decorators Collection cannot guarantee warranty replacement will be an exact match.

Home Decorators Collection reserves the right to alter design, specifications and material without obligation to make changes to product previously manufactured.

EXCEPT TO THE EXTENT PROVIDED BY APPLICABLE LAW, ALL IMPLIED WARRANTIES, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE SHORTER OF THE PERIOD PROVIDED BY LAW OR THE PERIOD OF THIS WARRANTY, AND UNDER NO CIRCUMSTANCE SHALL HOME DECORATORS COLLECTION BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES SUSTAINED IN CONNECTION WITH THE PRODUCT. THE EXPRESS WARRANTY ABOVE CONSTITUTES THE ENTIRE WARRANTY AND IS IN LIEU OF ALL OTHERS EXPRESSED OR IMPLIED.

Some states do not allow the exclusion or limitation of incidental or consequential damages, or limitation on how long an implied warranty lasts, therefore, the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.

INDEMNITY

Home Decorators Collection shall not be liable for either its failure to perform or its delays in performance hereunder arising out of or resulting from causes beyond its control, including but not limited to, acts of God, acts of Representation, acts of Government, wars, fires, floods, epidemics, quarantine, strike, freight embargoes, weather or default by suppliers due to any such causes.

Table of Contents





Door Styles	2-3
Cabinet Construction	4
Customization Options	5
Matching Interior Options	6
Style Tips	7-8
Wall Cabinets9	-22
Base Cabinets	-32
Tall Cabinets	-41
Vanity Cabinets	2-47
Accessories	-54
Decorative Molding	-56
Decorative Hardware	[′] -58
Cabinet Frame & Opening Dimensions59	-61
Cabinet Front Only Availability Guide	. 62


PLEASE NOTE: Line drawings are artistic representations of products for general dimensioning purposes. These should not be relied upon for accurate product appearance. Please consult the website or a designer if you have any questions or specific design requirements.

Shaker Square Recessed Panel Door Styles

panels


panels

Newport Pacific White (NPW)




Tremont Pearl Gray (TPG)

Nashville Blended Cream (NBC)



Navarre Deep Onyx (NDO)





3/4" thick x 3" wide MDF Shaker framed doors with 5/8" thick Solid MDF center Panels

3/4" thick x 3" wide MDF Shaker framed doors

3/4" thick x 3" wide MDF Shaker framed drawer fronts with 5/8" thick solid MDF recessed center

3/4" thick x 3" wide MDF Shaker framed doors

fronts with 5/8" thick solid MDF recessed center

3/4" thick x 3" wide MDF Shaker framed doors with 5/8" thick Solid MDF center Panels

3/4" thick x 3" wide MDF Shaker framed drawer fronts with 5/8" thick Solid MDF center Panels

with 5/8" thick solid MDF center panels 3/4" thick x 3" wide MDF Shaker framed drawer

with 5/8" thick solid MDF center panels

3/4" thick x 3" wide MDF Shaker framed drawer fronts with 5/8" thick Solid MDF center Panels

Available with glass doors or open cabinets

Available in White painted finish

Decorative hardware required

Soft close hinges & full extension drawers

- Soft close hinges & full extension drawers with soft close
 - Available in Gray painted finish
 - Decorative hardware required


with soft close

-

- Available with glass doors or open cabinets
- Soft close hinges & full extension drawers with soft close
- Available in Cream painted finish
- Decorative hardware required
- Available with glass doors or open cabinets

- Soft close hinges & full extension drawers with soft close
- Available in Deep Onyx painted finish
- Decorative hardware required
- Available with glass doors or open cabinets

Neptune Mythic Blue (NMB)




with 5/8" thick Solid MDF center Panels 3/4" thick x 3" wide MDF Shaker framed drawer

3/4" thick x 3" wide MDF Shaker framed doors

fronts with 5/8" thick Solid MDF center Panels


- Soft close hinges & full extension drawers with soft close
- Available in Blue painted finish
- Decorative hardware required
- Available with glass doors or open cabinets

Hargrove Cinnamon (HCN)



- 3/4" thick x 3" wide solid maple Shaker mortise and tenon framed doors with 5/8" thick veneer over MDF recessed center panels
- 3/4" thick x 3" wide solid maple Shaker mortise and tenon framed drawer fronts with 5/8" thick veneer over MDF recessed center panels
- Soft close hinges & full extension drawers with soft close
- Available in Cinnamon stain finish
- Decorative hardware required
- Available with glass doors or open cabinets


Franklin Manganite (FMG)




- 3/4" thick x 3" wide solid maple Shaker mortise and tenon framed drawer fronts with 5/8" thick veneer over MDF recessed center panels
- Soft close hinges & full extension drawers with soft close
- Available in dark Mocha stain finish
- Decorative hardware required -
- Available with glass doors or open cabinets

Thermofoil Door Styles

Washington Vesper White (WVW)




Washington Veiled Gray (WVG)



- 3/4" thick vinyl clad MDF recessed panel doors with flat melamine back
- 3/4" thick vinyl clad MDF recessed panel drawer fronts with flat melamine back
- Soft close hinges & full extension drawers with soft close
- Available in White
- Decorative hardware required
- Not available with glass doors
- Available with open cabinets
- 3/4" thick vinyl clad MDF recessed panel doors with flat melamine back
- 3/4" thick vinyl clad MDF recessed panel drawer fronts with flat melamine back
- Soft close hinges & full extension drawers with soft close
- Available in Gray
- Decorative hardware required
- Not available with glass doors
- Available with open cabinets

Waterbury Vessel Blue (WVB)





- 3/4" thick vinyl clad MDF recessed panel doors with flat white melamine back
- 3/4" thick vinyl clad MDF recessed panel drawer fronts with flat white melamine back
- Soft close hinges & full extension drawers with soft close
- Available in Blue
- Decorative hardware required
- Not available with glass doors
- Available with open cabinets


Full Overlay cabinetry is constructed from various pieces of solid wood and wood veneers. Differences in grain pattern and color should be expected. Color differences in wood are the result of variations in minerals found in the soil native to the tree's origin. Absorption of these minerals will vary by tree or parts of said tree. In addition, color changes can be experienced due to different exposure to light. All species of wood will display characteristics such as knots, pinholes, sap runs, mineral streaks and darkening with age. It is the natural beauty of wood to exhibit these characteristics and they will be present throughout your cabinetry.

All of our painted door styles feature solid wood painted face frames. As with any painted wood surface, expansion and contraction with changes in climate may cause fractures in the paint surface at joints. This is an acceptable characteristic and will vary based on climate conditions. In addition, there may be a slight color shift over time due to continued exposure to both natural and artificial light.

Standard Cabinet Construction









_			
1	INTERIOR	Natural birch vinyl laminate provides a durable, wipe clean finish.	
2	FACE FRAME	1 ¹ / ₂ " wide x 3/4" thick solid hardwood pocket screwed.	
3	END PANELS	1/2" thick CARB2 plywood, exterior vinyl laminate is color matched to the face frame.	
4	FLOOR & Ceiling	1/2" thick CARB2 plywood, both sides captured by end panels.	
5	BACK PANELS	1/2" thick CARB2 plywood with natural birch vinyl laminate interior and raw exterior. The 'clipped' back panels on Wall Angle and Easy Reach Corner cabinets will be 1/4" plywood.	
6	"I-BEAM" Supports	1/2" thick CARB2 plywood, full depth braces provide stability and support for countertop attachment.	
7	ADJUSTABLE Shelves	3/4" thick CARB2 plywood finished with natural birch vinyl laminate and matching edgebanding. Base and wall adjustable shelves are full depth.	
8	Shelf Supports	Clear, high strength plastic with locking top tab to prevent shelf tip. Provides easy shelf adjustment.	
9	DOORS	Stylish, full-overlay doors available in stained hardwoods or MDF. See pages 2-3 for details.	
10	HINGES	Fully concealed 110° opening Soft Close hinges with 6-way adjustment for ease of alignment.	
11	RUNNERS/ GLIDES	Drawers feature smooth gliding, full extension, ball bearing runners with Soft Closing shocks that engage when drawer is 1" from closed. Interior roll out trays have epoxy coated side mount runners. Both are rated for 100lb static and 75lb dynamic loads.	
12	DRAWERS & ROLL-OUT TRAYS	5/8" thick finger jointed hardwood four sided dovetail box construction, finished with a clear top coat and a 1/4" thick captured plywood floor.	
13	DRAWER FRONTS	Stylish full overlay drawer fronts available in solid hardwood or MDF. See pages 2-3 for details. For standard kitchen and vanity cabinets, the top drawer front is 8" high & bottom two drawer fronts are 10 1/2" high	
14	INTEGRAL TOE KICK	1/2" thick plywood secured between end panels. Provides solid backing for installation of Matching Toe Kick (MTK8) or other materials such as ceramic, vinyl, etc.	

FINISHED END OPTIONS



1. All Cabinet Sides are manufactured from ½" thick CARB2 compliant plywood covered with a vinyl laminate which is color-matched to the face frame and doors.




2. Optional Matching End Panels are ³/₄" thick overlay panels that match the construction of the door style selected. They are available for standard depth base cabinets (MBEP) and standard depth wall cabinets in three heights (MWEP30, MWEP36, MWEP42). Matching End Panels are packaged separately for field installation. Detailed specs for these items can be found on page 51.

CUSTOM DEPTH

CABINET TYPE	CUSTOM DEPTH MIN-MAX
12" DEEP WALL	5" to 15"
24" DEEP WALL	16" to 23"
STANDARD BASE*	9" to 23"
BASE DRAWER*	15" to 23"
TALL UTILITY/LINEN	9" to 23"

- Available on standard cabinet types in 1" depth increments
- * Base cabinets with drawers that are customized from 15" to 23" deep will include working drawers. 9" to 14" deep cabinets will have no drawer and a false drawer front.
- * Vanity cabinets can be customized by selecting the standard base version. For example: select BD18 instead of a VBD1821 and customize the depth.
- * Custom Depth changes need to be added to the cabinet before the order is placed. This can be done in your design program or in the shopping cart.



Matching Interior Options

Wall Cabinets prepared for glass (PFG)

Found on pages 14-17



- Wall cabinets traditional door frames will be routed and prepared for clear glass (PFG).
- Clear glass panels will be furnished cut to size and will ship separately, direct to the ship-to address, for field installation
- It is recommended that the glass panels be installed with clear silicone
- PFG cabinet interiors will automatically be finished to match the face frame color, including adjustable shelves

Tall Cabinets prepared for glass (PFG)

Found on pages 37-39

Vanity linen Cabinets prepared for glass (PFG)

Found on pages 46



- Tall Utility/Vanity Linen cabinets only the upper door frames will be routed and prepped for clear glass (PFG).
- Matching Interior shelves are only supplied for the upper portion of the cabinet, where the PFG doors are located when roll out trays are indicated.
- Lower portion will have solid finger jointed hardwood roll out trays if roll out trays are indicated
- Standard Base, Vanity Base, and lower doors on Tall cabinets are not available Prepped For Glass as a safety precaution

Wall Cabinets with no doors (ND)

Found on pages 18-21



Tall Cabinets with no doors (ND) Found on pages 40

Vanity linen Cabinets with no doors (ND) Found on pages 47



Base Cabinets with no doors (ND)

Found on pages 31



- 'No Door' cabinet interiors and shelves will be finished to match the face frame color
- Shelf adjustment holes will be visible on the back wall and side walls of the cabinet interior

Style Tips



Add a new level to your island by using desk height cabinets. These are good for baking area's or kids work spaces. To create the decorative panel look on the side of unique spaces, you can use our fillers and cut them to fit on the job site.



Turn your laundry room into a room you enjoy being in! Add a large sink and drawers for easy clean-up and storage. Open shelves give easy access and an open feel to your new space.



Make wall storage open and airy using No Door (ND) cabinets and glass door cabinets (PFG) together with standard wall cabinets. These cabinets are available in all wall cabinet sizes we offer, so get creative!

Style Tips




Need a nice square post for your island, or want a raised bar? Use fillers to create a square post to the width and height of your choosing. This image uses 6" wide fillers, however 3" wide fillers can be used as well. To create the apron under the countertop turn fillers horizontally and cut to fit on the job site.




Want countertop storage that is behind closed doors? Use wall bridge cabinets in 18" high, placed under standard wall cabinets to create this space. You can add dimension to your kitchen by making these cabinets 15" deep, and gain extra storage as well! No door bridge cabinets can help create an open feel to your space. Placing these above a baking area or desk area can give easy access to cookbooks, mixing bowls or nice décor!




Using a full height door cabinet for your sink base can add a modern twist to your traditional kitchen. Make your new kitchen transitional!




10






30" High Double Door with Pull Down Frosted Shelves




W2430-PDSFR

- Field install at desired height in cabinet
- Features 5 removable acrylic storage bins
- Lowers items 10" and brings forward 143/4"
- Gas assisted mechanism smoothly raises and lowers unit


30" High Wall Angle



- Two adjustable shelves
- Clip corner back provides clearance for installation
- Clip corner back is 1/4" plywood




36" High Wall Angle



SPECIFY RIGHT or LEFT HINGED

20'





36" High Double Door with Pull Down Frosted Shelves

W2436-PDSFR


- Field install at desired height in cabinet
- Features 5 removable acrylic storage bins
- Lowers items 10" and brings forward 143/4"
- Gas assisted mechanism smoothly raises and lowers unit



42" High Wall Angle


- Clip corner back is 1/4" plywood

42" High Double Door with Pull Down Frosted Shelves



W2442-PDSFR


- Field install at desired height in cabinet
- Features 5 removable acrylic storage bins
- Lowers items 10" and brings forward 143/4"
- Gas assisted mechanism smoothly raises and lowers unit



SPECIFY **RIGHT or LEFT HINGED**

20'


WA2442



20


- 12"

- Three adjustable shelves -
- Clip corner back provides clearance for installation _
- Clip corner back is 1/4" plywood




- CUSTOM DEPTH: 5" to 15" deep


Wall Cabinets with Glass Doors




Wall Cabinets with Glass Doors




Wall Cabinets with Glass Doors



Glass Wall Cabinets with Glass Doors





Blind Corner Installation Guide





*Gray area represents empty space. Cabinet is designed to be pulled for exact space.

BLIND WALL INSTALLATION GUIDE					
	Wall Space "A"	Frame Opening	Cabinet		
Cabinet	Min - Max	Width "B"	Width "C"		
WBCU2730	25" - 30"	8 ⁷ /8"	24"		
WBCU2736	25" - 30"	8 ⁷ /8"	24"		
WBCU2742	25" - 30"	8 ⁷ /8"	24"		












Blind Corner Installation Guide



BLIND WALL INSTALLATION GUIDE Wall Space "A" Frame Opening Cabinet Width "B" Width "C" Cabinet Min - Max WBCU2730 25" - 30" 8⁷/8" 24" WBCU2736 25" - 30" 8⁷/8" 24" 25" - 30" 8⁷/8" 24" WBCU2742

*Gray area represents empty space. Cabinet is designed to be pulled for exact space.





Make sure to allow proper clearance on each side so doors can open 90 degrees or more. This will allow the interior accessory to pull down correctly.



When placing cabinets against a side wall, use a minimum of 3/4" filler between wall and cabinet to allow doors to open

CUSTOM

B33 **B36**

SPECIFY

B12-1T

B15-1T

B18-1T


B21-1T

RIGHT or LEFT HINGED

NOTE: Roll-out trays are

not full extension, soft

close or adjustable




B24-1T

B27-1T

B30-1T

- NOTE: Roll-out trays are not full extension, soft close or adjustable
- 23

24" Deep Double Door with 1 Roll-Out Tray



- One full width roll-out tray


NOTE: Roll-out trays are not full extension, soft close or adjustable

24" Deep Single Door with 2 Roll-Out Trays

SPECIFY RIGHT or LEFT HINGED


full extension, soft close or

adjustable




- Two full width roll-out trays


24" Deep Double Door with 2 Roll-Out Trays



24" Deep Double Door with 2 Roll-Out Trays




24" Deep Single Door with 1 Chrome Roll-Out Tray




- One full width chrome wire roll-out tray
- 100 lb rated full-extension, ball bearing slides (not soft close)
- Floor mounting, not adjustable

24" Deep Double Door with 1 Chrome Roll-Out Tray



- FIELD INSTALLED
- One full width chrome wire roll-out tray
- 100 lb rated full-extension, ball bearing slides (not soft close)
- Floor mounting, not adjustable

24



- Floor, side, and rear mounted
 100b rated full-extension soft close ball-b
- 100lb rated full-extension soft close ball-bearing slides
- Two full-depth adjustable shelves
- CUSTOM DEPTH: 9" to 23" deep

24" Deep DELUXE Single 35 gt. Waste Basket Pullout

B1DWB15

B1DWB18

CUSTOM

BD12* BD15 BD18

BD24 BD30

BCT30


15", 18' Basket slides on heavy 341/2 duty, full extension, Soft Close runners 35 quart white plastic basket sits in a dovetailed plywood drawer box 21 Basket is removable

- Basket dimensions: 14"W x 10"D x 18"H
- Top mount roll-out tray for trash bag storage
- SOFT CLOSE INCLUDED!


24" Deep Base - 3 Drawers 12", 15", 18", 24", 30 341/2 21

- One standard top drawer
- Two deep drawers -
- CUSTOM DEPTH: 15" to 23" deep -
- Maximum drawer handle width for lower drawers is 4" wide for raised panel styles, 51/2" wide for recessed panel styles.

24" Deep Base Cooktop - Single False Front




- False top drawer front -
- Two deep drawers _
- Accepts drop-in cooktop




24" Deep DELUXE Double 35 qt. Waste Basket Pullout

B2DWB18 B2DWB21


- Baskets slide on heavy duty, full extension, Soft Close runners
- Two 35 quart white plastic baskets sit in a dovetailed plywood drawer box
- Baskets are removable
- Basket dimensions: 14"W x 10"D x 18"H
- Top mount roll-out tray for trash bag storage
- SOFT CLOSE INCLUDED!




- Two standard top drawers
- Two deep drawers
- CUSTOM DEPTH: 15" to 23" deep




- No shelf
- CUSTOM DEPTH: 9" to 23" deep





24" Deep Filler Pantry Pullout






- Available in 3" & 6" widths with matching Filler Strip
- Full extension ball bearing slides provide stable, smooth pullout function
- Adjustable shelves with chrome rails
- Pull-out unit must be installed between two cabinets or cabinet and wall*
- Filler strip attached to pull-out unit after installation

*See page 31 for tip when installing between a cabinet and a wall


Built-in Microwave Base Modification

This assembly requires a drawer base, either 24" or 30" wide - depending on the size of the built in microwave you <u>purchase</u> <u>separately.</u>


Assembly requires the onsite removal of the top two drawers from the cabinet. Consult the manufacturer specifications for cut out dimensions, as additional modification may be required.



24" Deep End Panel with 1 1/2" wide Filler



Sink Front Angle




- Angle sink front must be installed between two cabinets
- Frame/door can be installed with hinges on right or left
- Floor support and toe base must be field constructed
- Maximum sink width for this application 25%"




Depending on the cut out dimensions the use of a filler (FS30), to fill the gap between the bottom of the microwave and the drawer. Consult the manufacturer specifications for proper support and possible use of a trim kit*.

*Trim kit and microwave will be purchased independently from supplier of your choice.

24" Deep End Panel with 3" wide Filler






Base Cabinets with No Doors

CUSTOM FPTH

B09ND

B12ND B15ND

B18ND B21ND



Base Cabinets Design Tips


Designing Around a Range



Make sure to give landing space on each side of a cooking appliance when placing in design.


Blind Cabinets with Drawers


Clearance for Roll Out Trays




Be sure to leave enough clearance for doors to open at least 90 degrees. This will allow the roll out trays to be operated correctly.

Using a Sink Front Angle






For sufficient dishwasher door clearance and loading/ unloading space, a 15" wide base cabinet is recommended for use between a corner sink base and dishwasher.




When placing a blind base cabinet, cabinet with drawer or trash pull out, make sure to allow enough clearance so drawer/pull out will open fully.

Make sure to leave enough space to allow drawer to open if placing around corner from range or appliance.




bottom




- TSK96 is recommended if the cabinet will be on the end of a run
- Loose toe kick box for ease of installation

NOTE: Loose toe kick box will have a finished side, but will have a seam at bottom



- the cabinet will be on the end of a run
- Loose toe kick box for ease of installation


NOTE: Loose toe kick box will have a finished side, but will have a seam at bottom



34

Tall Cabinets

24" Deep Two Door Utility with Four Pull-out Chrome Trays




SPECIFY RIGHT or LEFT HINGED

U182484-PO4WS

FIELD INSTALLED PULL-OUT

- Pull-out unit includes 4 chrome baskets and optional door
- Top and bottom glides are soft closing and 250 lb. weight rated
- One fixed shelf dividing upper and lower door
- One adjustable upper shelf

24" Deep Universal Oven




OC332484U

- Consult chart for oven cutout dimensions
- No adjustable shelf
- 3 field removable drawers
- 3" stiles in oven compartment
- For frame openings refer to page 59

CABINET	MIN.	MAX	MIN.	MAX
	CUTOUT	CUTOUT	Cutout	CUTOUT
	WIDTH	WIDTH	Height	HEIGHT
0C332484U	27"	31"	22"	60"

24" Deep Two Door Utility with Four Pull-out Chrome Trays




SPECIFY **RIGHT or LEFT HINGED**

U182490-PO4WS U182496-PO4WS

- FIELD INSTALLED PULL-OUT UNIT
- Pull-out unit includes 4 chrome baskets and optional door mounts
- Top and bottom glides are soft closing and 250 lb. weight rated
- One fixed shelf dividing upper and lower door
- Two adjustable upper shelves Loose toe kick box for ease of installation
- TSK96 is recommended if the cabinet will be on the end of a run
- NOTE: Loose toe kick box will have a finished side, but will have a

24" Deep Universal Oven

seam at bottom




OC332496U

- Consult chart for oven cutout dimensions
- One adjustable shelf
- 3 field removable drawers
- 3" stiles in oven compartment _
- Loose toe kick box for ease of installation
- TSK96 is recommended if the cabinet will be on the end of a run
- For frame openings refer to p.59

NOTE: Loose toe kick box will have a finished side, but will have a seam at bottom

CABINET	MIN.	MAX	MIN.	MAX
	WIDTH	WIDTH	HEIGHT	HEIGHT
0C332496U	27"	31"	22"	69"




24" Deep Universal Oven

OC332490U

- Consult chart for oven cutout dimensions
- One adjustable shelf
- 3 field removable drawers
- 3" stiles in oven compartment _
- For frame openings refer to page 59

CABINET	MIN. Cutout Width	MAX CUTOUT WIDTH	min. Cutout Height	MAX CUTOUT HEIGHT
0C332490U	27"	31"	22"	60"


Tall Skin




TSK96

- 1/8" thick plywood finished with vinyl laminate color matched to cabinetry face frame
- Field modified and installed
- Can be modified for shallower depth and shorter tall cabinets
- Finish matches cabinetry face frame

Tall Cabinets




30" Deep Refrigerator Panel with 1 1/2" wide Filler



RP1.53096


- 1 1/2" wide solid wood filler included
- Panel and filler supplied loose for field assembly
- Reversible, may be installed left
- Trimmable in field for 84" and 90" applications
- 1/2" thick plywood panel finished with vinyl laminate color matched to cabinetry face frame
- Filler may be scribed up to 5/8"




3"

RP33096

- 3" wide solid wood filler included
- Panel and filler supplied loose for field assembly
- Reversible, may be installed left or right
- Trimmable in field for 84" and 90" applications
- 1/2" thick plywood panel finished with vinyl laminate color matched to cabinetry face frame
- Filler may be scribed up to 5/8"




The Universal Oven cabinet will need to be modified on the job site to fit your specific appliance. By removing the drawers and stiles between the drawers you can achieve an opening height between 21" and 60", and a maximum width of 30". The height of the upper doors will not be affected with these modifications. Your appliance size and the amount of modification required will determine if the drawers will be able to be used. In some instances, the top drawer may be dropped to the bottom position, thus allowing a drawer to remain. Installation and modification of the cabinet is completed on your job site, not in the factory. Support for the appliance is not supplied by the cabinet company and will need to be determined based on appliance manufacture requirement.




Glass Tall Cabinets with Glass Doors

24" Deep Universal Oven



24" Deep Universal Oven




OC332490PFGU

- Upper doors prepped for glass, matching cabinet interior throughout
 Consult chart for oven
- cutout dimensions
- One adjustable shelf
- 3 field removable drawers
- 3" stiles in oven compartment
- For frame openings refer to page 59

CABINET	MIN.	MAX	min.	MAX
	CUTOUT	CUTOUT	Cutout	CUTOUT
	WIDTH	WIDTH	Height	HEIGHT
0C332490U	27"	31"	22"	60"

24" Deep Universal Oven




OC332496PFGU

- Upper doors prepped for glass, matching cabinet interior throughout
 Consult chart for oven cutout dimensions
 One adjustable shelf
- 3 field removable drawers
- 3" stiles in oven compartment
- Loose toe kick box for ease of installation
- TSK96 is recommended if the cabinet will be on the end of a run
- For frame openings refer to p. 59 NOTE: Loose toe kick box will have a finished side, but will have a seam at bottom

CABINET	MIN. WIDTH	MAX WIDTH	MIN. HEIGHT	MAX HEIGHT
0C332496U	27"	31"	22"	69"

24" Deep Two Door Utility






SPECIFY RIGHT or LEFT HINGED

U182484PFG

- Upper doors prepped for glass, matching cabinet interior throughout
- One fixed shelf dividing upper and lower doors, four adjustable shelves
- Optional rollout trays or additional shelves available
- CUSTOM DEPTH: 9" to 23" deep

24" Deep Two Door Utility



CUSTOM DEPTH

SPECIFY RIGHT or LEFT HINGED

U182490PFG

- Upper doors prepped for glass, matching cabinet interior throughout
- One fixed shelf dividing upper and lower doors, four adjustable shelves
- Optional rollout trays or additional shelves available
- CUSTOM DEPTH: 9" to 23" deep

24" Deep Two Door Utility

96"

21'

42'




SPECIFY RIGHT or LEFT HINGED

U182496PFG

- Upper doors prepped for glass, matching cabinet interior throughout
- One fixed shelf dividing upper and
- lower doors, five adjustable shelvesOptional rollout trays or additional
- TSK96 is recommended if the
- cabinet will be on the end of a run
- * Loose toe kick box for ease of installation
- Factory finish ends not available

- CUSTOM DEPTH: 9" to 23" deep NOTE: Loose toe kick box will have a finished side, but will have a seam at bottom

24" Deep Two Door Utility with Four Rollout Trays




SPECIFY RIGHT or LEFT HINGED

U182484PFG-4T

- Upper doors prepped for glass, matching cabinet interior throughout
- One fixed shelf dividing upper and lower doors
- Four repositionable, full width rollout trays in solid finger jointed hardwood; not a part of the matching cabinet interior
- One adjustable shelf

24" Deep Two Door Utility with Four Rollout Trays



SPECIFY RIGHT or LEFT HINGED U182490PFG-4T

- Upper doors prepped for glass, matching cabinet interior throughout
- One fixed shelf dividing upper and lower doors
- Four repositionable, full width rollout trays in solid finger jointed hardwood; not a part of the matching cabinet interior
- Two adjustable shelves

24" Deep Two Door Utility with Four Rollout Trays


RIGHT or LEFT HINGED U182496PFG-4T

SPECIFY

- Upper doors prepped for glass, matching cabinet interior throughout
- One fixed shelf dividing upper and lower doors
- Four repositionable, full width rollout trays in solid finger jointed hardwood; not a part of the matching cabinet interior
- Two adjustable shelves
- TSK96 is recommended if the cabinet will be on the end of a run
- Loose toe kick box for ease of installation

NOTE: Loose toe kick box will have a finished side, but will have a seam at bottom

24" Deep Two Door Utility with Four Pull-out Chrome Trays




RIGHT or LEFT HINGED

SPECIFY

U182484PFG-PO4WS

- Upper doors prepped for glass, matching cabinet interior throughout
- FIELD INSTALLED PULL-OUT UNIT
- Pull-out unit includes
 4 chrome baskets and optional door mounts
- Top and bottom glides are soft closing and 250 lb. weight rated
- One fixed shelf dividing upper and lower door
- One adjustable upper shelf

24" Deep Two Door Utility with Four Pull-out Chrome Trays




SPECIFY RIGHT or LEFT HINGED

U182490PFG-PO4WS U182496PFG-PO4WS

- Upper doors prepped for glass, matching cabinet interior throughout
- FIELD INSTALLED PULL-OUT UNIT
- Pull-out unit includes
 4 chrome baskets and optional door mounts
- Top and bottom glides are soft closing and 250 lb. weight rated
- One fixed shelf dividing upper and lower door
- Two adjustable upper shelves
- TSK96 is recommended if the cabinet will be on the end of a run
- * Loose toe kick box for ease of installation

NOTE: Loose toe kick box will have a finished side, but will have a seam at bottom

Tall Cabinets with No Door



Tall Cabinets Design Tips

Decorative Ends for Tall Cabinets



For decorative ends on a tall 24" deep cabinet use a CFOU and a tall skin.


Customizing the Depth of a Tall Cabinet



Customize the depth of a 24" wide utility cabinet (U242484, U242490, or U242496) down to 12" and use it facing out next to a refrigerator or another utility cabinet for shallow food storage, storing brooms/mops, or create a hidden message center.


Customizing the Depth of a Tall Cabinet

Clearance for Roll Out Trays



Make sure to leave enough clearance for door to open at least 90 degrees when placing next to wall or refrigerator cabinet.

Customizing the Depth of a Tall Cabinet




A narrow alcove in your kitchen or a pantry like storage area can be transformed into an entire wall of open and closed storage by using a combination of ND and Standard Utility cabinets with a reduced depth.




Customize the depth of a 24" wide Utility cabinet with no doors (U242484ND, U242490ND, or U242496ND) down to 12" and use it facing out next to a refrigerator or another utility cabinet for open storage and an interesting transition in the kitchen.

Vanity & Desk Cabinets




Vanity & Desk Cabinets



Vanity & Desk Cabinets

21" Deep Desk Knee Drawer

DKD30




- One full width pencil/cosmetic drawer
 - Knee drawer is designed for use between two base cabinets
- Comfortable height for dressing table or writing surface when installed at 28¹/₂" height with 1¹/₂" thick countertop
- Slab drawer front all door styles
- May be trimmed up to 1" on each side


NOTE: Full Extension Soft-Close Runner Not Available

NOTE: Not available in WVW, WVG or WVB door styles


Vanity Cabinets with No Door




Vanity Linen Cabinets



Vanity Linen Cabinets with Glass Doors



- Upper doors prepped for glass, matching cabinet interior throughout
- One fixed shelf dividing upper and lower doors, four adjustable shelves




- · Upper doors prepped for glass, matching cabinet interior throughout
- One fixed shelf dividing upper and lower doors, four adjustable shelves

Vanity Linen Cabinets with No Doors


STANDARD 21" DEPTH

CUSTOM




- One fixed shelf dividing upper and lower sections, four adjustable shelves

Spice Drawer Insert



- Solid hardwood drawer insert
- Three 5" high angled tiers
- Rear 4" deep compartment
- Sized to fit inside 15", 18", 21", 24", 27" wide drawers
- Not for use in custom-depth cabinets




- Solid hardwood drawer insert
- One full width front utensil compartment

CDT15: 6 compartments 10"-14" deep (fits B15, BD15) **CDT18**: 6 compartments 10"-14" deep (fits B18, BD18, B36, BD36)

CDT21: 8 compartments 10"-14" deep (fits B21) **CDT24**: 8 compartments 10"-14" deep (fits B24, BD24)

- Not for use in custom-depth cabinets




- Solid hardwood drawer insert
- One full width front utensil compartment

UTD15: 2 additional compartments 16" deep (fits B15, BD15) **UTD18**: 4 additional compartments 16" deep (fits B18, BD18, B36, BD36)

UDT21: 5 additional compartments 16" deep (fits B21) **UTD24**: 5 additional compartments 16" deep (fits B24, BD24)

- Not for use in custom-depth cabinets




NOTE: Roll out trays not available for Vanity Linen Cabinets or reduced depth cabinets.

NOTE: The roll out trays are natural birch in color and will not be color matched if added to a PFG or No door cabinet with matching interior.

- 5/8" Solid wood dovetail construction
- Consult availability guide
- Includes ¾ extension epoxy coated smooth-glide edge mounted runners
- 75 lb. load capacity
- Available for use base and tall cabinets
- Field-install into factory pre-drilled locations only
- Not for use in custom-depth cabinets

	ROLL-OUT TRAY KIT AVAILABILITY GUIDE			
PART#	DESIGNED TO FIT	ACTUAL WIDTH		
R0T12	B12, B12FH	8"		
ROT15	B15, B15FH	11"		
ROT18	B18, B18FH, U182484 / 90 / 96	14"		
ROT21	B21, B21FH	17"		
R0T24	B24, B24FH, SB24, U242484 / 90 / 96	20"		
ROT27	B27, B27FH, SB27	23"		
ROT30	B30, B30FH, SB30	26"		
ROT33	B33, B33FH, SB33	29"		
ROT36	B36, B36FH, SB36	32"		


Vanity Shelf Kit



- Shelf kits are 3/4" thick plywood finished with vinyl laminate and matching edgebanding color matched to cabinetry face frame
- Edgebanded on front edge

EXAMPLE: 36" wide vanity cabinet uses VSK3621


Base Cabinet Shelf Kits



- 3/4" Thick plywood faced with natural birch vinyl laminate and matching edgebanding.
- Edgebanded on front edge
- One shelf and set of clips per kit
- Consult availability guide

	SHELF KIT AVAILABILITY GUIDE				
PART#	DESIGNED TO FIT	ACTUAL WIDTH			
SK1224	B12, B12FH	10¼"			
SK1524	B15, B15FH	13¼"			
SK1824	B18, B18FH, U182484/96	16¼"			
SK2124	B21, B21FH	19¼"			
SK2424	B24, B24FH, SB24, U242484 / 90 /96	221⁄4"			
SK2724	B27, B27FH, SB27	25¼"			
SK3024	B30, B30FH, SB30, BBCU39	28¼"			
SK3324	B33, B33FH, SB33, OC332484U / 90U / 96U	31¼"			
SK3624	B36, B36FH, SB36, BBCU42	34¼"			

Matching Interior Vanity Shelf Kit




- Shelf kits are 3/4" thick plywood finished with vinyl laminate and matching edgebanding color matched to cabinetry face frame

- Edgebanded on front edge

EXAMPLE: 36" wide vanity cabinet uses VSK3621MI 49

Matching Interior Base Cabinet Shelf Kits



- Shelf kits are 3/4" thick plywood finished with vinyl laminate and matching edgebanding color matched to cabinetry face frame
- Edgebanded on front edge
- One shelf and set of clips per kit
- Consult availability guide


SHELF KIT AVAILABILITY GUIDE FOR BASES/TALLS			
PART#	DESIGNED TO FIT	ACTUAL WIDTH	
SK1224MI	B12ND	10¼"	
SK1524MI	B15ND	13¼"	
SK1824MI	B18ND, U182484/90/96-PFG, U182484/90/96-ND	16¼"	
SK2124MI	B21ND	19¼"	
SK2424MI	B24ND, U242484/90/96-PFG, U242484/90/96-ND	22¼"	
SK2724MI	B27ND	25¼"	
SK3024MI	B30ND, W302424PFG, W302424ND	28¼"	
SK3324MI	B33ND, 0C332484/90/96U	31¼"	
SK3624MI	B36ND, W362424PFG, W362424ND	34¼"	

Wall Cabinet Shelf Kits



- 3/4" Thick plywood faced with natural birch vinyl laminate and matching edgebanding
- Edgebanded on front edge
- One shelf and set of clips per kit
- 50 EXAMPLE: 36" wide wall cabinet uses SK3612

Matching Interior Wall Cabinet Shelf Kits



SK1212MI	SK2112MI	SK3012MI
SK1512MI	SK2412MI	SK3312MI
SK1812MI	SK2712MI	SK3612MI

- Shelf kits are 3/4" thick plywood finished with vinyl laminate and matching edgebanding color matched to cabinetry face frame
- Edgebanded on front edge
- One shelf and set of clips per kit
- Consult availability guide


EXAMPLE: 36" wide wall cabinet uses SK3612MI

SH	SHELF KIT AVAILABILITY GUIDE FOR WALLS			
PART#	DESIGNED TO FIT	ACTUAL WIDTH		
SK1212MI	W1230/36/42-PFG, W1230/36/42-ND	10¼"		
SK1512MI	W1530/36/42-PFG, W1530/36/42-ND	13¼"		
SK1812MI	W1830/36/42-PFG, W1830/36/42-ND	16¼"		
SK2112MI	W2130/36/42-PFG, W2130/36/42-ND	19¼"		
SK2412MI	W2430/36/42-PFG, W2430/36/42-ND	221⁄4"		
SK2712MI	W2730/36/42-PFG, W2730/36/42-ND	25¼"		
SK3012MI	W3024/30/36/42-PFG, W3024/30/36/42-ND	28¼"		
SK3312MI	W3330/36/42-PFG, W3330/36/42-ND	31¼"		
SK3612MI	W3624/30/36/42-PFG, W3624/30/36/42-ND	34¼"		

Wood Furniture Shelf

DESIGN TIP: Use a wood furniture shelf to finish the bottom of bridge cabinets where you will be able to see the underside of the cabinet. For example: Over a sink





- 3/4" thick plywood color matched to cabinetry face frame
- Two long sides edgebanded


MTK8

Cabinet Fronts Only (CFO)

8' Finished Toe Kick – Matches Frame Color


Most Wall cabinets can be ordered as "Cabinet Fronts Only". Face frame, doors, hinges and bumpers will be supplied and shipped loose.

Please consult CFO availability guide on page 63.



- 1/8" thick plywood finished with vinyl laminate color matched to cabinetry face frame
- Field modified and installed


Cabinet Fronts Only (CFO)



Most Base cabinets can be ordered as "Cabinet Fronts Only". Face frame, doors, drawer fronts, hinges, and bumpers will be supplied and shipped loose. In addition, plastic corner blocks will be supplied for false front installation requirements.

Please consult CFO availability guide on page 63.


Matching Wall End Panels



- 3/4" thick
- Field installation
- Panel is for Left or Right application & fits flush against cabinet sides

NOTE: Cannot be used in conjunction with Custom Depth Cabinets NOTE: For WVW, WVG or WVB the matching panel will not be a flush application. Field adjustment to the side of the cabinet will be required


Matching Base End Panel



- Field installation
- Panel is for Left or Right application & fits flush against cabinet sides
- * BPW is 2-piece construction

NOTE: Cannot be used in conjunction with Custom Depth Cabinets NOTE: VG, VW or VB bottom rail is a 3" wide rail vs the 7 ½" extended bottom rail


Cabinet Fronts Only (CFO)



Most Tall cabinets can be ordered as "Cabinet Fronts Only". Face frame, doors, hinges and bumpers will be supplied and shipped loose.


Please consult CFO availability guide on page 63.

U-Shaped Tray Divider 3" - Chrome



- Bakeware Organizer
- Use 2 or more to organize cabinet
- Can be used in base or wall cabinet
- Field installation with only 4 screws






SBTOTK24 SBTOTK27 SBTOTK30 SBTOTK33* SBTOTK36*

USTD3-CR


- Kit attaches to sink base false drawer front to create _ tilt-out drawer
- Holds sponges, scouring pads, dish soaps, etc.
- _ Stainless steel construction
- Field installed prior to countertop
- Two trays included to fit double false fronts

Tray Dividers



- TD12CR TD18CR
- Available in 12" & 18" heights Chrome finish
 - Stores baking sheets, _ serving dishes, etc.
 - Comes with 4 clips & fasteners
 - Attaches to cabinet middle or bottom shelf
 - Field installed -
 - Not for use in customdepth cabinets






SBL2730 SBL3336

- Helps protect sink cabinet from damage due to leaks in piping or drains
- Sleek surface for easy cleanup
- SBL2730 can be trimmed to fit SB27 or SB30
- SBL3336 can be trimmed to fit SB33 or SB36 -
- Field installed
- Grey polystyrene easy to clean surface
- Not for use in custom-depth cabinetry

21" Deep Vanity Sink Base Liner



VSBL2124 VSBL2730 VSBL3336


- Helps protect sink cabinet from damage due to leaks in piping or drains
- VSBL2124 can be trimmed to fit VSB2121 or VSB2421
- VSBL2730 can be trimmed to fit VSB2721 or VSB3021
- VSBL3336 can be trimmed to fit VSB3321 or VSB3621
- Field installed
- Grey polystyrene easy to clean surface
- Not for use in custom-depth cabinetry

Touch-Up Kit

TUK




- Includes fill stick, touch-up pen, and 4 door bumpers



Molding

Soffit Crown Molding SCM8 **Scribe Molding** SM8 1⁄4" 8' 19/16 3⁄4" 1%16 - 3/4" thick solid wood - Use with TMMS8 for top of cabinet installation - 1/4" thick solid wood - Available in all styles except VB, VW and VG **Classic Crown Molding Batten Molding BM8** CCM8 8 35/8" 3⁄4' 3∕⊿ " 2¾" - 3/4" thick solid wood - Use with TMMS8 for top of cabinet installation - 1/4" thick solid wood - Only available in PW **Angle Crown Molding Inside Corner Molding** ACM8 ICM8 8 3⁄4" 25/8" -**1** 7/8"-3⁄4 DESIGN TIP: When returning crown molding to the wall at the end of a run, allow at least 3" of wall space - 3/4" thick solid wood - 3/4" thick solid wood - Use with TMMS8 for top of cabinet installation - Available in all styles except VB, VW and VG **Outside Corner Molding** OSC8 - 3/4" thick solid wood

Molding



Decorative Hardware





DH801-96MBL 4-1/4" Square Bar Pull 3¾" center (96mm)

DH801-128MBL 5-1/2" Square Bar Pull 5" center (128mm)

DH00801-17MBL 6-3/4" Square Bar Pull 6-5/16" center (160mm)



DH5016-96BRN 5-3/8" Tubular Bar Pull 3%" center (96mm)

DH5016-128BRN 6-5/8" Tubular Bar Pull 5" center (128mm)

DH5016-160BRN 7-7/8" Tubular Bar Pull 6-5/16" center (160mm)



DH801-96BRN 4-1/4" Square Bar Pull 3%" center (96mm)

DH801-128BRN 5-1/2" Square Bar Pull 5" center (128mm)

DH00801-17BRN 6-3/4" Square Bar Pull 6-5/16" center (160mm)



DH5016-96CHBR 5-3/8" Tubular Bar Pull 3¾" center (96mm)

DH5016-128CHBR 6-5/8" Tubular Bar Pull 5" center (128mm)

DH5016-160CHBR 7-7/8" Tubular Bar Pull 6-5/16" center (160mm)




DH873-96CHBR 4-1/4" Square Bar Pull 3%" center (96mm)

DH873-128CHBR 5-3/8" Square Bar Pull 5" center (128mm)


DH873-160CHBR 6-3/4" Square Bar Pull 6-5/16" center (160mm)


Decorative Hardware






Cabinet Frame & Opening Dimensions






NOTE: 96" TALL CABINETS ARE SUPPLIED WITH LOOSE TOE KICK BOX (EXPOSED SIDES REQUIRE TSK96)

Cabinet Frame & Opening Dimensions



DRAWER BOX INSIDE DIMENSIONS						
CABINET	SHALLOW DRAWER			DEEP DRAWER		
CADINET	HEIGHT	DEPTH	WIDTH	HEIGHT	DEPTH	WIDTH
B12, BD12	4-3/8"	19-11/16"	6-7/8"	6-3/4"	19-11/16"	6-7/8"
VB1221, VBD1221	4-3/8"	16-11/16"	6-7/8"	6-3/4"	16-11/16"	6-7/8"
B15, BBCU42, BD15	4-3/8"	19-11/16"	9-7/8"	6-3/4"	19-11/16"	9-7/8"
VB1521, VBD1521	4-3/8"	16-11/16"	9-7/8"	6-3/4"	16-11/16"	9-7/8"
DDO15, DDR15	4-3/8"	19-11/16"	9-7/8"	N/A	N/A	N/A
B18, BD18	4-3/8"	19-11/16"	12-7/8"	6-3/4"	19-11/16"	12-7/8"
VB1821, VBD1821	4-3/8"	16-11/16"	12-7/8"	6-3/4"	16-11/16"	12-7/8"
B21	4-3/8"	19-11/16"	15-7/8"	N/A	N/A	N/A
B24, BD24	4-3/8"	19-11/16"	18-7/8 "	6-3/4"	19-11/16"	18-7/8"
VB2421	4-3/8"	16-11/16"	18-7/8 "	N/A	N/A	N/A
B27	4-3/8"	19-11/16"	21-7/8"	N/A	N/A	N/A
B30, BD30	4-3/8"	19-11/16"	24-7/8"	6-3/4"	19-11/16"	24-7/8"
VB3021	4-3/8"	16-11/16"	24-7/8"	N/A	N/A	N/A
VBD30	4-3/8"	16-11/16"	24-7/8"	6-3/4"	16-11/16"	24-7/8"
B33	4-3/8"	19-11/16"	11-1/4"	N/A	N/A	N/A
B36, BD36	4-3/8"	19-11/16"	12-7/8"	6-3/4"	19-11/16"	30-7/8"
VB3621	4-3/8"	16-11/16"	12-7/8"	N/A	N/A	N/A
OC332484U, OC332490U, OC332496U	4-3/8"	19-11/16"	24-7/8"	N/A	N/A	N/A



- Most cabinets can be ordered as "Cabinet Fronts Only" (CFO)
- Face frames, doors, hinges, and bumpers will be supplied and shipped loose
- Doors are pre-drilled for hinge installation
- In addition, plastic corner blocks will be supplied for false front installation requirements

CABINET	CFO CABINET FRONT
W0930	CF0W0930
W0936	CF0W0936
W0942	CF0W0942
W1230	CF0W1230
W1236	CF0W1236
W1242	CF0W1242
W1530	CFOW1530
W1536	CF0W1536
W1542	CF0W1542
W1830	CFOW1830
W1836	CFOW1836
W1842	CF0W1842
W2130	CF0W2130
W2136	CF0W2136
W2142	CF0W2142
W2412	CF0W2412
W2418	CF0W2418
W2430	CF0W2430
W2436	CF0W2436
W2442	CF0W2442
W2730	CF0W2730
W2736	CF0W2736
W2742	CF0W2742
W3012	CF0W3012
W3015	CF0W3015
W3018	CF0W3018
W3024	CF0W3024
W3030	CF0W3030
W3036	CF0W3036
W3042	CF0W3042
W3315	CF0W3315
W3330	CF0W3330
W3336	CF0W3336
W3342	CF0W3342
W3612	CF0W3612
W3615	CF0W3615
W3618	CF0W3618
W3624	CF0W3624
W3630	CF0W3630

CABINET	CFO CABINET FRONT
W3636	CF0W3636
W3642	CF0W3642
B09FH	CFOW0930
B12	CF0B12
B12FH	CF0W1230
B15	CF0B15
B15FH	CFOW1530
B18	CFOB18
B18FH	CFOW1830
B21	CF0B21
B21FH	CF0W2130
B24	CF0B24
B24FH	CF0W2430
B27	CF0B27
B27FH	CF0W2730
B30	CF0B30
B30FH	CF0W3030
B33	CF0B33
B33FH	CF0W3330
B36	CF0B36
B36FH	CF0W3630
FSB36	CF0BFS36
BD12	CF0BD12
BD15	CF0BD15
BD18	CFOBD18
BD24	CF0BD24
BD30	CF0BD30
BD36	CFOBD36
EZR33	CF0EZR33
EZR36	CF0EZR36
0C3384	CF00C3384
0C3390	CF00C3390
0C3396	CF00C3396
U1884	CF0U1884
U1890	CF0U1890
U1896	CF0U1896
U2484	CF0U2484
U2490	CF0U2490
U2496	CF0U2496





hdckitchens.com

Semi-Custom Kitchen & Bath Cabinetry



Instant Kitchen Estimator



Free Color Samples



