

Garden Hose Installation Guide

1. Package Contents Check

- * 1 × 5/8 in × 50 ft garden hose
- * 2 × Hose connectors (male/female)
- * 2 × Rubber washers (for leak prevention)

2. Pre-installation Preparation

1.Ensure the water source tap is turned off completely before installation.

2.Check the rubber washers: confirm they are intact and properly placed inside the hose connectors (washers prevent water leakage between the hose and tap/nozzle).

3.Inspect the hose surface for any visible damage (e.g., cracks, tears) before use. Do not install or use a damaged hose.

3. Step-by-Step Installation

3.1 Connect to Water Source

* Take the female connector end of the hose and align it with the water tap outlet.

* Rotate the connector clockwise by hand until it is tightly secured. Do not use tools to tighten, as over-tightening may

damage the connector or tap.

- * Verify the connection: gently pull the hose to ensure it is firmly attached and will not detach during water flow.

3.2 Connect to Watering Accessory (Optional)

- * Select a compatible accessory (e.g., spray nozzle, sprinkler, watering wand) based on your needs.

- * Attach the male connector end of the hose to the accessory's inlet port.

- * Rotate the connector clockwise by hand until snug to achieve a leak-free connection.

3.3 Test the Connection

1. Slowly turn on the water tap to allow water to flow through the hose gradually.

2. Check all connection points (hose-tap, hose-accessory) for leaks. If leakage occurs:

- * Turn off the water tap immediately.

- * Recheck the rubber washers (replace if missing or damaged).

- * Re-tighten the connector by hand and test again.

4. Usage & Storage Tips

1. **Unfolding the Hose:** Before turning on the water, fully

unfold the hose to avoid kinks that can restrict water flow or damage the hose material.

2. **Temperature Warning:** The hose is designed to withstand extreme temperatures, but avoid prolonged exposure to direct sunlight when not in use, as this can accelerate material aging.

3. **Storage:** After use, drain all water from the hose, then roll it up compactly. Store it in a dry, well-ventilated area (e.g., tool shed, garage) to prevent mold and mildew growth.

5. Safety Precautions

1. Do not use the hose for high-pressure applications beyond its designed capacity.

2. Keep the hose away from sharp objects (e.g., rocks, metal edges) to prevent punctures.

3. Ensure the hose is not trampled or run over by heavy equipment, as this may cause permanent damage.