Citristrip Paint & Varnish Stripping Gel

Revision: 10/20/2024

Supersedes Revision: 07/05/2024

Page: 1 of 7

Printed: 10/20/2024

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Citristrip Paint & Varnish Stripping Gel

W. M. Barr and Company, Inc. **Company Name: Phone Number:** 

2105 Channel Avenue (901)775-0100

Memphis, TN 38113

Web site address: www.wmbarr.com

3E 24 Hour Emergency Contact **Emergency Contact:** (800)451-8346

Information: W.M. Barr Customer Service (800)398-3892

Intended Use: Paint remover

**Product Code:** HCSG803, QCSG801, QCSG801W, ECSG841AM

### 2. HAZARDS IDENTIFICATION

**Skin Irritation, Category 2** 

Serious Eye Damage, Category 1 Skin Sensitization, Category 1B

Flammable Liquids, Category 4





**GHS Signal Word:** Danger

GHS Hazard Phrases: H227 - Combustible liquid.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

GHS Precautionary Phrases: P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 - Avoid breathing vapors.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+352 - IF ON SKIN: Wash with plenty of soap and water. **GHS Response Phrases:** 

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P321 - Specific treatment see label.

P332+313 - If skin irritation occurs, get medical advice/attention.

P333+313 - If skin irritation or rash occurs, seek medical advice/attention.

P362 - Take off contaminated clothing and wash before re-use.

P363 - Wash contaminated clothing before reuse.

**GHS Storage and Disposal** P403+235 - Store in cool/well-ventilated place.

Phrases: P501 - Dispose of contents/container according to local, state and federal regulations.

This material is classified as hazardous under OSHA regulations. OSHA Regulatory Status:

# SAFETY DATA SHEET Citristrip Paint & Varnish Stripping Gel

Printed: 10/20/2024 Revision: 10/20/2024

Page: 2 of 7

Supersedes Revision: 07/05/2024

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS# **Hazardous Components (Chemical Name)** Concentration Molecular Formula 100-51-6 30.0 -60.0 % C6H5CH2OH Benzenemethanol {Benzyl alcohol} 68956-56-9 Terpene hydrocarbons, n.o.s. 5.0 -10.0 % C10H16 H3O4P 7664-38-2 Phosphoric acid {Orthophosphoric acid} 3.0 - 7.0 % Poly(oxy-1,2-ethanediyl), 39464-69-2 0.5 -1.5 % (C2H4O)nC18H36O.xH3O4P

.alpha.-(9Z)-9-octadecenyl-.omega.-hydroxy-,

phosphate

Additional Chemical

Specific percentage of composition is being withheld as a trade secret.

Information

#### 4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

Move out of dangerous area. Consult a physician. Show this safety data sheet to the

doctor in attendance.

In Case of Inhalation: No specific treatment is necessary since this material is not likely to be hazardous by

inhalation. If breathed in, move person into fresh air. If not breathing, give artificial

respiration. Consult a physician.

In Case of Skin Contact: Wash off with soap and plenty of water. Take off contaminated clothing and shoes

immediately. If skin irritation occurs, get medical advice/attention.

In Case of Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation

develops and persists.

No data available.

**In Case of Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with water.

Consult a physician. Do NOT induce vomiting.

Signs and Symptoms Of

Exposure:

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 The most important known symptoms and effects are

described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate

medical attention and special

treatment needed:

**Note to Physician:** Treat symptomatically and supportively.

#### 5. FIRE FIGHTING MEASURES

Flammability Classification: None

Flash Point: 190.00 F (87.8 C) Method Used: Setaflash Closed Cup (Rapid Setaflash)

Explosive Limits: LEL: ND UEL: ND

Autoignition Pt: ND

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

Unsuitable Extinguishing

Media:

Use water spray or fog; do not use straight streams.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and

Hazards:

Combustible Liquid. Can form explosive mixtures at temperatures at or above the

flashpoint.

Hazardous Combustion Carbon oxides, Oxides of phosphorus. Nitrogen oxides, irritating and toxic fumes and

Products:

gases.

MIRS SDS, (c) A V Systems, Inc.

**GHS** format

Citristrip Paint & Varnish Stripping Gel

Revision: 10/20/2024

Printed: 10/20/2024

Page: 3 of 7

Supersedes Revision: 07/05/2024

#### 6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and **Emergency Procedures:** 

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. For personal protection see section 8. Wear respiratory protection.

Evacuate personnel to safe areas.

**Environmental Precautions:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

Steps To Be Taken In Case Material Is Released Or Spilled:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. Personal precautions.

Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

Environmental precautions.

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

Methods for cleaning up.

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see

section 13).

### 7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. For precautions see

section 2.

Precautions To Be Taken in Storing:

Keep container tightly closed when not in use. Store in a cool, dry place. Do not store near flames or at elevated temperatures. Containers which are opened must be carefully

resealed and kept upright to prevent leakage.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS#	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
7664-38-2 {Orthophos	Phosphoric acid phoric acid	ACGIH TLV	TLV: 1 mg/m3 STEL: 3 mg/m3	
		OSHA PELs	PEL: 1 mg/m3	

**Personal Protective** Equipment Symbols:

**Respiratory Equipment** (Specify Type):

When used by the consumer following directions for use and with adequate ventilation, respiratory protection should not be needed. Use a NIOSH/MSHA or European Standard

EN 149 approved respirator if exposure limits are exceeded or if irritation or other

symptoms are experienced.

Eye protection is not normally required. Tightly fitting safety goggles. Faceshield (8-inch Eye Protection:

minimum). Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU). Safety glasses.

Protective gloves recommended. Use proper glove removal technique (without touching Protective Gloves:

glove's outer surface) to avoid skin contact with this product. Wash and dry hands.

Other Protective Clothing: No data available.

**Engineering Controls** 

Use only with adequate ventilation.

(Ventilation etc.): Work/Hygienic/Maintenance

Handle in accordance with good industrial hygiene and safety practice. Wash hands

Practices: before breaks and at the end of workday.

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. **Environmental Exposure** 

MIRS SDS, (c) A V Systems, Inc. **GHS** format

Citristrip Paint & Varnish Stripping Gel

Printed: 10/20/2024 Revision: 10/20/2024

Page: 4 of 7

Supersedes Revision: 07/05/2024

Controls: Discharge into the environment must be avoided.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical States:** [ ] Solid [ ] Gas [X] Liquid

Appearance and Odor: Opaque Viscous Liquid.

Orange-Like Odor.

2.00 - 2.50pH:

Melting Point: ND ΝE **Boiling Point:** 

Flash Point: 190.00 F (87.8 C) Setaflash Closed Cup (Rapid Setaflash)

Evaporation Rate: < 1 (BuAC=1) Flammability (solid, gas): No data available.

**Explosive Limits:** LEL: ND UEL: ND

Vapor Pressure: Not determined

Not determined

> 1 Air = 1 Vapor Density (vs. Air=1):

Specific Gravity (Water=1):

Density: 8.591 LB/GA

Solubility in Water: miscible

Saturated Vapor Not determined

Concentration:

Octanol/Water Partition

Coefficient:

No data.

1.0326

Percent Volatile: 92.06 % by weight.

7.5100 % WT VOC / Volume:

Autoignition Pt: ND

No data. Decomposition

Temperature:

Viscosity: 15000 - 25000 CPS

**Explosive Properties:** No data available. Information on other No data available.

hazards:

### 10. STABILITY AND REACTIVITY

Reactivity: Heating may cause a fire or explosion.

Stability: Unstable [ ] Stable [X]

Conditions To Avoid -

Incompatible materials, Heat, flames and sparks.

Instability:

Incompatibility - Materials To Strong oxidizing agents. Strong bases, Powdered metals.

Avoid:

Hazardous Decomposition or irritating and toxic fumes and gases, Carbon oxides, Oxides of phosphorus. Nitrogen

Byproducts: oxides.

**Possibility of Hazardous** Will occur [ ] Will not occur [X]

MIRS SDS, (c) A V Systems, Inc. **GHS** format

# Citristrip Paint & Varnish Stripping Gel

Revision: 10/20/2024

Page: 5 of 7

Printed: 10/20/2024

Supersedes Revision: 07/05/2024

Reactions:

Conditions To Avoid -

No data available.

**Hazardous Reactions:** 

#### 11. TOXICOLOGICAL INFORMATION

Toxicological Information:

CAS# 100-51-6:

Acute toxicity, LD50, Oral, Rat, 1230. MG/KG.

Result:

Behavioral: Somnolence (general depressed activity).

Behavioral: Excitement. Behavioral: Coma.

- Food and Cosmetics Toxicology., For publisher information, see FCTOD7, London

United Kingdom, Vol/p/yr: 2,327, 1964

Acute toxicity, LD50, Skin, Species: Rabbit, 2.000 GM/KG.

Result:

Behavioral: Somnolence (general depressed activity).

Behavioral: Excitement.

Lungs, Thorax, or Respiration:Other changes.

- Raw Material Data Handbook, Vol.1: Organic Solvents, 1974., National Assoc. of

Printing Ink Research Institute, Francis McDonald Sinclair Memorial Labor, Lehigh Univ.,

Bethlehem, PA 18015, Vol/p/yr: 1,6, 1974

CAS# 7664-38-2:

Acute toxicity, LD50, Oral, Rat, 1530. MG/KG.

Result:

Behavioral: Somnolence (general depressed activity).

Kidney, Ureter, Bladder:Hematuria. Skin and Appendages: Other: Hair.

- BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 17-4, 1970

Acute toxicity, LD50, Skin, Species: Rabbit, 2740. MG/KG.

Result:

Behavioral: Somnolence (general depressed activity).

Behavioral: Excitement.

- BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 17-4, 1970

Standard Draize Test, Skin, Species: Rabbit, 595.0 MG, 24 H, Severe.

Result:

Blood:Other changes.

Biochemical: Metabolism (Intermediary): Other proteins.

- BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 17-4, 1970

Standard Draize Test, Eyes, Species: Rabbit, 119.0 MG, Severe.

Result:

Blood:Other hemolysis with or withot anemia.

Blood:Other changes.

Biochemical: Metabolism (Intermediary): Other proteins.

- BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 17-4, 1970

Irritation or Corrosion:

Irritating to skin. Eye Contact Acute Exposure Effects:

This material is an eye irritant. May cause irritation, burns, conjunctivitis of eyes and

MIRS SDS, (c) A V Systems, Inc.

# SAFETY DATA SHEET Citristrip Paint & Varnish Stripping Gel

Page: 6 of 7 Printed: 10/20/2024 Revision: 10/20/2024

Supersedes Revision: 07/05/2024

corneal ulcerations of the eye. Vapors may irritate eyes.

Sensitization: May cause sensitisation by skin contact.

Carcinogenicity/Other

Mouse, Oral.

Information:

Carcinogenic	ity: NTP? No	IARC Monographs? No	OSH	lA Regulated	? No		
CAS#	Hazardous Components (Che	mical Name)	NTP	IARC	ACGIH	OSHA	
100-51-6	Benzenemethanol {Benzyl alco	hol}	n.a.	n.a.	n.a.	n.a.	
68956-56-9	Terpene hydrocarbons, n.o.s.		n.a.	n.a.	n.a.	n.a.	
7664-38-2	Phosphoric acid {Orthophospho	oric acid}	n.a.	n.a.	n.a.	n.a.	
39464-69-2	Poly(oxy-1,2-ethanediyl), .alpha(9Z)-9-octadecenylome	egahydroxy-, phosphate	n.a.	n.a.	n.a.	n.a.	

### 12. ECOLOGICAL INFORMATION

General Ecological

Harmful to aquatic life.

Information:

Avoid release to the environment.

Other adverse effects:

An environmental hazard cannot be excluded in the event of unprofessional handling or

disposal. No data available.

#### 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with all applicable local, state, and federal regulations. Waste Disposal Method:

# 14. TRANSPORT INFORMATION

#### LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** 

Not regulated as hazardous material when shipped in non-bulk quantities.

**DOT Hazard Class: UN/NA Number:** 

**Additional Transport** 

Information:

The shipper / supplier may be able to apply one of the following exceptions if allowed under 49 CFR Regulations: Combustible Liquid, Consumer Commodity, Limited Quantity, Viscous Liquid, Does Not Sustain Combustion, or others, as allowed under 49 CFR Hazmat Regulations. Please consult 49 CFR Subchapter C to ensure that

subsequent shipments comply with these exceptions.

#### 15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization	Act of 1986) Lists
--	--------------------

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
100-51-6	Benzenemethanol {Benzyl alcohol}	No	No	No
68956-56-9	Terpene hydrocarbons, n.o.s.	No	No	No
7664-38-2	Phosphoric acid {Orthophosphoric acid}	No	Yes NA	No
39464-69-2	Poly(oxy-1,2-ethanediyl),	No	No	No

.alpha.-(9Z)-9-octadecenyl-.omega.-hydroxy-,

phosphate

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
CAO #	ilazardous components (chemical Name)	Other US LFA or State Lists

100-51-6	Benzenemethanol {Benzyl alcohol}	TSCA: Inventory
68956-56-9	Terpene hydrocarbons, n.o.s.	TSCA: Inventory
7664-38-2	Phosphoric acid {Orthophosphoric acid}	TSCA: Inventory
39464-69-2	Poly(oxy-1,2-ethanediyl),	TSCA: Inventory

.alpha.-(9Z)-9-octadecenyl-.omega.-hydroxy-,

phosphate

MIRS SDS, (c) A V Systems, Inc.

**GHS** format

# **SAFETY DATA SHEET**Citristrip Paint & Varnish Stripping Gel

Page: 7 of 7 Printed: 10/20/2024 Revision: 10/20/2024

Supersedes Revision: 07/05/2024

**Regulatory Information:** This product is regulated by the United States Consumer Product Safety Commission

and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to

using the product.

### **16. OTHER INFORMATION**

Revision Date: 10/20/2024 Previous revision: 07/05/2024

Preparer Name: W.M. Barr Regulatory Department

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer: