

SOLARIS COOL ROOF SHINGLES

Landmark® Series

 **certainteed**
SAINT-GOBAIN



**RATED
PRODUCT**

Landmark Solaris, shown in Solaris Moire Black


SAINT-GOBAIN

Trust Your Home to Landmark® Solaris



NOTE: Due to limitations of printing reproduction, CertainTeed can not guarantee the identical match of the actual product color to the graphic representations throughout this publication.



The heat reflects away, and your home stays cool.

The CertainTeed Cool Roof Shingle Collection is a brilliant breakthrough that puts cool roof technology to work for you. Plus, our palette of rich, authentic colors makes it an easy choice for eco-friendly living.

The secret is in CertainTeed's advanced roofing granules that reflect solar energy and radiant heat far better than traditional roofing shingles, reducing your roof's temperature in the summer.


CertainTeed Cool Roof Shingles are ecologically smart, beautifully durable, and architecturally ideal for sunny climates or anywhere solar heat is a challenge.

Technology that protects the beauty of your roof and strengthens its performance.

Solaris® CoolRoof

Solar Reflectivity

Solaris® Cool Roof is a sustainable shingle granule technology that applies energy-saving cool roof performance to CertainTeed's most popular shingle brands. Available in rich and authentic colors, including dark hues and tones, Solaris Cool Roof can lower roof temperatures and allow homeowners to reduce cooling costs without sacrificing beauty, quality, or color.




NailTrak®

Fast, Accurate, Visible

The new and improved **NailTrak** nailing line, a feature on CertainTeed designer shingles.

Now **NailTrak** is brighter than ever before, with high-visibility lines that stand out whether it's daybreak or dusk.


NailTrak removes the guesswork with three separately defined lines, creating a large area to guide your nailing and a smaller area for extreme steep-slope applications.



QuadraBond®

Advanced Layering

CertainTeed's specially formulated adhesive adheres shingle layers at four points, more than any other manufacturer. This superior bond provides greater protection against shingle delamination to maximize performance over the life of the shingle in any climate.



CertaSeal™

Uplift Protection

CertaSeal™ is a fast-activating modified asphalt sealant with a 20-year record of proven performance. Designed to seal shingles together upon installation, it protects roofs from wind uplift and shingle blow-off so that homes stay safe and dry. It's also engineered to remain flexible after installation, unlike harder sealants that can dry out and crack over time.

$$\begin{array}{ccccccc} \text{Q} & + & \text{Industry-Best} & + & \text{SINCE 1904} & = & \text{PEACE OF MIND} \\ \text{High-Quality,} & & \text{Warranty} & & \text{Century of} & & \\ \text{Reliable} & & & & \text{Trusted} & & \\ \text{Choice} & & & & \text{Performance} & & \end{array}$$



The Trusted Classic

LANDMARK[®] SOLARIS

Owning a Landmark Solaris roof brings peace of mind. Landmark Solaris's dual-layered construction and exceptional durability provide long-lasting protection for your home.

- **Now classified as UL 2218 Class 3 Impact Rated**
- Dual-layered for extra dimensionality and protection from the elements
- Offers the widest array of colors in the industry
- Independently certified as meeting the highest quality standards for roofing
- All colors are rated by the Cool Roof Rating Council (CRRC) and can be used to comply with the 2022 California Title 24 Part 6 Cool Roof Requirements
- Select colors can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction



Solaris Silver Birch



Scan code for
more information

LANDMARK® Solaris® Cool/Roof COLOR PALETTE



Solaris Silver Birch
CRRP Product ID 0668-0072



Solaris Birchwood
CRRP Product ID 0668-0084



Solaris Weathered Wood
CRRP Product ID 0668-0119



Solaris Moire Black
CRRP Product ID 0668-0129



Solaris Heather Blend
CRRP Product ID 0668-0117



Solaris Resawn Shake
CRRP Product ID 0668-0118



Solaris Mist White
CRRP Product ID 0668-0071



Solaris Georgetown Gray
CRRP Product ID 0668-0116



Solaris Graphite
CRRP Product ID 0668-0155



Solaris Burnt Sienna
CRRP Product ID 0668-0153



Solaris Mojave Tan
CRRP Product ID 0668-0115



The Expert's Choice

LANDMARK® PRO SOLARIS

A refined union of vision and value, our PRO line leads its class in optimal performance and variety of color.

- **Now classified as UL 2218 Class 3 Impact Rated**
- Engineered to meet professional contractors' exacting specifications
- Available in a wide selection of eye-catching **Max Def** colors
- Outweighs standard laminates to provide greater protection from the elements
- All colors are rated by the Cool Roof Rating Council (CRRC) and can be used to comply with the 2022 California Title 24 Part 6 Cool Roof Requirements
- Select colors can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction



Solaris Max Def Weathered Wood



Scan code for
more information

LANDMARK® PRO Solaris® CoolRoof COLOR PALETTE



Solaris Silver Birch
CRRC Product ID 0668-0072



Solaris Max Def Georgetown Gray
CRRC Product ID 0668-0122




Solaris Max Def Burnt Sienna
CRRC Product ID 0668-0154



Solaris Max Def Heather Blend
CRRC Product ID 0668-0123



Solaris Max Def Weathered Wood
CRRC Product ID 0668-0125



Solaris Max Def Moire Black
CRRC Product ID 0668-0130



Solaris Max Def Resawn Shake
CRRC Product ID 0668-0124



Depth of Character

LANDMARK® TL SOLARIS

Dramatically thick. Classically elegant. These wood-inspired shakes offer triple lamination for rugged wear with real charisma.

- **Now classified as UL 2218 Class 4 Impact Rated**

- Look of hand-split cedar
- Patented 3-layer laminate
- Random tab design and unique natural shadows
- A luxury-class shingle produced at a fraction of the cost of wood shake
- All colors are rated by the Cool Roof Rating Council (CRRC) and can be used to comply with the 2022 California Title 24 Part 6 Cool Roof Requirements
- All colors can be used to comply with Los Angeles County, California Title 31 cool roof requirements for steep-sloped residential construction



Solaris Country Gray



Scan code for more information

LANDMARK® TL Solaris® Cool/Roof COLOR PALETTE



Solaris Country Gray
CRRRC Product ID 0668-0149



Solaris Platinum
CRRRC Product ID 0668-0147



Solaris Moire Black
CRRRC Product ID 0668-0148

Strength with Style

LANDMARK® SOLARIS

- Classified to meet UL 2218 Class 3 Impact Resistance
- Dual-layer durability
- Industry-best lifetime limited warranty



LANDMARK® PRO SOLARIS

- Classified to meet UL 2218 Class 3 Impact Resistance
- Dual-layer, high performance
- Max Def color palette
- Industry-best lifetime limited warranty



LANDMARK® TL SOLARIS

- Classified to meet UL 2218 Class 4 Impact Resistance
- Triple-layer, high performance
- Industry-best lifetime limited warranty



Solar Reflectivity (SR), Thermal Emittance (TE) & Solar Reflectance Index (SRI) Data

PRODUCT - COLOR	CRRC Product ID Number	Aged Solar Reflectance	Thermal Emittance	Solar Reflective Index (SRI)	Complies with Cal Title 24 Part 6	Meets LA County Title 31
Landmark Solaris® - Birchwood	0668-0084	0.21	0.92*	21 ^f	YES	YES
Landmark Solaris® - Burnt Sienna	0668-0153	0.20	0.92*	20	YES	YES
Landmark Solaris® - Georgetown Gray	0668-0116	0.20	0.92	20	YES	YES
Landmark Solaris® - Graphite	0668-0155	0.21	0.91	21 ^f	YES	YES
Landmark Solaris® - Heather Blend	0668-0117	0.20	0.92	20	YES	YES
Landmark Solaris® - Mist White	0668-0071	0.28	0.92*	30 ^f	YES	YES
Landmark Solaris® - Moire Black	0668-0129	0.18	0.92	17	YES	NO
Landmark Solaris® - Mojave Tan	0668-0115	0.20	0.90	19	YES	NO
Landmark Solaris® - Resawn Shake	0668-0118	0.20	0.93	20	YES	YES
Landmark Solaris® - Silver Birch	0668-0072	0.27	0.89	28 ^f	YES	YES
Landmark Solaris® - Weathered Wood	0668-0119	0.21	0.91	21 ^f	YES	YES
Landmark® PRO - Solaris Max Def Burnt Sienna	0668-0154	0.20	0.92	20	YES	YES
Landmark® PRO - Solaris Max Def Georgetown Gray	0668-0122	0.20	0.94*	21 ^f	YES	YES
Landmark® PRO - Solaris Max Def Heather Blend	0668-0123	0.19	0.94	20	YES	YES
Landmark® PRO - Solaris Max Def Moire Black	0668-0130	0.18	0.92	17	YES	NO
Landmark® PRO - Solaris Max Def Resawn Shake	0668-0124	0.18	0.93	18	YES	NO
Landmark® PRO - Solaris Max Def Weathered Wood	0668-0125	0.20	0.94*	21 ^f	YES	YES
Landmark® PRO - Solaris Silver Birch	0668-0072	0.27	0.89	28 ^f	YES	YES
Landmark® TL - Solaris Country Gray	0668-0149	0.22	0.93	23	YES	YES
Landmark® TL - Solaris Moire Black	0668-0148	0.20	0.93	20	YES	YES
Landmark® TL - Solaris Platinum	0668-0147	0.21	0.93	22	YES	YES

^f Aged value calculated using the California Title 24 Solar Reflective Index (SRI) Calculation Worksheet

* Indicates Initial Thermal Emittance



LANDMARK SERIES

SPECIFICATIONS

- Two-piece (Landmark Solaris and Landmark PRO Solaris) and three-piece (Landmark TL Solaris) laminated fiberglass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- Complies with the 2022 California Title 24 Part 6 Cool Roof Requirements.
- Select colors comply with Los Angeles County, California Title 31 Cool Roof Requirements for steep-sloped (roof slope > 2:12) residential construction



For U.S. building code compliance, see product specification sheets.

CertainTeed products are tested to ensure the highest quality and comply with the following industry standards:

Fire Resistance:

- UL Class A
- UL certified to meet ASTM D3018 Type 1

Wind Resistance:

- UL certified to meet ASTM D3018 Type 1
- ASTM D3161 Class F

Tear Resistance:

- UL certified to meet ASTM D3462
- CSA standard A123.5

Impact Resistance:

- UL classified to meet UL 2218 Class 3 (Landmark Solaris and Landmark PRO Solaris)
- UL classified to meet UL 2218 Class 4 (Landmark TL Solaris)

Quality Standards:

- ICC-ES-ESR-1389 & ESR-3537

WARRANTY

- Lifetime limited transferable warranty against manufacturing defects on residential applications
- 50-year limited transferable warranty against manufacturing defects on group-owned or commercial applications (Landmark PRO Solaris and Landmark TL Solaris)
- 40-year limited transferable warranty against manufacturing defects on group-owned or commercial applications (Landmark Solaris)
- 10-year SureStart™ protection
- 15-year 110 mph wind-resistance warranty
- Wind warranty upgrade to 130 mph available. CertainTeed starter and CertainTeed hip and ridge required


See actual warranty for specific details and limitations.

Product Comparison

	Traditional Designer Shingle Style	Industry Leading Granule Adhesion	Warranty Duration	Product Weight
Landmark Solaris	✓	✓	Lifetime	✓
Landmark PRO Solaris	✓	✓	Lifetime	✓✓
Landmark TL Solaris	✓	✓	Lifetime	✓✓✓



Depth/ Dimensional Appearance	NailTrak	Max Def Colors	UL 2218 Impact Rated	Cool Roof Technology (Solar Reflectivity)	Value Rating
✓	✓		Class 3	✓	Good
✓✓	✓	✓	Class 3	✓	Better
✓✓✓		✓	Class 4	✓	Best



The ColorView® Visualizer: Design your Dream Home with the Click of a Mouse

CertainTeed created the ColorView tool to help homeowners bring their creative vision to reality.

Just look through a photo library of homes to choose one that looks most like your own. Then click on the roof to easily switch designs and see what CertainTeed product looks best. You can choose from hundreds of different roofing design and color combinations, and even add roof accents in different colors. All before anyone raises a hammer.

Want to visualize different roofing styles on your own home? You can upload photos to ColorView and have them digitally masked by one of our design professionals, or use DIY mode to upload and mask your own photos.

Plus, you can print or share your ColorView photos with family and friends to get their feedback. Visit colorview.certainteed.com and get started.





Add a Little Accent to Your Roof

CertainTeed offers Mountain Ridge®, an accessory product used for capping hips and ridges. It is the perfect finishing touch for your roof, offering blended color and high-profile design.

Color Companion Products for Flat Roof Areas

With CertainTeed Flintlastic® SA, you can coordinate flat roof areas like carports, canopies and porches with your main roof. Flintlastic SA is a self-adhering low slope roofing product available in ten colors that complement some of the most popular CertainTeed shingles.





Integrity Roof System™

A COMPLETE APPROACH TO LONG LASTING BEAUTY AND PERFORMANCE



With as much care as you take in selecting the right contractor, choosing the right roof system is equally as important. A CertainTeed Integrity Roof System combines key elements that help ensure you have a well-built roof for long-lasting performance.

1. Waterproofing Underlayment

The first step in your defense against the elements. Self-adhering underlayment is installed at vulnerable areas of your roof to help prevent leaks from wind-driven rain and ice dams.

2. Water-Resistant Underlayment

Provides a protective layer over the roof deck and acts as a secondary barrier against leaks.

3. Starter Shingles

Starter Shingles are the first course of shingles that are installed and designed to work in tandem with the roof shingles above for optimal shingle sealing and performance.

4. Shingles

Choose from a variety of Good-Better-Best styles to complement any roof design and fit your budget.

5. Ventilation

A roof that breathes is shown to perform better and last longer. Ridge Vents, in combination with Intake Vents, allow air to flow on the underside of your roof deck, keeping the attic cooler in the summer and drier in the winter.

6. Hip & Ridge Caps

Available in numerous profiles, these accessories are used on the roof's hip and ridge lines for a distinctive finishing touch to your new roof.

learn more at:

certainteed.com/roofing

Landmark®
Solaris Series
available in
areas shown



CertainTeed

Ceilings • Gypsum • Insulation • Roofing • Siding • Trim

20 Moores Road, Malvern, PA 19355 | 800-233-8990 | certainteed.com

©01/25 CertainTeed, Printed in the USA, Code No. 00-11-140-US-EN