

► INTERIOR CONSTRUCTION



## FEIN TURBO: powerful, safe, mobile.

The new standard in dust extraction.



**NEW**  
HEPA Full Unit Certified  
for RRP and Silica Standards

# Maximize performance: TURBO System Accessories

**Cellulose flat pleated filter**  
Nano-coated, preferably for use with dry dusts




Part number  
3 13 45 012 01 0

**Flat pleated filter PES**  
Nano-coated, for wet and dry use




Part number  
3 13 45 059 01 0

**HEPA flat pleated filter**  
Special filter



Part number  
3 13 45 060 01 0

**HEPA flat pleated filter**  
Special filter for use with Turbo II X AC




Part number  
3 13 45 274 01 0

**Permanent filter**  
Replaces non-woven filter bag.  
For TURBO I / II



Part number  
3 13 45 064 01 0

**Non-woven filter bag**  
Holds 2-3 x more dust than paper filter bags, high tear resistance. 5 pack



Part number  
Turbo I 3 13 45 061 01 0  
Part number  
Turbo II 3 13 45 062 01 0

**Suction hose**



Length 13 ft  
Part number  
1-1/16 in dia. 3 13 45 065 01 0  
Part number  
1-3/8 in dia. 3 13 45 066 01 0

**Suction hose**  
Electrostatically conductive



Length 13 ft  
Part number  
1-1/16 in dia. 3 13 45 121 01 0  
Part number  
1-3/8 in dia. 3 13 45 120 01 0

**Extension hose**



Length 8.2 ft  
Part number  
1-1/16 in dia. 3 13 45 067 01 0  
Part number  
1-3/8 in dia. 3 13 45 068 01 0

**Repair kit**  
Power tool end, fits 35 mm dia. suction hose



Part number  
3 13 45 069 01 0

**Elbow**  
With clip system, fits 1-1/16 in dia. and 1-3/8 in dia. suction hose



Part number  
3 13 45 070 01 0

**Elbow**  
With air regulator



Part number  
3 13 45 263 01 0

**HEPA filter bag**

3 pack



Part number  
3 13 45 130 01 0

**Non-woven filter bag, premium**  
Reinforced seams for fine and abrasive dusts.  
For TURBO II / LX / MX.  
5 pack



Part number  
3 13 45 251 01 0

**Suction tube**  
2-piece, chrome-plated metal



Part number  
3 13 45 071 01 0

**Floor nozzle**  
Convertible, with stainless steel sliding surface and bristles on all sides



Part number  
3 13 45 072 01 0

**Combination nozzle**  
For wet and dry work, with interchangeable rubber blades and brush strips, 12 in.



Part number  
3 13 45 073 01 0

**Aluminum combination tool**



Part number  
3 13 45 137 01 0

**Crevice nozzle**  
For corners and grooves,  
9-27/32 in



Part number  
3 13 45 074 01 0

**Upholstery nozzle**  
With brush strips, 5-1/32 in



Part number  
3 13 45 075 01 0

**Dusting brush**  
Rotates, with natural bristles,  
bristle edging 2-3/4 x 1-3/4 in



Part number  
3 13 45 076 01 0

**Vacuum brush**  
Natural bristles, bristle edging  
4-3/4 x 1-3/4 in



Part number  
3 13 45 077 01 0

**Tool coupling with suction control**  
Power tool end



Part number  
1-1/2 in dia. 3 13 45 123 01 0

**Tool coupling with suction control**  
Electrically conductive, power tool end



Part number  
1-1/16 in dia. 3 13 45 250 01 0

**Cable holder**  
For attaching cable to suction hose, fits 1-1/16 and 1-3/8 in dia. suction hoses




Part number  
3 13 45 119 01 0

**Step adapter**  
4 steps, to adapt to the required diameter with clip system




Part number  
3 13 45 079 01 0

**Disposal bag**  
Recommended for AC models.  
5 pack



Part number  
3 13 45 063 01 0

**Accessory set for FEIN vacuum cleaners**  
Consisting of: 2 metal suction tubes, 1 combination tool with interchangeable inserts, 1 crevice nozzle, 1 dusting brush, 1 elbow



Part number  
3 13 45 071 02 0



# The air is clean: Create an unpolluted work environment.

When you hear about workplace hazards, dust is not necessarily the first thing that comes to mind, but working in a dusty environment represents a serious risk to health. FEIN Turbo vacuum cleaners offer fully certified HEPA units, as well as matching connections for many other FEIN tools, adapters, and other devices. This allows you to keep the air and surroundings clean and dust-free while working. Dry dirt and liquids don't stand a chance against FEIN Turbo vacuums.

LMS Technologies, Inc.  
**CERTIFICATE OF HEPA PERFORMANCE**



Under contract with Fein Power Tools, Inc., LMS Technologies tested HEPA-VAC model Turbo II X AC for HEPA performance.

To qualify as a HEPA system, a unit must capture and retain 99.97% of all contaminants down to 0.3 microns in particle size. The Fein stand-alone unit showed an efficiency of 99.991% in the 0.3 micron particle size range which qualifies as a HEPA system. The efficiency was confirmed by testing the system based on British Standard 3928 which is utilized for testing the HEPA filters for nuclear power industry.

Sincerely,

*Al Vatine*

Al Vatine  
 President  
 LMS Technologies, Inc.  
 6423 Cecilia Circle  
 Bloomington, MN 55439  
 Tel: (952) 918-9060  
 Fax: (952) 918-9061

(certificate included in  
 Turbo II X AC HEPA model)



All of FEIN's HEPA units capture and retain a rating higher than the standard 99.97% of all contaminants, down to 0.3 microns in particulate size. The FEIN Turbo II X AC HEPA has an efficiency

rating of 99.99% in the 0.3 micron particulate range, which exceeds the requirements by EPA for RRP and Silica Standards (as stated on vacuum sticker.)



Protects the respiratory tracts, the accessories and the pocketbook. The automatic cleaning process increases filter service life and reduces your ongoing operating costs.



## Applications

	Turbo I	Turbo II	Turbo II HEPA*	Turbo II X	Turbo II X AC	Turbo II X AC HEPA*
	Compact class			Premium class		
Liquids	▲	▲	▲	▲	▲	▲
Coarse debris	▲	▲	▲	▲	▲	▲
Fine dust	▲	▲	▲	▲	▲	▲
Hazardous dust	—	—	▲	▲	▲	▲

\* HEPA models independently tested by LMS Technologies and are HEPA Full Unit Certified.

# The new FEIN TURBO premium class.

The FEIN TURBO premium class combines everything that you expect from professional cleaning tools. It also meets all the criteria for a FEIN power tool: a powerful turbine, large capacity and extreme durability.

The approved filter systems capture even the finest dust that is hazardous to health, promoting health in the workplace. Automatic filter cleaning enables long filter service life and efficient, uninterrupted and unencumbered work. Accessories included with all TURBO X models.



## Proven filter technology

The high-quality filters are automatically cleaned by the AC AutoClean system and are easily accessed from the outside. The filters are moisture-resistant and can also be used for vacuuming liquids. So you can continue to work without conversion, reducing ongoing operating costs.

## Easiest handling

The new tool case recess is suitable for all popular case systems. So the tool is always ready for use when you need it. The ergonomic push handle also makes transport easier.

## Exceptional suction performance

Some 254 mbar of vacuum and a 4,320 l/s flow rate at the blower ensure exceptional suction power. The infinitely variable speed control enables precise setting of the suction performance.

## Maximum agility

The large, non-marking wheels make the TURBO even more flexible and leave no trace. Due to the bumpers positioned above the wheels, the new vacuum can even be easily slid over stair treads. The 13 ft long suction hose and the 25 ft power cable provide a large operating radius.



## Technical data

Model	TURBO II X	TURBO II X AC	TURBO II X AC HEPA*
Fully automatic filter cleaning	–	▲	▲
Weight according to EPTA**	31 lbs (14 kg)	31 lbs (14 kg)	31 lbs (14 kg)
Max. power consumption	1100 watts (9A)	1100 watts (9A)	1100 watts (9A)
Air volume (at blower)	151 cfm (71 L/s)	151 cfm (71 L/s)	151 cfm (71 L/s)
Vacuum	151 cfm (245 mbar)	151 cfm (245 mbar)	151 cfm (245 mbar)
Container volume	9.2 gals (35 l)	9.2 gals (35 l)	9.2 gals (35 l)
Sound pressure level	53 dB (A) - 69 dB (A)	53 dB (A) - 69 dB (A)	53 dB (A) - 69 dB (A)
Price includes:	1 push handle, 1 flat pleated filter PES, 1 fleece filter bag, 1 suction hose 13 ft, 1 3/8 in dia., 1 tool coupling with suction control, 1 step adapter, 1 elbow, 2 suction tubes, 1 combination tool with interchangeable inserts, 1 crevice nozzle, 1 dusting brush	1 push handle, 1 flat pleated filter PES, 1 disposal bag, 1 suction hose 13 ft, 1 3/8 in dia., 1 tool coupling with suction control, 1 step adapter, 1 elbow, 2 suction tubes, 1 combination tool with interchangeable inserts, 1 crevice nozzle, 1 dusting brush	1 push handle, 1 flat pleated filter HEPA, 1 fleece filter bag, 1 suction hose 13 ft, 1 3/8 in dia., 1 tool coupling with suction control, 1 step adapter, 1 elbow, 2 suction tubes, 1 combination tool with interchangeable inserts, 1 crevice nozzle, 1 dusting brush
Part number	9 20 29 060 09 0	9 20 30 060 09 0	9 20 30 060 99 0

\* HEPA models independently tested by LMS Technologies and are HEPA Full Unit Certified.

\*\* (EPTA) European Power Tool Association

# The FEIN TURBO compact class.

Small, light and powerful: The FEIN TURBO compact class vacuum cleaners are the basis of effective dust collection and clean, unpolluted workplaces. These reliable and versatile vacuums are easy to operate, maneuverable, and extremely durable.

Whether chips, metal, dust, sand or liquids – FEIN TURBO compact vacuum cleaners are indispensable for daily professional use.



## Impressive suction

98.4 static water lift (245 mbar) of vacuum and a 151 cfm (71 L/s) flow rate at the blower ensures powerful suction.

## Sensible storage

The rimmed storage feature and cable and hose hooks keep everything stored neatly, including the 13 ft. long suction hose.



## Extreme flexibility

With large wheels that rotate 360 degrees, the TURBO is easy to maneuver, even in tight spaces.



## Turbo I, Turbo II and Turbo II HEPA

Model	TURBO I	TURBO I set	TURBO II	TURBO II set	Turbo II HEPA*	Turbo II HEPA Set *
Weight according to EPTA**	17.9 lbs (8.1 kg)		20.1 lbs (9.1 kg)			
Max. power consumption	1,100 watts (9A)		1,100 watts (9A)			
Air volume (at blower)	151 cfm (71 L/s)		151 cfm (71 L/s)			
Vacuum	98.4 static water lift (245 mbar)		98.4 static water lift (245 mbar)			
Container volume	5.8 gal (22 l)		8.4 gal (32 l)			
Sound pressure level	67 dB (A)		67 dB (A)			
Price includes:	1 suction hose 13 ft, 1 3/8 in dia., 1 tool coupling with suction control, 1 non-woven filter bag, 1 cellulose flat pleated filter	1 suction hose 13 ft, 1 3/8 in dia., 1 tool coupling with suction control, 1 non-woven filter bag, 1 cellulose flat pleated filter, 2 metal suction tubes, 1 combination tool with interchangeable inserts, 1 crevice nozzle, 1 dusting brush, 1 elbow	1 suction hose 13 ft, 1 3/8 in dia., 1 tool coupling with suction control, 1 non-woven filter bag, 1 cellulose flat pleated filter	1 suction hose 13 ft, 1 3/8 in dia., 1 tool coupling with suction control, 1 non-woven filter bag, 1 cellulose flat pleated filter, 2 metal suction tubes, 1 combination tool with interchangeable inserts, 1 crevice nozzle, 1 dusting brush, 1 elbow	1 suction hose 13 ft, 1 3/8 in dia., 1 tool coupling with suction control, 1 non-woven filter bag, 1 HEPA filter, 2 metal suction tubes, 1 combination tool with interchangeable inserts, 1 crevice nozzle, 1 dusting brush, 1 elbow	1 suction hose 13 ft, 1 3/8 in dia., 1 tool coupling with suction control, 1 non-woven filter bag, 1 HEPA filter
Part number	9 20 35 236 09 0	9 20 35 060 09 0	9 20 36 236 09 0	9 20 36 060 09 0	9 20 36 236 99 0	9 20 36 060 99 0

\* HEPA models independently tested by LMS Technologies and are HEPA Full Unit Certified.

\*\* (EPTA) European Power Tool Association





**FEIN. Enduring power tools.**



## FEIN Orbital Sander

FEIN offers the fastest and most aggressive orbital sander with the best results, removing 99% of dust and fine particles when coupled with any of the FEIN Turbo vacuums. The durable metal gear head and slim motor with carbon brushes allows for outstanding performance and handling. A wide eccentric travel allows for perfect finishing results in paints, wood, solid surfaces, plastic, fiberglass or metal.

### MSf 636-1

Power consumption	Watts	380
No load speed	RPM	8,800
Stroke	in [mm]	5/16 [8.4]
Hose connection Ø	in [mm]	1 1/4 [32]
Connector thread backing pad		5/16 in-24 UNF
Cable with plug	ft [m]	16 [5]
Weight according to the EPTA*	lbs [kg]	5.3 [2.4]
Backing pad Ø	in [mm]	6 [150]
Polishing disc Ø	in [mm]	6 [150]
Mounting thread	in	5/16

#### Part Number

**Price includes:** 1 eccentric head Ø 6 in [150mm], 1 backing pad, medium Ø 6 in [150mm], 1 protective suction hood, 1 wrench set.

\* (EPTA) European Power Tool Association



#### Quick registration – extended warranty:

#### The 3-year FEIN PLUS guarantee.

We offer the FEIN PLUS 3-year guarantee on all FEIN power tools. Simply register your new FEIN power tool within 6 weeks of purchase at [www.fein.com/warranty](http://www.fein.com/warranty).

You can find complete information about vacuum cleaners and accessories at [feinus.com](http://feinus.com) or your specialty dealer.

**US:** FEIN Power Tools Inc.  
1000 Omega Drive, Pittsburgh PA, 15205  
Phone: 1-800-441-9878  
[www.feinus.com](http://www.feinus.com)