

# AIKEN CHEMICAL COMPANY, INC

## Safety Data Sheet

### Purple Power Industrial Strength Cleaner Degreaser

---

#### SECTION 1: Identification

##### 1.1 Product identifier

Product name	Purple Power Industrial Strength Cleaner Degreaser
Product number	4302P, 4315PS, 4332PS, 4319PS, 4320P, 4380DG, 4322P, 4325P, 4390S, 4340, PP275, PP330
Brand	Purple Power

##### 1.4 Supplier's details

Name	Aiken Chemical Company, Inc
Address	P.O. Box 27147 Greenville, SC 29616 U.S.
Telephone	864-968-1250
Fax	864-968-1252
email	donnie@clean-rite.com

1.5 Emergency phone number(s) 800-424-9300

---

#### SECTION 2: Hazard identification

##### 2.1 Classification of the substance or mixture

- Eye damage/irritation, Cat. 2A
- Skin corrosion/irritation, Cat. 2

##### 2.2 GHS label elements, including precautionary statements

###### Pictogram



###### Signal word

Warning

###### Hazard statement(s)

H319  
H315

Causes serious eye irritation  
Causes skin irritation

###### Precautionary statement(s)

P264  
P337+P313

Wash hands thoroughly after handling.  
If eye irritation persists: Get medical advice/attention.

# Safety Data Sheet

## Industrial Strength Cleaner Degreaser

P260	Do not breathe mist/vapors/spray.
P332	If skin irritation occurs: Get medical advice/attention.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P304+P340	IF INHALED: Remove victim to fresh air and keep comfortable for breathing.
P362+P364	Take off contaminated clothing and wash it before reuse.

---

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Hazardous components

###### 1. Diethylene glycol butyl ether

Concentration	1 - 5 % (weight)
CAS no.	112-34-5

###### 2. Sodium silicate

Concentration	1 - 5 % (weight)
CAS no.	1344-09-8

---

### SECTION 4: First-aid measures

#### 4.1 Description of necessary first-aid measures

General advice	Consult a physician/doctor if necessary. Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. Show this material safety data sheet to the doctor in attendance.
If inhaled	If breathed in, move person into fresh air. If not breathing, give artificial respiration.
In case of skin contact	IF ON SKIN: Wash with plenty of soap and water/apply a lotion to the area. Get medical attention if irritation develops and persists.
In case of eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Seek medical attention if irritation persist or if you feel unwell.
If swallowed	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
Personal protective equipment for first-aid responders	First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

# Safety Data Sheet

## Industrial Strength Cleaner Degreaser

### 4.2 Most important symptoms/effects, acute and delayed

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include irritation, burns, and pain. Causes skin irritation and eye irritation. Review section 2 of SDS to see all potential hazards.

---

## SECTION 5: Fire-fighting measures

### 5.1 Suitable extinguishing media

Use extinguishing media appropriate for surrounding fire.

### 5.2 Specific hazards arising from the chemical

This material will not burn until the water has evaporated. Residue can burn.

### 5.3 Special protective actions for fire-fighters

Fire fighters should enter area only if they are protected from all contact with the material. Full protective clothing, including self-contained breathing apparatus, coat, pants, gloves, boots and bands around legs, arms, and waist, should be worn. No skin surfaces should be exposed.

#### Further information

Slipping hazard if product is spilled on the floor.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

SMALL SPILLS: Contain and absorb with absorbent material and place into containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

#### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **1. Diethylene glycol butyl ether (CAS: 112-34-5)**

TWA: 10 ppm (ACGIH)

### **8.2 Appropriate engineering controls**

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

### **8.3 Individual protection measures, such as personal protective equipment (PPE)**

#### **Pictograms**



#### **Eye/face protection**

Face shield and/or safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands

#### **Body protection**

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific workplace. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Distribution, Workplace and Household Settings: No special protective equipment required. Product Manufacturing Plant (needed at Product-Producing Plant ONLY): In case of insufficient ventilation wear suitable respiratory equipment

#### **Environmental exposure controls**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **Information on basic physical and chemical properties**

Appearance/form (physical state, color, etc.)	Liquid
Odor	Characteristic
Odor threshold	No data available.
pH	12.5
Melting point/freezing point	0°C (32°F)
Initial boiling point and boiling range	100°C (212°F)

# Safety Data Sheet

## Industrial Strength Cleaner Degreaser

Flash point	No data available.
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.
Upper/lower flammability limits	No data available.
Vapor pressure	No data available.
Vapor density	No data available.
Relative density	1.02
Solubility(ies)	Complete in water
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Mild reactivity to aluminum

#### 10.2 Chemical stability

Stable at typical use and temperatures.

#### 10.3 Possibility of hazardous reactions

Polymerization will not occur.

#### 10.4 Conditions to avoid

Avoid contact with: Oxidizers. Strong acids.

#### 10.5 Incompatible materials

Avoid contact with: Oxidizers. Strong acids.

---

### SECTION 11: Toxicological information

#### Information on toxicological effects

##### Acute toxicity

All data is collected from supplier SDS's or historical data. Aiken Chemicals performs no animal testing.

LD50 Oral Rat 40884 mg/kg (Not Classified)

LC50 Inhalation Rat No Data mg/l (Not Classified)

LD50 Dermal Rabbit 170128 mg/kg (Not Classified)

##### Skin corrosion/irritation

expected to be irritating to skin.

##### Serious eye damage/irritation

expected to be Corrosive/Irritating to the eyes.

##### Respiratory or skin sensitization

# Safety Data Sheet

## Industrial Strength Cleaner Degreaser

not expected to cause skin sensitization.

### **Germ cell mutagenicity**

No ingredient/component of this mixture is classified.

### **Carcinogenicity**

No ingredient/component of this mixture is classified.

### **Reproductive toxicity**

No ingredient/component of this mixture is classified.

### **STOT-single exposure**

No ingredient/component of this mixture is classified.

### **STOT-repeated exposure**

No ingredient/component of this mixture is classified.

### **Aspiration hazard**

No ingredient/component of this mixture is classified.

---

## SECTION 12: Ecological information

### **Toxicity**

All data is collected from supplier SDS's or historical data. Aiken Chemicals performs no animal testing.

Fish: 913.52 mg/l (not classified)

Daphnia magna: 757.90 mg/l (not classified)

algae: 9381.25 mg/l (not classified)

### **Persistence and degradability**

98.56 of components are readily biodegradable.

1.44% of components have no data.

### **Bioaccumulate potential**

0.00% of components will bioaccumulate.

0.00% of components will not bioaccumulate

100.00% of components have no data.

### **Mobility in soil**

0.00% of components have mobility in soil.

0.00% of components have no mobility in soil.

100.00% of components have no data.

### **Other adverse effects**

SODIUM HYDROXIDE liquid: May cause shifts in Component 1 pH outside the range of pH 5 - 10. This change may be toxic to aquatic organisms.

---

## SECTION 13: Disposal considerations

### **Disposal of the product**

Dispose in accordance with all applicable federal, state, and local regulation. Contact your federal, state, and local authorities for specific rules.

# Safety Data Sheet

## Industrial Strength Cleaner Degreaser

### Disposal of contaminated packaging

Dispose of as unused product.

---

## SECTION 14: Transport information

### DOT (US)

Not dangerous goods

### IMDG

Not dangerous goods

### IATA

Not dangerous goods

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### Massachusetts Right to Know Components

No components are subject to the Massachusetts Right to Know Act.

#### New Jersey Right to Know Components

Water 7732-18-5

Diethylene glycol monobutyl ether 112-34-5

#### Pennsylvania Right to Know Components

Water 7732-18-5

Diethylene glycol monobutyl ether 112-34-5

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### 15.2 Chemical Safety Assessment

NFPA (National Fire Protection Association)

HMIS (Hazardous Material Information System)

Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard.

#### HMIS Rating

# Safety Data Sheet

## Industrial Strength Cleaner Degreaser

Purple Power Industrial Strength Cleaner Degreaser	
<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>
<b>PERSONAL PROTECTION</b>	

### NFPA Rating



---

## SECTION 16: Other information

### Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x = Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals

LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or biological material

fw = fresh water

mw = marine water

or = occasional release

dw = dry weight

SCBA = Self Contained Breathing Apparatus

### Legend

#### Section 8

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH - National Institute for Occupational Safety and Health

TLV - Threshold Limit Values

PEL - Permissible Exposure Limits

IDHL - Immediately Dangerous to Life or Health concentrations

TWA - Time Weight Average



# Safety Data Sheet

## Industrial Strength Cleaner Degreaser

STEL - Short Term Exposure Limits  
S\* - Skin notation  
TSCA - Toxic Substance Control Act

### 16.1 Further information/disclaimer

The information is based on our knowledge to date but does not constitute an assurance of product properties and does not imply a legal contractual relationship. Safety Data Sheet information is based on the individual ingredients Safety Data Sheets provided by the supplier.

### 16.2 Preparation information

Aiken Chemical Company, Inc.  
P.O. Box 27147  
Greenville, SC, 29616  
864-968-1250  
800-828-1860  
864-968-1252 (fax)