



Pony Testing International Group

Report No.: I02243024316D~1

# MSDS Report

Sample Name & Model 3.0V Lithium-Dioxide Manganese Button Cell (CR2032)

Applicant Shenzhen Lidea Battery Co., Ltd.

Address 3/F, No. 5 Bldg., Houhai Xufa Tech. Park, Loucun, Gongming, Shenzhen, China

No.: I02243024316D  
Code: i665ez



**PONY 谱尼测试**  
Pony Testing International Group

www.ponytest.com ☎Hotline 400-819-5688

Add: 北京市海淀区苏州街49-2

Tel: (010) 82618118

Add: 天津市塘沽区红桥道嘉里

Tel: (022) 2760730

上海浦东新区林平路660号

35号楼1层

(021) 64881999

宁波市南湖区新南路150号

二号楼10层

(0574) 87736499

深圳市南山区创业路中兴

工业城6楼1层

(0755) 29058999

广州市海珠区洪和路189号

海幢科技园3号楼7层

(020) 89224310

青岛市崂山区横山路199

号6层

(0532) 88706868



Pony Testing International Group

Report No. : I02243024316D~1 Date: 02.28.2014 Page 1 of 11

## Material Safety Data Sheet

According to ISO11014:2009 &amp; GB16483-2008

### Section 1 - Chemical Product and Company Identification

#### Chemical product identification

Product Name: 3.0V Lithium-Dioxide Manganese Button Cell

Battery Model: CR2032

#### Company identification

Manufacturer: Shenzhen Lidea Battery Co., Ltd.

Address: 3/F, No. 5 Bldg., Houhai Xufa Tech. Park, Loucun, Gongming, Shenzhen, China

Tel: +86-755-25179975

Fax: +86-755-25179976

Post code: 518106

#### Further Information obtainable from

Emergency telephone: +86-755-25179975

E-mail: sales@lideabattery.com

### Section 2 - Hazards Identification

No harm at the normal use. If contact the electrolyte in the battery, reference as follows:

#### Classification of the substance or mixture

#### Classification according to GHS

Acute toxicity, Oral (Category 4)

Acute toxicity, Dermal (Category 3)

Skin, irritate (Category 1B)

Eyes, irritate (Category 1)

#### Label elements

Labelling according to Regulation (EC) No 1272/2008[CLP]

Hazard pictogram(s):



Signal word:

Danger

Hazard statement(s):

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage



Pony Testing International Group

H302: Harmful if swallowed.

**Precautionary statement(s):****Prevention:**

P280: Wear protective gloves/protective clothing/eye protection / face protection.

**Response:**

P312: Call a POISON CENTER or doctor/ physician if you feel unwell.

P302 + P350 - IF ON SKIN: Gently wash with plenty of soap and water

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

**Disposal:**

P501: Dispose of contents/container in accordance with local/national regulations

**Other hazards**

No information available.

### Section 3 - Composition, Information on Ingredients

**Chemical characterization: Mixture**

Chemical Composition	CAS No.	EC#	Weight (%)
Manganese Dioxide	1313-13-9	215-202-6	31.7
Graphite	7782-42-5	231-955-3	2.6
PTFE Poly(tetrafluoroethylene)	9002-84-0	204-126-9	0.3
PP Polypropylene	9003-07-0	—	3.9
Stainless steel	12597-68-1	—	48.8
Lithium	7439-93-2	231-102-5	2.0
PC Propylene Carbonate	108-32-7	203-572-1	4.5
DME	110-71-4	203-794-9	4.1
Lithium Perchlorate	7791-03-9	232-237-2	2.1



Pony Testing International Group

Report No. : I02243024316D~1 Date: 02.28.2014 Page 3 of 11

## Section 4 - First Aid Measures

### Description of first aid measures

**General information** No special measures required.

#### After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

#### After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

#### After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

#### After swallowing

Do not induce vomiting. Get medical attention.

### Information for doctor:

#### Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## Section 5 - Fire Fighting Measures

**Flammability:** Not available.

### Extinguishing media

#### Suitable extinguishing agents

Use extinguishing agent suitable for local conditions and the surrounding environment. Such as dry powder, CO<sub>2</sub>.

#### Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature (>150°C (302°F)), when damaged or abused (e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

### Advice for firefighters



Pony Testing International Group

**Protective equipment:** Wear self-contained respirator. Wear fully protective impervious suit.

## Section 6 - Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

### Environmental precautions

Do not allow material to be released to the environment without proper governmental permits.

### Steps to be taken in case material is spilled or released

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

### Waste disposal method

All waste must refer to the United Nations, the national and local regulations for disposal.

### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## Section 7 - Handling and Storage

### Handling

#### Precautions for safe handling

Consumption of food and beverage should be avoided in work areas.

Wash hands with soap and water before eating, drinking.

Ground containers when transferring liquid to prevent static accumulation and discharge.

#### Information about fire and explosion protection

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

#### Conditions for safe storage, including any incompatibilities

#### Requirements to be met by storerooms and receptacles

Store in a cool, dry, well-ventilated place.

#### Information about storage in one common storage facility





Pony Testing International Group

Keep away from heat, avoiding the long time of sunlight.

**Further information about storage conditions**

Keep container tightly sealed.

**Specific and use**

No further relevant information available.

## Section 8 - Exposure Controls, Personal Protection

**Control parameters**

<b>Ingredients with limit values that require monitoring at the workplace:</b>
--

Not available.
----------------

**Exposure controls****Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

**Respiratory Protection**

Use suitable respirator when high concentrations are present.

**Personal Protection****Protection of hands***Protective gloves***Eye protection***Tightly sealed goggles*

## Section 9 - Physical and Chemical Properties

**Information on basic physical and chemical properties**



Pony Testing International Group

**General information**

<b>Appearance:</b>	Silver.
<b>Form:</b>	Button.
<b>Odour:</b>	Odorless.
<b>pH:</b>	Not available.
<b>Change in condition</b>	
<b>Melting point:</b>	Not available.
<b>Boiling point:</b>	Not available.
<b>Freezing point</b>	Not available.
<b>Flash point:</b>	Not available.
<b>Flammability:</b>	Not available.
<b>Ignition temperature:</b>	Not available.
<b>Decomposition temperature:</b>	Not available.
<b>Self-igniting:</b>	Not available.
<b>Danger of explosion:</b>	Not available.
<b>Explosion limits</b>	
<b>Lower:</b>	Not available.
<b>Upper:</b>	Not available.
<b>Oxidizing properties:</b>	Not available.
<b>Vapour pressure:</b>	Not available.
<b>Density:</b>	Not available.
<b>Relative density:</b>	Not available.
<b>Vapour density:</b>	Not available.
<b>Evaporation rate:</b>	Not available.
<b>Solubility in/Miscibility with water:</b>	Not available.
<b>n-octanol/water partition coefficient:</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Dynamic:</b>	Not available.
<b>Kinematic:</b>	Not available.
<b>Other information:</b>	
<b>Voltage</b>	3.0V
<b>Electric capacity</b>	210mAh

## Section 10 - Stability and Reactivity



Pony Testing International Group

**Reactivity:** Data not available.**Chemical stability:** Stable.**Possibility of hazardous reactions:** Data not available.**Conditions to Avoid**

Flames, sparks, and other sources of ignition, incompatible materials.

**Incompatibilities**

Oxidizing agents, acid, base.

**Hazardous Combustible Products**

Carbon monoxide, carbon dioxide, lithium oxide fumes.

**Hazardous Polymerization**

N/A.

## Section 11 - Toxicological Information

**Information on toxicological effects****Acute toxicity****LD/LC50 Values relevant for classification:**

Not available.

**Primary irritant effect**

No further relevant information available.

**Sensitization:**

No further relevant information available.

**Additional toxicological information:****Toxicological, metabolism and distribution:**

No further relevant information available.

**Acute effects (acute toxicity, irritation and corrosivity):**

No further relevant information available.

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**

No further relevant information available.

## Section 12 - Ecological Information

**Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability:** No further relevant information available.**Behaviour in environmental systems**





Pony Testing International Group

**Bioaccumulative potential:** No further relevant information available.**Mobility in soil:** No further relevant information available.**Ecological effects****Additional ecological information****General notes:**

Do not allow material to be released to the environment without proper governmental permits.

**Other adverse effects:** No further relevant information available.

### Section 13 - Disposal Considerations

**Waste treatment methods****Recommendation:**

Consult state, local or national regulations to ensure proper disposal.

**Uncleaned packaging****Recommendation:** Disposal must be made according to official regulations.

### Section 14 - Transport Information

<b>UN Number</b>	
IATA	UN3090
IMDG	None
Model Regulation	None
<b>UN Proper shipping name</b>	
IATA	Lithium Metal Batteries
IMDG	None
Model Regulation	None
<b>Transport hazard class(es)</b>	
IATA	9
IMDG	None
Model Regulation	None
<b>Packing group</b>	
IATA	None
IMDG	None
Model Regulation	None



Pony Testing International Group

Report No. : I02243024316D~1 Date: 02.28.2014 Page 9 of 11

<b>Environmental hazards</b>	
<b>Marine pollutant:</b>	No
<b>Special precautions for user</b>	Not applicable.

**Transport information:** The 3.0V Lithium-Dioxide Manganese Button Cell (CR2032) has passed the test UN38.3, according to the report ID: I01023073111D and I01023073111D~1.

According to the Packing Instruction 968 section II of IATA DGR 55<sup>th</sup> Edition for transportation.

According to the special provision 188 of IMDG (36-12) or the <<Recommendations On The Transport Of Dangerous Goods-Model Regulations>> (18<sup>th</sup>). The products are not subject to dangerous goods.

More information concerning shipping, testing, marking and packaging can be obtained from Label master at <http://www.labelmaster.com>.

Separate Lithium-ion batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport. Take in a cargo of them without falling, dropping, and breakage. Prevent collapse of cargo piles and wet by rain.

**Transport Fashion:** By air, by sea, by railway, by road.

### Section 15 - Regulatory Information

This Material Safety Data Sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Safety, health and environmental regulations/legislation specific for the substance or mixture

Composition	CAS#	TSCA	EC#	EINECS
Manganese Dioxide	1313-13-9	Listed	215-202-6	Listed
Graphite	7782-42-5	Listed	231-955-3	Listed
PTFE Poly(tetrafluoroethylene)	9002-84-0	Listed	204-126-9	Listed



Pony Testing International Group

Report No. : I02243024316D~1 Date: 02.28.2014 Page 10 of 11

Composition	CAS#	TSCA	EC#	EINECS
PP Polypropylene	9003-07-0	Listed	---	Not Listed
Stainless steel	12597-68-1	Listed	---	Not Listed
Lithium	7439-93-2	Listed	231-102-5	Listed
PC Propylene Carbonate	108-32-7	Listed	203-572-1	EINECS
DME	110-71-4	Listed	203-794-9	Listed
Lithium Perchlorate	7791-03-9	Listed	232-237-2	Listed

### Section 16 - Additional Information

#### Abbreviations and acronyms

<b>CLP:</b>	EU regulation (EC) No 1272/2008 on classification, labelling and packaging of chemical substances and mixtures.
<b>CAS:</b>	Chemical Abstracts Service (Division of the American Chemical Society).
<b>ACGIH:</b>	American Conference of Governmental Industrial Hygienists
<b>TLV:</b>	Threshold Limit Value
<b>IATA:</b>	International Air Transport Association
<b>IMDG:</b>	International Maritime Dangerous Goods
<b>LC50:</b>	lethal concentration, 50 percent kill
<b>LD50:</b>	lethal dose, 50 percent kill
<b>TWA</b>	Time Weighted Average
<b>TSCA</b>	United States Toxic Substances Control Act Section 8(b) Inventory
<b>EINECS</b>	European Inventory of Existing Commercial Chemical Substances
<b>Model</b>	Recommendations on the Transport of Dangerous Goods Model
<b>Regulation</b>	Regulations

#### Declare to reader

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available



Report No. : I02243024316D~1 Date: 02.28.2014 Page 11 of 11

Pony Testing International Group

subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

Prepared by:

Liu Xiaohui

Checked by:

chengpeng

Approved by:

liyong

MSDS Creation Date: February 28, 2014

\*\*\*End of report\*\*\*