GRINDER SOLUTIONS GUIDE



4-1/2" - 5" Braking Grinder



4-1/2" - 6" Braking Grinder




7" / 9" Large Angle Grinder

REDLITHIUM™

DRIVEN TO OUTPERFORM.™


M18 FUEL™ is engineered for the most demanding tradesmen in the world. Delivering unrivaled performance in a compact structure, all M18 FUEL™ products feature three MILWAUKEE® exclusive innovations — the POWERSTATE™ Brushless Motor, REDLITHIUM™ Battery Pack and REDLINK PLUS™ Intelligence Hardware and Software — that deliver unmatched power, run-time and durability. Simply put, the M18 FUEL™ 4-1/2" – 6" Variable Speed Braking Grinder offers advanced power and performance to get through tough applications.

M18 FUEL




2 REDLINK PLUS™ INTELLIGENCE

- Most Advanced Electronic System on the Market for Maximum Performance
- Total System Communication with Overload Protection Increases Tool Life



1 POWERSTATE™ BRUSHLESS MOTOR

- MILWAUKEE® Designed and Built Brushless Motor
- Outperforms All Leading Competitors



3 REDLITHIUM™ FORGE™ XC8.0 BATTERY PACK

FITS M18™ TOOLS



REDLITHIUM FORGE

GENERATES **13A CORDED POWER**

RAPIDSTOP™ BRAKE, ENHANCED SAFETY

4 SPEEDS, INCREASED CONTROL

M18


PERFORMANCE DRIVEN TRADE FOCUSED SYSTEM WIDE





M18 FUEL 2984-20	M18 FUEL 2880-20	M18 FUEL 2882-20	M18 FUEL 2888-20	M18 FUEL 2886-20	M18 FUEL 3670-20	M18 FUEL 3672-20	M18 FUEL 3674-20	M18 FUEL 2785-20
3"	4-1/2" / 5"			5"	6"		7" / 9"	

M18 FUEL GRINDER PERFORMANCE





M18 FUEL
4-1/2" / 5" BRAKING GRINDER

PADDLE SWITCH, NO-LOCK
2880-22, 2880-20


SLIDE SWITCH, LOCK-ON
2881-22, 2881-20





REDLITHIUM HIGH OUTPUT XC6.0

GENERATES
11A CORDED POWER



- Generates 11A corded power on the M18™ Cordless System, allowing users to complete the toughest grinding and cutting applications

RAPIDSTOP™ BRAKE, ENHANCED SAFETY



- RAPIDSTOP™ Brake stops most wheels in less than 2 seconds

UP TO
135 CUTS PER CHARGE



- Delivers up to 135 cuts per charge in 1/2" rebar when paired with an M18™ REDLITHIUM™ HIGH OUTPUT™ XC6.0 Battery Pack

TOOL 5 YEAR | BATTERY 3 YEAR WARRANTY



M18 FUEL
4-1/2" / 5" BRAKING GRINDER w/ ONE-KEY™

PADDLE SWITCH NO-LOCK
2882-22, 2882-20

SLIDE SWITCH, LOCK-ON
2883-20





REDLITHIUM HIGH OUTPUT XC6.0

GENERATES
11A CORDED POWER


POWER TO GRIND



- Generates 11A corded power on the M18™ Cordless System, allowing users to complete the toughest grinding and cutting applications

FASTEST CUTTING

INCREASED PRODUCTIVITY



- POWERSTATE™ Brushless Motor delivers maximum sustained power and 8,500 RPM to remove material and cut faster to increase productivity
- REDLITHIUM™ HIGH OUTPUT™ Battery Pack provides 50% more power and runs 50% cooler versus standard REDLITHIUM™ Battery

RAPIDSTOP™ BRAKE, ENHANCED SAFETY

STOP TIMES



Cutting Wheel	0.816 Seconds
Abrasive Disc	1.673 Seconds
Flap Disc	1.177 Seconds

- RAPIDSTOP™ Brake stops most wheels in less than 2 seconds

TOOL 5 YEAR | BATTERY 3 YEAR WARRANTY



M18 FUEL™
4-1/2" / 5" VARIABLE SPEED BRAKING GRINDER

REDLITHIUM™


PADDLE SWITCH NO-LOCK
2888-20

SLIDE SWITCH, LOCK-ON
2889-20






GENERATES
11A CORDED POWER




- POWERSTATE™ Brushless Motor delivers 8,500 RPM to provide the power to complete the toughest grinding and cutting applications

5 SPEEDS, INCREASED CONTROL



- Variable speed provides 5 speed settings between 3,500 RPM and 8,500 RPM for greater control

RAPIDSTOP™ BRAKE, ENHANCED SAFETY



- RAPIDSTOP™ Brake stops most wheels in less than 2 seconds

TOOL 5 YEAR WARRANTY



M18 FUEL
5" FLATHEAD BRAKING GRINDER

REDLITHIUM

PADDLE SWITCH, NO-LOCK
2886-20

SLIDE SWITCH, LOCK-ON
2887-20





GENERATES
11A CORDED POWER

POWER TO GRIND




MILWAUKEE® M18 FUEL™ | 11A Corded Competitor

- POWERSTATE™ Brushless Motor delivers 8,500 RPM to provide the power to complete the toughest grinding and cutting applications

LOW PROFILE,
MORE ACCESS

WORK IN TIGHT SPACES



- Low profile, flathead design provides more access to tight spaces where traditional 5" grinders wouldn't be able to reach

RAPIDSTOP™ BRAKE, ENHANCED SAFETY

STOP TIMES



Cutting Wheel	1.352 Seconds
Abrasive Disc	1.686 Seconds
Flap Disc	1.374 Seconds

- RAPIDSTOP™ Brake stops most wheels in less than 2 seconds

TOOL 5 YEAR WARRANTY



M18 FUEL

4-1/2" / 5" DUAL-TRIGGER BRAKING GRINDER

2986-20



REDLITHIUM

DUAL-TRIGGER, TWO-HANDED OPERATION



- Tool powers down when either hand is removed

PERMANENT SIDE HANDLE, GREATER CONTROL



- Optimized for tight spaces, comfort and easy storage
- Provides 15 positions

AUTOSTOP™ CONTROL, ADVANCED KICKBACK PROTECTION



- Tool powers down in extreme bind up
- 3 axis roll detection

TOOL 5 YEAR WARRANTY



M18 FUEL

4-1/2" - 6" DUAL TRIGGER BRAKING GRINDER, PADDLE SWITCH w/ ONE-KEY™

3676-20




REDLITHIUM

DUAL-TRIGGER, TWO-HANDED OPERATION



- Tool powers down when either hand is removed

PERMANENT SIDE HANDLE, GREATER CONTROL



- Optimized for tight spaces, comfort and easy storage
- Provides 15 positions

AUTOSTOP™ CONTROL, ADVANCED KICKBACK PROTECTION



- Tool powers down in extreme bind up
- 3 axis roll detection

TOOL 5 YEAR WARRANTY



M18 FUEL
4-1/2" - 6" BRAKING GRINDER


REDLITHIUM FORGE XC8.0

PADDLE SWITCH
3670-22, 3670-20

SLIDE SWITCH
3671-20



GENERATES
13A CORDED POWER



- POWERSTATE™ Brushless Motor, REDLINK PLUS™ Intelligence and REDLITHIUM™ Battery delivers 13A corded power to complete the toughest grinding, surface prep and cutting applications
- Replaces all corded small angle grinders

RAPIDSTOP™ BRAKE, ENHANCED SAFETY



- RAPIDSTOP™ Brake stops most wheels in less than 2 seconds

UP TO 135 CUTS PER CHARGE



- Delivers up to 135 cuts per charge in 1/2" rebar when paired with an M18™ REDLITHIUM™ FORGE™ XC8.0 Battery Pack

TOOL 5 YEAR | BATTERY 3 YEAR WARRANTY



M18 FUEL
4-1/2" - 6" VARIABLE SPEED BRAKING GRINDER, PADDLE SWITCH w/ ONE-KEY™

3672-22, 3672-20

REDLITHIUM FORGE XC8.0



GENERATES 13A CORDED POWER

POWER TO GRIND



- POWERSTATE™ Brushless Motor, REDLINK PLUS™ Intelligence and REDLITHIUM™ Battery delivers 13A corded power to complete the toughest grinding, surface prep and cutting applications
- Replaces all corded small angle grinders

RAPIDSTOP™ BRAKE, ENHANCED SAFETY

STOP TIMES




Cutting Wheel	0.99 Seconds
Diamond Wheel	1.2 Seconds
Grinding Wheel	2.0 Seconds

- RAPIDSTOP™ Brake stops most wheels in less than 2 seconds

4 SPEEDS, INCREASED CONTROL

INCREASED PRODUCTIVITY



- Variable speed provides 4 speed settings between 3,000 RPM and 9,000 RPM for greater control

TOOL 5 YEAR | BATTERY 3 YEAR WARRANTY



M18 FUEL


4-1/2" - 7" VARIABLE SPEED BRAKING GRINDER, PADDLE SWITCH w/ ONE-KEY™

3674-20




REDLITHIUM™

GENERATES **13A CORDED POWER**




- POWERSTATE™ Brushless Motor, REDLINK PLUS™ Intelligence and REDLITHIUM™ Battery delivers 13A corded power to complete the toughest grinding, surface prep and cutting applications

UP TO **6 LBS LIGHTER**



- Reduced weight allows for all day use
- Increases mobility and reduces fatigue

4 SPEEDS, **INCREASED CONTROL**



- Variable speed provides 4 speed settings between 5,000 RPM and 8,400 RPM for greater control

TOOL 5 YEAR WARRANTY




M18 FUEL
7" / 9" LARGE ANGLE GRINDER

2785-20




REDLITHIUM

GENERATES
15A CORDED POWER



- Industry's first 18V cordless large angle grinder
- POWERSTATE™ Brushless Motor, REDLINK PLUS™ Intelligence and REDLITHIUM™ Battery delivers 15A power to complete the toughest grinding, surface prep and cutting applications
- Replaces corded large angle grinders

UP TO
2 LBS LIGHTER



- Reduced weight allows for all day use
- Increases mobility and reduces fatigue

9" GRINDING CAPACITY



- Capability to remove more material in a single pass, delivering more productivity

TOOL 5 YEAR WARRANTY



M18 FUEL
VARIABLE SPEED, BRAKING DIE GRINDER PADDLE SWITCH w/ ONE-KEY™

2984-20




REDLITHIUM™

UP TO 35 PIPES DEBURRED PER CHARGE



- Power to deburr pipes, surface prep and small cutting applications

5 SPEEDS, INCREASED CONTROL



- Variable speed provides 5 speed settings between 8,000 RPM and 20,000 RPM for greater control

RAPIDSTOP™ BRAKE, ENHANCED SAFETY



- RAPIDSTOP™ Brake stops accessories in under 2 seconds (2" cutting wheel and 3" sanding wheel)

TOOL 5 YEAR WARRANTY



M18 FUEL
BRAKING DIE GRINDER, SLIDE SWITCH

2939-20




REDLITHIUM

UP TO **12"** OF WELD BEAD **REMOVED** PER CHARGE



- Power to remove weld beads, surface prep, deburr pipes and small cutting applications

GENERATES **11A** CORDED **POWER**



- POWERSTATE™ Brushless Motor delivers 11A power to complete the toughest grinding surface prep applications

RAPIDSTOP™ BRAKE, ENHANCED SAFETY



- RAPIDSTOP™ Brake stops accessories in under 2 seconds (2" cutting wheel and 2" sanding wheel)

TOOL 5 YEAR WARRANTY



M12 FUEL
RIGHT ANGLE DIE GRINDER


3485-22, 3485-20



REDLITHIUM HIGH OUTPUT XC5.0

50% MORE POWER THAN PNEUMATIC

GENERATES 0.4 HP MOTOR OUTPUT



- Generates 0.4 HP motor output
- More peak power than pneumatic 0.5 HP die grinders

GREATER MOBILITY & ACCESS

ELIMINATES HOSES & COMPRESSORS



- No air hoses, compressors, or daily maintenance
- Increased cost savings over pneumatic power
- Compact tool size allows access in tight spaces

VARIABLE SPEED, PRECISION CONTROL

OPTIMIZED FOR COMMON 3" ACCESSORIES



MODE

1	3,000 – 5,000 RPM
2	3,000 – 10,000 RPM
3	3,000 – 15,000 RPM
4	3,000 – 20,000 RPM

3" SANDING CAPACITY 2" CUTTING CAPACITY

- Optimized for most common 3" accessories
- Dial in the right max RPM for safer operation

TOOL 5 YEAR | XC BATTERY 3 YEAR | CP BATTERY 2 YEAR WARRANTY




M12 FUEL
1/4" STRAIGHT DIE GRINDER

2486-22, 2486-20




REDLITHIUM CP2.0

20% MORE POWER THAN PNEUMATIC



- Generates 0.3 HP motor output
- More peak power than pneumatic 0.3 HP die grinders

3-MODE SPEED CONTROL



- Optimized for most common 2" accessories
- Dial in the right max RPM for safer operation
- Variable speed trigger

GREATER MOBILITY & ACCESS



- No air hoses, compressors, or daily maintenance
- Increased cost savings over pneumatic power
- Compact tool size allows access in tight spaces

TOOL 5 YEAR | BATTERY 2 YEAR WARRANTY



M12 FUEL BANDFILE

1/2" x 18"
2482-20


3/8" x 13"
2483-20



REDLITHIUM™

FASTEST SPOT WELD REMOVAL


BEST-IN-CLASS MATERIAL REMOVAL RATE



- POWERSTATE™ Brushless Motor delivers the power to remove spot welds with the best-in-class material removal rate
- Full placement for pneumatic bandfiles

UNMATCHED CONTROL

BETTER PRECISION



- Two speed settings, forward and reverse functionality
- Lock-on button, variable speed trigger

GREATER MOBILITY & ACCESS

TOOL-LESS 360° ARM ROTATION



- Tool-free 360° arm rotation
- Eliminates hoses and compressors

TOOL 5 YEAR WARRANTY

GRINDER SELECTION GUIDE

M18 FUEL™ GRINDERS

REDLITHIUM™

Product	Capacity	Power Output	RPM	Trigger Style	RAPIDSTOP™ Brake	Overload Protection	Unique Features
 2880-20 M18 FUEL™ 4-1/2" / 5" Braking Grinder Paddle Switch, No-Lock	4-1/2" / 5"	11A	8,500	Paddle Switch, No-Lock	✓	✓	–
 2881-20 M18 FUEL™ 4-1/2" / 5" Braking Grinder Slide Switch, Lock-On	4-1/2" / 5"	11A	8,500	Slide Switch, Lock-On	✓	✓	–
 2882-20 M18 FUEL™ 4-1/2" / 5" Braking Grinder w/ ONE-KEY™, Paddle Switch, No-Lock	4-1/2" / 5"	11A	8,500	Paddle Switch, No-Lock	✓	✓	ONE-KEY™
 2883-20 M18 FUEL™ 4-1/2" / 5" Braking Grinder w/ ONE-KEY™, Slide Switch, Lock-On	4-1/2" / 5"	11A	8,500	Slide Switch, Lock-On	✓	✓	ONE-KEY™
 2886-20 M18 FUEL™ 5" Flathead Braking Grinder, Paddle Switch No-Lock	5"	11A	8,500	Paddle Switch, No-Lock	✓	✓	–
 2887-20 M18 FUEL™ 5" Flathead Braking Grinder, Slide Switch Lock-On	5"	11A	8,500	Slide Switch, Lock-On	✓	✓	–
 2888-20 M18 FUEL™ 4-1/2" / 5" Variable Speed Braking Grinder, Paddle Switch No-Lock	4-1/2" / 5"	11A	3,500 – 8,500	Paddle Switch, No-Lock	✓	✓	Variable Speed
 2889-20 M18 FUEL™ 4-1/2" / 5" Variable Speed Braking Grinder, Slide Switch Lock-On	4-1/2" / 5"	11A	3,500 – 8,500	Slide Switch, Lock-On	✓	✓	Variable Speed

GRINDER SELECTION GUIDE

M18 FUEL™ GRINDERS

REDLITHIUM™

Product	Capacity	Power Output	RPM	Trigger Style	RAPIDSTOP™ Brake	Overload Protection	Unique Features
 2986-20 M18 FUEL™ 4-1/2" / 5" Dual-Trigger Braking Grinder	4-1/2" / 5"	11A	3,500 – 8,500	Dual Paddle, No-Lock	✓	✓	Variable Speed Dual-Trigger AUTOSTOP™ & ONE-KEY™
 3676-20 M18 FUEL™ 4-1/2" – 6" Dual Trigger Braking Grinder, Paddle Switch w/ ONE-KEY™	4-1/2" – 6"	13A	3,000 – 9,000	Dual Paddle, No-Lock	✓	✓	Variable Speed Dual-Trigger AUTOSTOP™ & ONE-KEY™
 3670-20 M18 FUEL™ 4-1/2" – 6" Paddle Switch Braking Grinder	4-1/2" – 6"	13A	9,000	Paddle Switch, No-Lock	✓	✓	–
 3671-20 M18 FUEL™ 4-1/2" – 6" Slide Switch Braking Grinder	4-1/2" – 6"	13A	9,000	Slide Switch, Lock-On	✓	✓	–
 3672-20 M18 FUEL™ 4-1/2" – 6" Variable Speed Braking Grinder, Paddle Switch w/ ONE-KEY™	4-1/2" – 6"	13A	9,000	Paddle Switch, No-Lock	✓	✓	Variable Speed & ONE-KEY™
 3674-20 M18 FUEL™ 4-1/2" – 7" Variable Speed Braking Grinder, Paddle Switch w/ ONE-KEY™	4-1/2" – 7"	13A	8,400	Paddle Switch, No-Lock	✓	✓	Variable Speed & ONE-KEY™
 2785-20 M18 FUEL™ 7" / 9" Large Angle Grinder	7" / 9"	15A	6,600	Trigger	–	✓	–
 2984-20 M18 FUEL™ Variable Speed Braking Die Grinder, w/ ONE-KEY™	2" Cutting 3" Sanding	11A	20,000	Paddle Switch, No-Lock	✓	✓	Variable Speed & ONE-KEY™
 2939-20 M18 FUEL™ Braking Die Grinder	2" Cutting 2" Sanding	11A	27,000	Slide Switch, Lock-On	✓	✓	–

GRINDER SELECTION GUIDE

M12 FUEL™ GRINDERS

REDLITHIUM™

Product	Capacity	Power Output	RPM	Trigger Style	Unique Features
 3485-20 M12 FUEL™ Right Angle Die Grinder	2" Cutting 3" Sanding	0.4 HP	20,000	Paddle Switch	Variable Speed
 2486-20 M12 FUEL™ 1/4" Straight Die Grinder	2" Cutting 2" Sanding	0.3 HP	21,000	Paddle Switch	Variable Speed
 2482-20 M12 FUEL™ 1/2" x 18" Bandfile	1/2" x 18" Belt Size	–	3,600 SFM 1,800 SFM	Variable Speed Trigger Lock-On Button	Forward and Reverse Functionality
 2483-20 M12 FUEL™ 3/8" x 13" Bandfile	3/8" x 13" Belt Size	–	3,600 SFM 1,800 SFM	Variable Speed Trigger Lock-On Button	Forward and Reverse Functionality



CORDED GRINDERS

Product	Capacity	Power Output	RPM	Trigger Style	RAPIDSTOP™ Brake	Overload Protection	Key Applications
6143-31 4-1/2" / 5" Braking Small Angle Grinder Paddle, No-Lock	4-1/2" / 5"	11A	11,000	Paddle Switch, No-Lock	✔	✔	Grinding/Surfacing
6142-30 4-1/2" Small Angle Grinder Paddle, Lock-On	4-1/2"	11A	11,000	Paddle Switch, Lock-On	–	✔	Grinding/Surfacing
6142-31 4-1/2" Small Angle Grinder Paddle, No-Lock	4-1/2"	11A	11,000	Paddle Switch, No-Lock	–	✔	Grinding/Surfacing

SERVICE

1-800-SAWDUST (1-800-729-3878)

milwaukeetool.com/eservice

milwaukeetool.com/support/find-a-service-center

AVAILABLE ACCESSORIES

BRUSHES AND WIRE WHEELS



MET Part #	Description
48-52-5040	3" Carbon Steel Knotted Wire Cup Brush
48-52-5050	3" Stainless Steel Knotted Wire Cup Brush
48-52-5067	3-1/2" Carbon Steel Knotted Wire Cup Brush
48-52-1350	4" Carbon Steel Knotted Wire Cup Brush
48-52-1650	6" Carbon Steel Knotted Wire Cup Brush
48-52-5060	3" Carbon Steel Crimped Wire Cup Brush
48-52-5065	3-1/2" Carbon Steel Crimped Wire Cup Brush
48-52-1300	4" Carbon Steel Crimped Wire Cup Brush
48-52-1400	5" Carbon Steel Crimped Wire Cup Brush
48-52-1600	6" Carbon Steel Crimped Wire Cup Brush
48-52-1305	4" Carbon Steel Bevel Knot Wire Brush

MET Part #	Description
48-52-1315	4" Stainless Steel Bevel Knot Wire Brush
48-52-1325	4" Carbon Steel Bevel Crimped Wire Brush
48-52-5010	4" Carbon Steel Stringer Bead Wire Wheel
48-52-5000	4" Stainless Steel Stringer Bead Wire Wheel
48-52-1700	5" Carbon Steel Stringer Bead Wire Wheel
48-52-1715	6" Carbon Steel Stringer Bead Wire Wheel
48-52-5030	4" Carbon Steel Full Cable Knot Wire Wheel
48-52-5020	4" Stainless Steel Full Cable Knot Wire Wheel
48-52-1725	6" Carbon Steel Full Cable Knot Wire Wheel
48-52-5070	4" Carbon Steel Crimped Wire Wheel

CUT-OFF AND GRINDING WHEELS



MET Part #	Description
49-94-1500	1-1/2" x .045" x 7/8" Cut-Off Wheel (Type 1)
49-94-4500	4-1/2" x .045" x 7/8" Cut-Off Wheel (Type 1)
49-94-4505	4-1/2" x .045" x 7/8" Cut-Off Wheel (Type 27)
49-94-4515	4-1/2" x 1/4" x 5/8"-11 Grinding Wheel (Type 27)
49-94-4585	4-1/2" x 1/4" x 5/8"-11 Grinding Wheel (Type 27)
49-94-4520	4-1/2" x 1/4" x 7/8" Grinding Wheel (Type 27)
49-94-4570	4-1/2" x 1/4" x 7/8" Grinding Wheel (Type 27)
49-94-4580	4-1/2" x 1/4" x 7/8" Grinding Wheel (Type 27)
49-94-4525	4-1/2" x 1/8" x 5/8"-11 Grinding Wheel (Type 27)
49-94-4510	4-1/2" x 1/8" x 7/8" Grinding Wheel (Type 27)
49-94-5000	5" x .045" x 7/8" Cut-Off Wheel (Type 1)
49-94-5005	5" x .045" x 7/8" Cut-Off Wheel (Type 27)
49-94-5020	5" x 1/4" x 7/8" Grinding Wheel (Type 27)
49-94-5080	5" x 1/4" x 7/8" Grinding Wheel (Type 27)
49-94-5730	5" x 1/4" x 7/8" Grinding Wheel (Type 27)
49-94-5010	5" x 1/8" x 7/8" Grinding Wheel (Type 27)
49-94-6300	6" x .045" x 7/8" Cut-Off Wheel (Type 1)

MET Part #	Description
49-94-6305	6" x .045" x 7/8" Cut-Off Wheel (Type 27)
49-94-6330	6" x 1/4" x 5/8"-11 Grinding Wheel (Type 27)
49-94-6340	6" x 1/4" x 7/8" Grinding Wheel (Type 27)
49-94-6360	6" x 1/8" x 5/8"-11 Grinding Wheel (Type 27)
49-94-7025	7" x 1/4" x 5/8"-11 Grinding Wheel (Type 27)
49-94-7085	7" x 1/4" x 5/8"-11 Grinding Wheel (Type 27)
49-94-7020	7" x 1/4" x 7/8" Grinding Wheel (Type 27)
49-94-7055	7" x 1/8" x 5/8" Cut-Off Wheel (Type 1)
49-94-7015	7" x 1/8" x 5/8"-11 Grinding Wheel (Type 27)
49-94-7075	7" x 1/8" x 5/8"-11 Grinding Wheel (Type 27)
49-94-7050	7" x 3/32" x 5/8" Cut-Off Wheel (Type 1)
49-94-9025	9" x 1/4" x 5/8"-11 Grinding Wheel (Type 27)
49-94-9085	9" x 1/4" x 5/8"-11 Grinding Wheel (Type 27)
49-94-9735	9" x 1/4" x 5/8"-11 Grinding Wheel (Type 27)
49-94-9015	9" x 1/8" x 5/8"-11 Grinding Wheel (Type 27)
49-94-9000	9" x 3/32" x 7/8" Cut-Off Wheel (Type 1)

DUST SHROUDS



MET Part #	Description
49-40-6100	Surface Grinding Dust Shroud
49-40-6120	7" / 9" Large Angle Grinder Cutting Shroud
49-40-6200	5" Surface Grinding Dust Shroud

MET Part #	Description
49-40-6205	4-1/2" – 5" Cutting Dust Shroud
49-40-6215	6" Tuckpointing Dust Shroud
49-40-6220	7" / 9" Surface Grinding Dust Shroud

REPLACEMENT FLANGE NUT



MET Part #	Description
48-03-1050	Spanner Wrench and Flange Lock Nut Kit

NOTES



PERFORMANCE DRIVEN
TRADE FOCUSED
SYSTEM WIDE



milwaukeetool.com

©2025 Milwaukee Tool

GRINDER-SOLUTIONS-GUIDE
0ZR_25MMT0042 8/25