

NEW

Milwaukee®

M18 FUEL™

DRIVEN TO OUTPERFORM.™



**MOST
POWERFUL**

**FASTEST
CUTTING**

**LIGHTWEIGHT,
LESS FATIGUE**

**7-1/4"
Circular Saw**

2834-21HD, 2834-20

**7-1/4" Rear Handle
Circular Saw**

2930-21HD, 2930-20

**REDLITHIUM™
FORGE™
HD12.0**



DRIVEN TO OUTPERFORM.™

M18 FUEL™ is engineered for the most demanding tradesmen in the world. Delivering unrivaled performance in a compact structure, all M18 FUEL™ products feature three MILWAUKEE® exclusive innovations — the POWERSTATE™ Brushless Motor, REDLITHIUM™ Battery Pack and REDLINK PLUS™ Intelligence Hardware and Software — that deliver unmatched power, run-time and durability. Simply put, M18 FUEL™ 7-1/4" Circular Saws deliver the performance to complete more demanding applications with greater productivity.


M18 FUEL



**REDLITHIUM
FORGE**

3 REDLITHIUM™ FORGE™ HD12.0 BATTERY PACK FITS M18™ TOOLS

- 50% More Power vs HIGH OUTPUT™ 12.0
- COOL-CYCLE™ Capable for High-Speed Cooling
- 35 min Supercharge to 80%
- Longest Life vs REDLITHIUM™



1 POWERSTATE™ BRUSHLESS MOTOR

- MILWAUKEE® Designed and Built Brushless Motor
- Outperforms All Leading Competitors




2 REDLINK PLUS™ INTELLIGENCE

- Most Advanced Electronic System on the Market for Maximum Performance
- Total System Communication with Overload Protection Increases Tool Life


MOST POWERFUL

COMPLETE MORE DEMANDING APPLICATIONS




FASTEST CUTTING

GREATER PRODUCTIVITY



LIGHTWEIGHT, LESS FATIGUE

1.5 lbs LIGHTER WEIGHT



7-1/4" REAR HANDLE CIRCULAR SAW



DUST PORT

BEVEL ANGLE

Bevel capacity up to 53° and positive detents at 22.5° and 45°

LED LIGHT

DEPTH DETENTS

1/2", 3/4" and 1-1/2"



RAFTER HOOK

CAST MAGNESIUM SHOE & GUARD

SPECIFICATIONS AND MODELS

DESCRIPTION	SPECIFICATIONS
Blade Size	7-1/4"
Arbor Size	5/8"
Cut Depth 90° / 45°	2-5/8" / 2"
RPM	6,000
Max Bevel Capacity	53°
Cut Line Blower	Yes

DESCRIPTION	SPECIFICATIONS
Blade Type	Thick Kerf
Length	18.1"
Width	7.9"
Height	7.9"
Weight w/ Battery	11.6 lbs



M18 FUEL™ 7-1/4" Rear Handle Circular Saw Kit
2930-21HD

2930-20 7-1/4" Rear Handle Circular Saw,
(1) M18™ REDLITHIUM™ FORGE™ HD12.0 Battery
Pack, M18™ & M12™ Rapid Charger, Thick Kerf
7-1/4" Blade, Blade Wrench and Contractor Bag.



M18 FUEL™ 7-1/4" Rear Handle Circular Saw
(Tool-Only)
2930-20

Includes: 2930-20 7-1/4" Rear Handle Circular Saw,
Thick Kerf 7-1/4" Blade and Blade Wrench.
Battery and Charger Not Included.



7-1/4" CIRCULAR SAW



DUST PORT

Included dust shroud

RAFTER HOOK

DEPTH DETENTS

1/2", 3/4" and 1-1/2"

LED LIGHT

CAST MAGNESIUM SHOE & GUARD

BEVEL ANGLE

Bevel capacity up to 53° and positive detents at 22.5° and 45°



SPECIFICATIONS AND MODELS

DESCRIPTION	SPECIFICATIONS
Blade Size	7-1/4"
Arbor Size	5/8"
Cut Depth 90° / 45°	2-5/8" / 2"
RPM	6,000
Max Bevel Capacity	57°
Cut Line Blower	Yes

DESCRIPTION	SPECIFICATIONS
Blade Type	Thick Kerf
Length	14"
Width	7.18"
Height	8.3"
Weight w/ Battery	11.1 lbs



M18 FUEL™ 7-1/4" Circular Saw Kit
2834-21HD

Includes: 2834-20 7-1/4" Circular Saw,
(1) M18™ REDLITHIUM™ FORGE™ HD12.0 Battery Pack,
M18™ & M12™ Rapid Charger, Vacuum Adapter, Thick
Kerf Framing Blade, Blade Wrench and Contractor Bag.



M18 FUEL™ 7-1/4" Circular Saw
(Tool-Only)
2834-20

Includes: 2834-20 7-1/4" Circular Saw, Vacuum
Adapter, Thick Kerf Framing Blade and Blade Wrench.
Battery and Charger Not Included.



NEW

M18 REDLITHIUM FORGE

**MOST POWER
FASTEST CHARGING
LONGEST LIFE**



REDLITHIUM FORGE
HD12.0

48-11-1813

**50% MORE
POWER**
VS HIGH OUTPUT™ 12.0



**HIGH-SPEED
COOLING**
35 MIN SUPERCHARGE TO 80%



**COOL
CYCLE**
CAPABLE

WHEN PAIRED WITH THE M18™ DUAL BAY
SIMULTANEOUS SUPER CHARGER (48-59-1815)

**LONGEST
LIFE**
VS REDLITHIUM™



M18 REDLITHIUM
HIGH OUTPUT
MORE POWER

M18 REDLITHIUM

FITS M18 TOOLS

AVAILABLE ACCESSORIES



**7-1/4" 24T Thick Kerf
Framing Circular
Saw Blade**

48-40-0740



**7-1/4" 24T Thick Kerf
Framing Circular
Saw Blades (2 pk)**

48-40-0742



**7-1/4" 24T Thick Kerf
Framing Circular
Saw Blades (10 pk)**

48-41-0740



**7-1/4" 24T Thick Kerf
Framing Circular
Saw Blades (25 pk)**

48-40-2740

**HIGH PERFORMANCE
THICK KERF**

**STRAIGHTEST CUTS.
LONGER LIFE.**

**7-1/4" 24T Thick Kerf
Framing Circular Saw Blade**

48-40-0740





milwaukeetool.com

©2025 Milwaukee Tool