




PERFORMANCE  
COLLECTION

## Vinyl Siding, Soffits & Accessories





# Dimensions® Vinyl Siding Features



Full fold-over nail hem provides strength to resist hurricane winds up to 220mph\*

Oversized lock mechanism provides stronger, more secure installation

All of our products feature a variety of woodgrain textures

.044" thickness increases impact resistance

Full-length return leg so panels don't come unlocked

## Enduring Style

Ply Gem vinyl siding is manufactured in the USA using premium ingredients and the highest manufacturing standards to ensure that every panel gives your home the durable, stylish, dependable exterior it deserves.

- Every Ply Gem Siding Performance Collection siding product line is third-party certified for quality and color retention by the Vinyl Siding Institute (VSI) to meet or exceed long-standing, accepted industry standards.



- The Ply Gem Siding Performance Collection product line offers a full breadth of profiles, colors and accessories, making it easy to start—and finish—your home exterior with Performance Collection earth-friendly siding product.
- Ply Gem products are durable and, when installed properly and under normal use, won't flake, peel or check like painted surfaces. And they never require painting or staining.
- Because Ply Gem products are manufactured to last a lifetime, we back them with our Limited Lifetime Warranty. This includes replacement and repairs of defective products, fade protection and more.

**Limited  
Lifetime  
Warranty**



**PERFORMANCE  
COLLECTION**

\*\*Tested in accordance with ASTM D5206. Wind speed rating will vary depending on specific code region and construction method. Refer to local building codes for detailed requirements concerning allowable wind loads and specified conversion tables for actual wind speed.


\*\*Consult the VSI Website at [www.vinylsiding.org](http://www.vinylsiding.org) for current list of certified products and colors.

\*1 Cedar Dimensions


\*2Dimensions, Progressions, Transformations, Colonial Beaded, Board & Batten, Vinyl Soffit

# Selecting the Perfect Profile

Ply Gem Performance Collection is available in several profiles that recall different wood lap styles. Consider the style of your home and, using the lap style guide below, select the best profile for your project.



Texture



## Woodgrain — Texture Makes a Difference

The depth of the woodgrain texture embossed on the panel brings interest to your project. Finer, shallower grains look like older, real wood siding, while more defined wood grains look like freshly painted wood—ideal for newer homes and modern styles.

## Thickness — A Measure of Durability


While all Ply Gem vinyl siding is durable and will last for many years, as a general rule, thicker panels are stiffer and look more like real wood panels. They also offer greater impact resistance than thinner panels.



Locking System

## Locking Systems — Security + Strength

Ply Gem Performance Collection Vinyl Siding includes engineered locking systems at the top and bottom of each panel to connect the panels to each other and secure the siding to your home. As you choose your siding, keep in mind that premium panels offer more sophisticated, stronger panel locking systems than lower-cost panels.



37 Color Choices

## Color — Match Your Style

Consider your home's architectural style as you choose your color—classic styles like Cape Cod and Colonial look best in more traditional, darker and neutral options, while more decorative styles like Victorian and French Colonial can support lighter, brighter colors.






# Cedar Dimensions™

Get the authentic look of hand-tooled, rough-sawn cedar without the maintenance. This thick, virtually maintenance-free panel is designed for beauty and durability with its random shingle pattern and realistic woodgrain texture.

## Shake, Shingle and Round-Cut Siding

- Minimum of .090" nominal thickness for superior durability and resistance
- Withstands winds up to 190mph\* (Hand-Split), 230mph\* (Triple 5"), 180mph\* (Half-Round), and 210mph\* (Double 7")
- Advanced patent pending multi-point locking system for secure installation and perfect panel alignment
- Beautiful seamless application includes coordinating corner posts
- Limited Lifetime Warranty

### Profiles



### Color Choices ★ New to Cedar Dimensions

Half-Round Siding is available in White, Sand, Wicker, Khaki and Nantucket Gray only.

White	Sunrise Yellow	Thistle	Shadow	Sand
Beige	Wicker	French Silk	Wedgewood	Nantucket Gray
Pewter	Khaki	Montana Suede	Willow	Russet Red
Granite	Canyon	Brownstone	Brunswick	Dublin
Cinnabar	Iron	Shaded Cedar	Shaded Gray	

Not all colors are available in all profiles. See Specification Guide for details.



# Dimensions®

Trusted by homeowners and contractors alike, Dimensions premium siding beautifully delivers exceptional durability.

- .044" nominal thickness for maximum impact resistance
- Full 5/8" profile height increases rigidity so panels hang straighter
- Full fold-over nail hem provides resistance to hurricane-force winds up to 220mph\*
- Oversized locking mechanism and full-length return for more secure installation
- Limited Lifetime Warranty

### Profiles



### Color Choices ★ New to Dimensions

White	Sand	Slate Blue	Russet Red	Chestnut
Pewter	Almond	Wicker	Thistle	Shadow
Hickory	Nantucket Gray	Canyon	Wedgewood	Montana Suede
Olive	Khaki	Granite	Willow	Spruce Blue
Bayou	Brunswick	Dublin	Iron	

\*Tested in accordance with ASTM D5206. Wind speed rating will vary depending on specific code region and construction method. Refer to local building codes for detailed requirements concerning allowable wind loads and specified conversion tables for actual wind speed.






# Progressions®


Get the beauty of wood siding without the work and maintenance, while increasing the value and curb appeal of your home.

- .042" nominal thickness adds impact resistance
- ½" profile height for a more realistic shadow line from the curb
- Full-size top lock and return leg for more secure installation
- Fine-grained emboss looks like freshly-painted wood
- Limited Lifetime Warranty


## Profiles




Double 4"  
Traditional Lap




Double 5"  
Traditional Lap



Double 4½"  
Dutch Lap



Double 5"  
Dutch Lap



Triple 3"  
Smooth

## Color Choices ★ New to Progressions

French Silk, Canyon, Granite, Wedgewood and Willow are available in Double 4" and Double 4½" Dutch Lap profiles only.

White	Olive	Stone Gray	Slate Blue
Granite	Almond	Ivory	Pewter
Sunrise Yellow	Khaki	Thistle	Wedgewood
Sand	Wicker	Nantucket Gray	Canyon
Willow	Dublin <span>★</span>	Montana Suede <span>★</span>	Shadow <span>★</span>

Not all colors are available in all profiles. See Specification Guide for details.




# Transformations™


No paint. No stain. No hassles. That's the beauty and value of Transformations vinyl siding. This .040" panel withstands wind speeds up to 165mph\*—thanks to an advanced locking system and nail hem. It's an excellent choice for a virtually carefree home exterior.

- .040" thickness for impact resistance
- ½" profile height for realistic shadow lines
- Advanced locking system and nail hem
- Precise, secure fastening, easier installation and tighter fit combine to deliver added strength and stability – even in high winds
- Limited Lifetime Warranty


## Profile



Double 4"  
Traditional Lap



Double 5"  
Traditional Lap



Double 4½"  
Dutch Lap

## Color Choices

White	Wicker	Olive	Stone Gray
Slate Blue	Almond	Ivory	Sand
Pewter	Khaki		

\*Tested in accordance with ASTM D5206. Wind speed rating will vary depending on specific code region and construction method. Refer to local building codes for detailed requirements concerning allowable wind loads and specified conversion tables for actual wind speed.



# Board & Batten

A unique vertical pattern that provides the rustic charm of early American homes. Use as a striking accent or on the entire home for a distinctive look.

- Hefty .048" thickness for added impact resistance
- Full 5/8" profile height
- 5 1/2" board and 1 1/2" batten gives an impressive, bold appearance
- Limited Lifetime Warranty

## Profile



Board & Batten

## Color Choices ★ New to Board & Batten

White	Sand	Nantucket Gray	Russet Red	Pewter
Wicker	Thistle	Wedgewood	Khaki	Canyon
Willow	Montana Suede	Bayou	Brownstone	Brunswick
Dublin	Granite	Shadow		




# Colonial Beaded

Constructed with a deep bead for dramatic shadow lines, this beautiful product has the refined look of traditional, handcrafted beaded boards without the upkeep.

- .044" nominal thickness for added strength
- Full 1/2" profile height
- Full-size lock for secure installation
- Brushed finish provides a clean, freshly-painted appearance
- Limited Lifetime Warranty

## Profile



Colonial Beaded


## Color Choices

White	Pewter	Sand
Wicker	Khaki	Thistle




# Soffits


## Soffit Profiles




- Hidden Vent**
- .044" Premium panel thickness
  - Solid or vented panels available
  - Delivers maximum airflow



- Double 5" (D5)**
- Two woodgrain-embossed styles
  - Available in: .046" Premium, .042" Standard and .040" Economy
  - Solid or vented panels available



- Triple 4" (T4)**
- Available in: .040" Premium and .036" Economy
  - Solid or maximum round hole vented panels available



- Beaded**
- .040" panel thickness
  - Solid or vented panels available

## Soffit Colors

Colors	White and Light Colors¹								Classic Colors				Deep Colors¹								
	White	Almond	Ivory	Olive	Pewter	Sand	Stone Gray	Sunrise Yellow	Wicker	Khaki	Nantucket Gray	Slate Blue	Thistle	Canyon	Granite	Montana Suede	Russet Red	Shadow	Wedgewood	Willow	Musket Brown
Hidden Vent	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
T4* (Premium)	●	●	●	●	●	●	●		●	●	●	●	●								●
T4* (Economy)	●	●	●			●				●											
D5 (Premium)	●	●	●		●	●			●	●											●
D5 (Standard)	●	●	●		●	●			●	●											
D5 (Economy)	●	●	●			●				●											
Beaded	●																				

\* T4 Premium and Economy Vinyl Center Vented Vinyl Soffit available in White only † Applies to Vinyl products only



### Quality Assurance

Our mounting blocks are built to withstand the toughest weather and retain their color and beauty over the life of your home.



### Color Match

Our mounting blocks are available in up to 120 beautiful colors. They can be matched to virtually any vinyl siding color.



### Simple to Install

Select products have a two-piece design that easily adjusts from 3/4" to 1 1/4".

# Accessories



**J-Block® Fixture Mounting Block**  
SKU: UNIBLOCKH



**Large Mounting Block** SKU: JMBLOCKH



**Split Recessed Mounting Block**  
SKU: MBLOCKRH



**Electrical Block**  
SKU: EBLOCKH



**E-Z Surface Mounting Block (D4" & D5")**  
SKU: EZBLK040H



**E-Z Surface Mounting Block (DL)**  
SKU: EZBLK070H



**Hooded Dryer Vent**  
SKU: DRYERHOODH



**22" Round Gable Vent** SKU: RDGVH



**14" x 14" Square Gable Vent** SKU: SQGVH




**22" Octagonal Gable Vent** SKU: OCTGVH



**18" x 24" Rectangle Gable Vent** SKU: RECTGV1824H


# How to Measure

- 1** The area to be sided can be determined by measuring the height and width of each side of the house INCLUDING windows.




Height \_\_\_\_ feet x width \_\_\_\_ feet = \_\_\_\_ square feet

- 2** Measure gables and any other areas not included by the sides.




$\frac{1}{2}$  Height \_\_\_\_ feet x width \_\_\_\_ feet = \_\_\_\_ square feet

- 3** All irregular shapes on a house can be represented by rectangles, triangles or a combination of both.



$\frac{1}{2} (A + B) \times C + \frac{1}{2} B \times D =$  \_\_\_\_ total area of gable/gambrel (square feet)

- 4** Measure dormers and any other area not included by the sides.



$\frac{1}{2}$  Height \_\_\_\_ feet x width \_\_\_\_ feet = \_\_\_\_ total area of dormer (square feet)

- 5** After you have measured each side of your home, add measurements up to get your total square footage.

- 6** Once you have all of the totals, you will determine the SUBTRACTIONS.

- 7** Measure the WIDTH and HEIGHT of each window including your garage door—to determine your SUBTRACTIONS. SUBTRACT the square footage of each window total from your siding total.

- 8** DIVIDE your vinyl siding total by 100 to determine squares of siding you will need for your project.

PRODUCT	SQUARES PER CARTON
Dimensions®	2 Sqs./Ctn.
Progressions®	2 Sqs./Ctn.
Transformations™	2 Sqs./Ctn.
Colonial Beaded	2 Sqs./Ctn.
Board & Batten	1 Sq./Ctn.

- 9** DIVIDE your total number of squares needed by the number of squares in each carton of the product you have selected, then round up to the nearest whole number. This will give you the number of cartons you need to order.

To complete your job, you will also need:

- J-Channel
- Starter Strip
- Nails
- Finish Trim
- Inside Corner Posts
- Outside Corner Posts



The Ply Gem Siding Preview Sample Program lets you preview siding and colors so you get the perfect look, for a perfect home.

Visit [homedepot.com](https://www.homedepot.com) to order a 2' siding sample today.