



Motorcycle Oil FC 2T

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/21/2014 Revision date: 06/22/2013 Version: 1.0

SECTION 1: Product and Company Identification

1.1. Identification

Product form : Mixture
Trade name : FC 2T Motorcycle Oil
Product code : 139310

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Gasoline engine oil for automobile

1.3. Details of the supplier of the safety data sheet

Beijing circuit Lubricating Oil Co., Ltd.
Address: No.5, Longjiang Road, Weishan Town, Daxing District, Beijing
TEL: 010-89203981
Mail:
saidaorh@615.cn

1.4. Emergency telephone number

Emergency number : 010-89203981 (24h)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Not classified

2.2. Label elements

No labelling obligation.

2.3. Other hazards

Other hazards not contributing to the classification : Not classified as flammable, but will burn.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Composition

| Name | Product identifier | % |
|--------------------------|--------------------|-------|
| Refined mineral base oil | mixture | 60~70 |
| boat coal | | 10~30 |
| Composite additive | | <5 |

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. Do not induce vomiting.

Motorcycle Oil FC 2T

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/21/2014 Revision date: 06/22/2013 Version: 1.0

4.2. Most important symptoms and effects, both acute and delayed

| | |
|--------------------------------------|--|
| Symptoms/injuries | : Injuries due to high pressure injection require immediate surgical treatment and/or steroid therapy in order to minimize tissue damage and loss of function. |
| Symptoms/injuries after inhalation | : Risk of pneumonia. |
| Symptoms/injuries after skin contact | : Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

| | |
|------------------|---|
| Fire hazard | : Hazardous combustion substance may include: Airborne solid and liquid particulates and a complex mixture of gases (smoke). Carbon Monoxide. Unidentified organic and inorganic compounds. |
| Explosion hazard | : None. |
| Reactivity | : The product is non-reactive under normal conditions of use, storage and transport. |

5.3. Advice for firefighters

| | |
|--|--|
| Firefighting instructions | : In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
| Special protective equipment for fire fighters | : Wear proper protective equipment. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|--|
| General measures | : Evacuate area. Isolate from fire, if possible, without unnecessary risk. |
|------------------|--|

6.1.1. For non-emergency personnel

| | |
|----------------------|-------------------------------------|
| Protective equipment | : Wear proper protective equipment. |
| Emergency procedures | : Ventilate spillage area. |

6.1.2. For emergency responders

| | |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Try to stop release.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|--|
| For containment | : Collect spillage. Provide equipment/receptacles with earthing. |
| Methods for cleaning up | : Take up liquid spill into absorbent material. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

Motorcycle Oil FC 2T

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/21/2014 Revision date: 06/22/2013 Version: 1.0

7.1. Precautions for safe handling

- Additional hazards when processed : Not classified as flammable, but will burn.
- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Provide good ventilation in process area to prevent formation of vapour.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool.
- Incompatible materials : Polyvinylchloride (PVC).
- Maximum storage period : > 3 months
- Storage temperature : -15 - 60 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| FC 2T Motorcycle Oil | | |
|----------------------|--------------------------------|---------------------|
| ACGIH | ACGIH TWA (mg/m ³) | 5 mg/m ³ |

8.2. Exposure controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Personal protective equipment : EN 374. Chemical resistant PVC gloves (to European standard EN 374 or equivalent). Nitrile rubber (NBR).
- Hand protection : Protective gloves. Wear protective gloves.
- Eye protection : Safety glasses.
- Skin and body protection : Wear suitable protective clothing.
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
- Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Colour : amber
- Odour : slightly hydrocarbon
- Odour threshold : No data available
- pH : No data available
- Melting point : Not applicable
- Freezing point : No data available
- Boiling point : Not applicable
- Flash point : Not applicable
- Relative evaporation rate (butylacetate=1) : No data available
- Flammability (solid, gas) : No data available
- Explosive limits : Not applicable
- Explosive properties : No data available
- Oxidising properties : No data available
- Vapour pressure : Not applicable
- Relative density : No data available
- Relative vapour density at 20 °C : No data available

Motorcycle Oil FC 2T

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/21/2014 Revision date: 06/22/2013 Version: 1.0

| | |
|---------------------------|---------------------------------|
| Density | : 0.80kg/L~0.90kg/L (20℃) |
| Relative gas density | : Not applicable |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : 7.0 mm ² /s (100℃) |
| Viscosity, dynamic | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. At high temperatures :

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified
(Based on available data, the classification criteria are not met)

| Universonal High-Quality Mineral Oil API All Series SF 10W-30 | |
|---|--------------|
| LD50 oral rat | > 5000 mg/kg |
| LD50 dermal rat | > 5000 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |
| Calcium petroleum sulfonate (61789-86-4) | |
| LD50 oral rat | > 20 g/kg |
| LD50 dermal rabbit | > 4000 mg/kg |

| | |
|-----------------------------------|------------------|
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |

| | |
|--|------------------|
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : Not classified |

| | |
|--|------------------|
| Specific target organ toxicity (repeated exposure) | : Not classified |
|--|------------------|

Motorcycle Oil FC 2T

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/21/2014 Revision date: 06/22/2013 Version: 1.0

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : Risk of pneumonia.

Symptoms/injuries after skin contact : Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

| Calcium petroleum sulfonate (61789-86-4) | |
|--|---|
| LC50 fish 1 | 5.7 - 9.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas[static]) |
| EC50 Daphnia 1 | 6.2 - 12 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| LC50 fish 2 | 1.0 - 10.0mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static]) |

| Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3) | |
|--|---|
| LC50 fish 1 | 1.0 - 5.0 mg/l (Exposure time: 96 h - Species: Pimephales promelas[static]) |
| EC50 Daphnia 1 | 1 - 1.5 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| LC50 fish 2 | 10.0 - 35.0 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static]) |

12.2. Persistence and degradability

| FC 2T Motorcycle Oil | |
|-------------------------------|----------------------------|
| Persistence and degradability | Not readily biodegradable. |

12.3. Bioaccumulative potential

| FC 2T Motorcycle Oil | |
|---------------------------|-----------------------------|
| Log Pow | > 6 |
| Bioaccumulative potential | Potentially bioaccumulable. |

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the ozone layer : No known effects from this product.

Effect on global warming : No known effects from this product. No known effects from this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : National legislation. Regional legislation (waste).

Waste disposal recommendations : Avoid release to the environment. Do not discharge into drains or the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with
 DOT Not regulated for
 transport



Motorcycle Oil FC 2T

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Date of issue: 05/21/2014 Revision date: 06/22/2013 Version: 1.0

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANAD

Calcium petroleum sulfonate (61789-86-4)

Listed on the Canadian DSL (Domestic Substances List)

Succinimide (123-56-8)

Listed on the Canadian DSL (Domestic Substances List)

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Calcium petroleum sulfonate (61789-86-4)

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on Turkish inventory of chemical

Succinimide (123-56-8)

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts (68649-42-3)

Motorcycle Oil FC 2T

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/21/2014 Revision date: 06/22/2013 Version: 1.0

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on INSQ (Mexican national Inventory of Chemical Substances)
Listed on Turkish inventory of chemical

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Revision date : 09/25/2015
Abbreviations and acronyms : International Air Transport Association. International Maritime Dangerous Goods. Median lethal concentration. Median lethal dose. Bioconcentration factor. Persistent Bioaccumulative Toxic. Safety Data Sheet.
Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.


Full text of H-statements:

| | |
|-------------------|---|
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| H315 | Causes skin irritation |
| H411 | Toxic to aquatic life with long lasting effects |

NFPA health hazard : 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

Health : 0 Minimal Hazard - No significant risk to health

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal Protection : B

B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)