

SAFETY DATA SHEET

Damp_Rid_Moisture_Absorbers

Page: 1 of 6

Revision: 11/23/2021

Supersedes Revision: 11/08/2021

This SDS complies with the Canadian Hazardous Products Regulations of 2015.

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Damp_Rid_Moisture_Absorbers	
Product Category:	Household Products	
Intended Use:	To absorb excess moisture from the air.	
Company Name:	W. M. Barr 2105 Channel Avenue Memphis, TN 38113	Phone Number: (901)775-0100
Web site address:	www.wmbarr.com	
Emergency Contact:	3E 24 Hour Emergency Contact	(800)451-8346
Information:	W.M. Barr Customer Service	(800)398-3892
Product Code:	AS01GSLV, AS01GSLVT, AS01WMFST, AS107GSB, AS107WMB, AS20CF, AS20FS, AS20FST, AS20LVT; FG0130MT, FG01B, FG01CAN, FG01D, FG01FFAM, FG01FS, FG01FSAM, FG01FSLV33AM, FG01FSLV33C, FG01FSLV33CC, FG01FSSB; FG01FSSB6AM, FG01FSSB6C, FG01FSSB6CC, FG01FSSBCAM, FG01FSW, FG01K, FG01KEN, FG01KFSLB, FG01KFSLBWS, FG01LV,; FG01LVAM, FG01LVD, FG01LVSB, FG01PL, FG01PLAM, FG01PLSB, FG01W,; FG01FSLV33CI, FG100, FG100H, FG100FFAM, FG100FSAM, FG108, FG110; FG118, FG118AM, FG118B, FG118RV; FG280, FG280HDWS, FG280WS; FG30AZ, FG30CAN, FG30FS, FG30FSSB, FG30FSSBAM, FG30K, FG30LV, FG30LVMT, FG30LVSB, FG30MT, FG30PL, FG30PLSB, FG30W; FG37, FG37H; FG60, FG6030, FSMTL, FG6083K, FG60FS, FG60LV, FG60LVW, FG60MT, FG60PL, FG60PLW, FG60W; FG80, FG80CAN, FG80C, FG80CHINA, FG80FF, FG80FSSB, FG80FSSBAM, FG80FFAZ, FG80H, FG80HCFAZ, FG80HLVAZ, FG80LV, FG80LVSBAM; FG80LVSB, FG81, FG81LVD; FG83FSSB, FG83FSSBD, FG83FSSBMDS, FG83FSSBW, FG83LVSB, FG83LVSBW, FG83PLSB, FG83SBMDHDIP, FG8348HDWS, FG8360WS, FG83WEC; ,FG83LVW, FG83LVWS, FG83LVSBMDS, FG83PLSB, FG83PLSBMDS, FG84, FG8444HDWS, FG84C, FG84CF, FG84FF, FG84HBAZ, FG84HCFS, FG84HCFSSB; FG84FSMTL, FG84FSSB, FG84SLV44HDIP, FG84HCFS96C, FG84HCFSSBC, FG84HCFSSBI, FG84HCFSAZ; FG84HDWS, FG84LV, FG84MT, FG84SBMF28HDIP; FG86FFAM, FG86FSSBAM, FG86PLAM, FG86PLSBAM, FG86LVSBAM; FGAM118, FGAM50, FGAM86, FGAM86LV, FGAM97; FG96, FG96B, FG96BHDIP, FG96BHDWS, FG96D, FG96FFAM, FG96FSAM, FG96LWS, FG96W, FG9697HDWS, FG96WS; FG97, FG97FF, FG97FFAM, FG97W	

SAFETY DATA SHEET

Damp_Rid_Moisture_Absorbers

Page: 2 of 6

Revision: 11/23/2021
Supersedes Revision: 11/08/2021

2. HAZARDS IDENTIFICATION

Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2A

Acute Toxicity: Oral, Category 4



GHS Signal Word:

Warning

GHS Hazard Phrases:

Harmful if swallowed.
Causes skin irritation.
Causes serious eye irritation.

GHS Precautionary Phrases:

Wash hands thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases:

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
IF ON SKIN: Wash with plenty of soap and water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Specific treatment see label.
Rinse mouth.
If skin irritation occurs, get medical advice/attention.
If eye irritation persists, get medical advice/attention.
Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal Phrases:

Dispose of contents/container according to local, state and federal regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
10043-52-4	Calcium chloride	65.0 -85.0 %
7647-14-5	Sodium chloride	1.0 -5.0 %
7447-40-7	Potassium chloride	1.0 -5.0 %

Additional Chemical Information

**Concentration varies.

SAFETY DATA SHEET

Damp_Rid_Moisture_Absorbers

Page: 3 of 6

Revision: 11/23/2021
Supersedes Revision: 11/08/2021

4. FIRST AID MEASURES

Emergency and First Aid Procedures:

In Case of Inhalation: If inhaled, remove to fresh air.

In Case of Skin Contact: Immediately flush skin with plenty of water. Remove contaminated clothing. Get medical attention if irritation develops or persists. Wash clothing before reuse.

In Case of Eye Contact: Immediately flush eyes with water for at least 15 minutes while holding eyelids open. Get medical attention.

In Case of Ingestion: If swallowed, do not induce vomiting unless directed to do so by medical personnel.

Signs and Symptoms Of Exposure: **Refer to section 2.

5. FIRE FIGHTING MEASURES

Flash Pt: Nonflammable

Explosive Limits: LEL: N.A. UEL: N.A.

Autoignition Pt: NA

Suitable Extinguishing Media: Non-combustible - use extinguishing media for underlying cause of fire.

Unsuitable Extinguishing Media: **None known.

Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved or equivalent) and full protective gear.

Flammable Properties and Hazards: Non Combustible.

Hazardous Combustion Products: Hydrogen chloride, Calcium oxide.

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Emergency Procedures: Eye protection recommended. Protective gloves recommended.

Steps To Be Taken In Case Material Is Released Or Spilled: Pick up and arrange disposal without creating dust.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling: Wash thoroughly after handling.

Precautions To Be Taken in Storing: Keep container closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

SAFETY DATA SHEET

Damp_Rid_Moisture_Absorbers

Page: 4 of 6

Revision: 11/23/2021

Supersedes Revision: 11/08/2021

Respiratory Equipment (Specify Type):	When used as directed, respiratory protection should not be needed.
Eye Protection:	When used as directed, eye protection should not be needed.
Protective Gloves:	Protective gloves recommended.
Other Protective Clothing:	Clothes to prevent skin contact.
Engineering Controls (Ventilation etc.):	No special ventilation requirements.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States:	[] Gas [] Liquid [X] Solid
Appearance and Odor:	White. Pellets. Flakes. Odorless.
pH:	N.D.
Melting Point:	187.2 C (369.00 F) - 771.1 C (1420.00 F)
Boiling Point:	176.7 C (350.00 F) - 1926.7 C (3500.00 F)
Flash Pt:	Nonflammable
Evaporation Rate:	N.D.
Flammability (solid, gas):	Non Combustible.
Explosive Limits:	LEL: N.A. UEL: N.A.
Vapor Pressure (vs. Air or mm Hg):	N.D.
Vapor Density (vs. Air = 1):	N.D.
Specific Gravity (Water = 1):	2.15 at 25.0 C (77.0 F)
Density:	15.4 LB/GL at 22.0 C
Bulk density:	N.D.
Solubility in Water:	40 % at 20.0 C (68.0 F)
Octanol/Water Partition Coefficient:	N.D.
Autoignition Pt:	NA
Decomposition Temperature:	N.D.
Viscosity:	N.D.
Particle Size:	N.D.
Heat Value:	N.D.
Corrosion Rate:	N.D.
Additional Physical Information	N.D.: Not determined.

10. STABILITY AND REACTIVITY

Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	**None known.
Incompatibility - Materials To Avoid:	**None known.
Hazardous Decomposition or Byproducts:	Hydrogen chloride, Calcium oxide.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]

SAFETY DATA SHEET

Damp_Rid_Moisture_Absorbers

Page: 5 of 6

Revision: 11/23/2021
Supersedes Revision: 11/08/2021**Conditions To Avoid -** **None known.
Hazardous Reactions:

11. TOXICOLOGICAL INFORMATION

Toxicological Information: This product has not been tested as a whole.**Irritation or Corrosion:** Refer to section 2 for health effects.**Symptoms related to** Refer to section 2 for health effects.**Toxicological****Characteristics:****Chronic Toxicological** Refer to section 2 for health effects.
Effects:

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
10043-52-4	Calcium chloride	n.a.	n.a.	n.a.	n.a.
7647-14-5	Sodium chloride	n.a.	n.a.	n.a.	n.a.
7447-40-7	Potassium chloride	n.a.	n.a.	n.a.	n.a.

12. ECOLOGICAL INFORMATION

General Ecological This product has not been tested as a whole.
Information:

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose in accordance with applicable local, state, and federal regulations.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):**DOT Proper Shipping Name:** Not Regulated.**DOT Hazard Class:****UN/NA Number:****LAND TRANSPORT (Canadian TDG):****TDG Shipping Name:** Not Regulated.**UN Number:****Hazard Class:****TDG Classification:**

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
10043-52-4	Calcium chloride	No	No	No
7647-14-5	Sodium chloride	No	No	No
7447-40-7	Potassium chloride	No	No	No

CAS #	Hazardous Components (Chemical Name)	Canadian NPRI	Canadian Toxic	Canadian DSL
10043-52-4	Calcium chloride	No	No	Yes
7647-14-5	Sodium chloride	No	No	Yes
7447-40-7	Potassium chloride	No	No	Yes

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
10043-52-4	Calcium chloride	TSCA: Inventory
7647-14-5	Sodium chloride	TSCA: Inventory
7447-40-7	Potassium chloride	TSCA: Inventory

SAFETY DATA SHEET

Damp_Rid_Moisture_Absorbers

Page: 6 of 6

Revision: 11/23/2021

Supersedes Revision: 11/08/2021

Additional Regulatory Information

This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

16. OTHER INFORMATION

Revision Date: 11/23/2021 **Previous revision:** 11/08/2021

Preparer Name: W.M. Barr EHS Dept (901)775-0100

Additional Information About This Product: N.D.: Not determined.

Company Policy or Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.